

## IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 78-7006 V1

WATER RIGHT NUMBER: 78-7006 V1

| <u>Owner Type</u> | <u>Name and Address</u>                                                       |
|-------------------|-------------------------------------------------------------------------------|
| Current Owner     | BRIAN SCOTT MC MORRIS<br>PO BOX 634<br>NEW MEADOWS, ID 83654<br>(208)628-2337 |
| Original Owner    | WILBUR M ROBERTS<br><br>NEW MEADOWS, ID                                       |

Priority Date: 08/14/1968

Basis: License

Status: Active

| <u>Source</u> | <u>Tributary</u>    |
|---------------|---------------------|
| ELK CREEK     | LITTLE SALMON RIVER |

| <u>Beneficial Use</u> | <u>From</u> <u>To</u>   | <u>Diversion Rate</u> | <u>Annual Volume</u> |
|-----------------------|-------------------------|-----------------------|----------------------|
| IRRIGATION            | 04/01 to 10/31          | 0.040 CFS             | 8.00 AF              |
|                       | <u>Total Diversion:</u> | 0.040 CFS             | 8.00 AF              |

Location of Point(s) of Diversion

|              |            |                                 |
|--------------|------------|---------------------------------|
| ELK CREEK    | SW1/4NW1/4 | Sec. 26, Twp 22N, Rge 01E, B.M. |
| IDAHO County |            |                                 |

Place of Use

IRRIGATION

| Twp | Rge | Sec | NE |    |    |    | NW |    |     |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|-----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW  | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 22N | 01E | 26  |    |    |    |    |    |    | 2.0 |    |    |    |    |    |    |    |    |    | 2.0    |

Total Acres: 2

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.
2. 001 A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

Remarks:Comments:

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 78-7006 V1

1. shemenway 12/17/2007 POD

Comment: LICENSE SHOWS T22N R1E SEC. 26 SWNW. CLAIMANT WROTE DOWN NWSW ON NOTICE OF CLAIM. RECOMMENDING SWNW, AS WRITTEN ON LICENSE, AND CONFIRMED ON ARCVIEW LOCATION OF POD.

2. shemenway 12/17/2007 SYSTEM DESCRIPTION

Comment: CONCRETE DAM IN CREEK. 200 FT DITCH TO CONCRETE HEADGATE WITH 1 FT RECTANGULAR WEIR, PART OF DITCH CONVERTS TO 8 INCH BURIED LINE, CONVERTS TO 2 INCH PLASTIC PIPE TO A 1 HP CENTURY PUMP, TO BURIED SPRINKLER SYSTEM, 15- (5/32) NOZZLES RUN AT ONE TIME AT 30 PSI. IRRIGATION IS FOR LAWN AND SMALL ORCHARD.

3. shemenway 12/17/2007 EVIDENCE OF PRIORITY

Comment: LICENSE; AFFIDAVIT OF ADVERTISEMENT.

Water Supply Bank:



# Idaho Department of Water Resources


SRBA Recommendation:

**78-7006**

(Irrigation)

## Legend


- Point of Diversion
- Place of Use
- Townships
- PLS Sections
- Quarter Quarters



Idaho County  
IDWR Basin 78




R01E




0 0.1 0.2 Miles

Prepared by S. Hemenway  
On Monday, December 17, 2007  
1987/88 Aerial Photography



- 78-7006pod.shp
- Streams.shp
- 78-7006pou.shp
- Idaho taxlots
- GCDB22N01E GCDB
- Recommendation POD
- Recommendation POU
- Administrative Basins Adminbas.shp
- QQ



0.4 0.8 1.2 Miles

12/17/2007 S. Hemenway

January 25, 1974

Re: Permit No. 78-7006

Wilbur M. Roberts  
Route 1  
New Meadows, Idaho 83654

Dear Mr. Roberts:

A representative of this Department has made an examination of the works covered by your Permit No. 78-7006 and has found the following:

Quantity of water diverted: 0.13 cfs Source: Elk Creek

Amount of water that can be recognized as beneficially used under Idaho law: 0.04 cfs

The maximum quantity diverted shall not exceed 3 acre feet per year.

Beneficial use: For irrigation of 2 acres within the SW 1/4, Sec. 26, Twp. 22 N, Rge. 1 E

Point of diversion: SW 1/4, Sec. 26, Twp. 22 N, Rge. 1 E, B.M.

Priority date established: August 14, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR  
Assistant Director

jfr

78 7006

## FIELD REPORT

3

DATE OF EXAM July 12, 1973

ACREAGE  
Found 2.0  
Recommended 2.0

Irrigation Requirement 4.0 Ac Ft/Ac

USE 0.10 <sup>cb</sup>  
Irrigation Q = ~~0.10~~ c.f.s. V = 8.0 AF/Ann. from 5/1 to 10/1  
Domestic Q = \_\_\_\_\_ c.f.s. V = \_\_\_\_\_ AF/Ann. from \_\_\_\_\_ to \_\_\_\_\_  
Livestock Q = \_\_\_\_\_ c.f.s. V = \_\_\_\_\_ AF/Ann. from \_\_\_\_\_ to \_\_\_\_\_

Is water co-mingled? yes \_\_\_\_\_ no ✓

Name source: \_\_\_\_\_  
tpw. \_\_\_\_\_ N/S, Rge \_\_\_\_\_ E/W, B.M., Sec. \_\_\_\_\_, Sub. \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_ County \_\_\_\_\_

Exchange? yes \_\_\_\_\_ no ✓

Name source exchanged with: \_\_\_\_\_  
tpw. \_\_\_\_\_ N/S, Rge \_\_\_\_\_ E/W, B.M., Sec. \_\_\_\_\_, Sub. \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_ County \_\_\_\_\_

Point of injection: \_\_\_\_\_  
tpw. \_\_\_\_\_ N/S, Rge \_\_\_\_\_ E/W, B.M., Sec. \_\_\_\_\_, Sub. \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_ County \_\_\_\_\_

Point of exchange: \_\_\_\_\_  
tpw. \_\_\_\_\_ N/S, Rge \_\_\_\_\_ E/W, B.M., Sec. \_\_\_\_\_, Sub. \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 \_\_\_\_\_ County \_\_\_\_\_

Total Q measured 0.13 cfs Method of measurement Weir  
0.10 <sup>cb</sup>  
Total Q recommended ~~0.10~~ Meter No. \_\_\_\_\_ Type Weir Condition good  
Total V recommended 8.0 A.F./Ann

Recommended Amendments:

P.D. \_\_\_\_\_  
Place of Use \_\_\_\_\_  
Other \_\_\_\_\_  
None ✓

MEASUREMENT CALCULATION:

#### SYSTEM DESCRIPTION:

Concrete Dam in Creek w/ 200' ditch to a concrete diversion box w/ 1' rectangular Weir w/ ditch carrying water to 2" plastic pipeline to 1170 Castex C Pump (Ser. 7167417). Buried sprinkler system at 15 R/B 30 w/ 5/32 nozzles @ 30 PSI.

#### REMARKS:

~~The amount measured (0.13 cfs) is the max. amount the system will pump. Because this is primarily for later irrigation and the system is never run on a continuous basis it would double the average flow rate (continuous) would exceed~~

Examiner's Signature M. Claude Barron Date 7-12-1973

Checked by \_\_\_\_\_ Date \_\_\_\_\_

Approved by \_\_\_\_\_ Date \_\_\_\_\_


T.  
22  
N

Diagram of System

2 Acres

$$\frac{0.2}{.04}$$

Concrete

Diversion dam in Creek w/ 200' ditch to concrete diversion box w/ 1' rectangular  
wider w/ ditch carrying water to 2" plastic pipeline w/

Century C, 1 HP Pump Sr-716 7417 & buried sprinkler system.

15 X RB 20 w/ 5/8" @ 30 PSI

$$\begin{array}{r} 3 + \\ 3.78 \text{ GPM} \\ 15 \\ \hline 18.90 \\ 37.8 \\ \hline 56.70 \text{ GPM} \end{array}$$

RECEIVED

SEP 16 1968

Department of Reclamation

# AFFIDAVIT OF PUBLICATION

**NOTICE OF APPLICATION  
FOR WATER**  
Notice is hereby given that Wilbur M. Roberts, owner of New Meadows, Idaho has on August 14, 1968 applied for permit to divert 2.10 cubic feet per second of water from Elk Creek, tributary of Little Salmon River, under application No. 78-7006. Water will be diverted by a rock diversion and earth ditches within the SW 1/4 NW 1/4, sec. 28, T. 22 N., R. 1 E., E.M., Idaho County and is to be used from April 1 to October 31 for irrigation in the SW 1/4 NW 1/4, sec. 28, T. 22 N., R. 1 E., E.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.  
**R. KEITH HIGGINSON**  
State Reclamation Engineer  
Published in the Idaho County Free Press, Grangeville, Idaho, on September 5 and September 12. 23-12

Gary D. Cash being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 5th day of September, 1968, and the last publication on the 12th day of September, 1968; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Gary D. Cash  
Subscribed and sworn to before me this 12th day of September, 1968.

Richard C. Hatch, Notary Public  
for State of Idaho, residing at Grangeville, Idaho.