

5000

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-07493
Date Received: 1/20/1989
Receipt No: 6005632
Received By: ES

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: DAVID STOLWORTHY 208-357-7085
Address: 1320 N. 375 E.
SHELLEY, ID 83274
OR
Name: BRENDA STOLWORTHY 208-357-7085
Address: 1320 N. 375 E.
SHELLEY, ID 83274

A3507493



2. Date of Priority: MAR 24, 1975
3. Source: GROUNDWATER Trib. to:
4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
01N	36E	34	NW	SE	NE		BINGHAM
			NE	NW	NW		BINGHAM
			NW	SE	SW		BINGHAM

5. Description of diverting works:
WELLS, PUMPS & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	4.240		

7. Total Quantity Appropriated is:
4.240 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 1200.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A35-07493

Page 1

Date: 01/20/89

MICROFILMED

DEC 10 1992

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
01N	36E	27	SE		SW		IRR	40.0
			NW		SE		IRR	3.0
			SW		SE		IRR	37.0
							Section Acres	80.0
		34	NE		NE		IRR	27.0
			NW		NE		IRR	40.0
			SW		NE		IRR	34.0
			SE		NE		IRR	33.0
			NE		NW		IRR	40.0
			NW		NW		IRR	40.0
			SW		NW		IRR	36.0
			SE		NW		IRR	37.0
			NE		SW		IRR	32.0
			NW		SW		IRR	20.0
			SW		SW		IRR	28.0
			SE		SW		IRR	33.0
							Section Acres	400.0
							Total Acres	480.0

11. Place of use in counties: BINGHAM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
35-07000B, 07368B

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): *Del E. Hasty* Date: 1-20-89

Date: _____

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 20 day

of January 19 89

[Signature]
Notary Public

Seal

RESIDING AT IDAHO FALLS, IDAHO
Residing at MY COMMISSION EXPIRES 8-22-1994

My Commission Expires _____

A35-1900A

T232 466

~~7538~~

(40)

(37)

5
145.5

1.5

7.14
82.5 82.8

32.26
34.35

1.5 HP Trade
& Cellars

1972

A35-10296

(40)

(40)

(40)

(27)

#1

POD

#2

POD

(30)

(37)

(34)

(33)

7
91.6

147.0

114.3

5.1

3.0
18.4

T1078
1302

12.8

(20)

(32)

8
51.4

(28)

(33)

4
113.6

40
7.9

5
9.6

4
111.2

4.35

Boise Base Line

312

R36E

A35-07493

T1079
A385

1874

40.2

52.8

112.7

3
31.3

5.6

5
24.8

T254


0452

1693

7
14.4


DEC 10 1952

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4, SE 1/4 SW 1/4 and NW 1/4 NW 1/4 Sect. 34

TIN R36E

Place(s) of Use

add

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
IN	36E	34	27	40	34	33	40	40	36	27	32	20	28	31					700 ✓
		<u>ADD 27</u>												40		31	37		80 ✓

Recommended Amendments:

- ☒ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

Examiner's Signature

Checked by

Approved by

Al. Jones
Keith W. Walker
Kay Walker

Date 4-25-1983

Date 11-29-1983

Date 12/13/83

MICROFILMED

DEC 10 1992

February 27, 1998

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

**YOUR DEADLINE FOR RETURNING A
NOTICE OF ERROR REPLY IS:**

March 27, 1998

Water right number:

35-07493

DAVID STOLWORTHY
BRENDA STOLWORTHY
1320 N 375 E
SHELLEY ID 83274

Daytime Telephone Number:

Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ **I AGREE with this proposed recommendation; no changes need to be made.**

DATE: 03/26/97

SIGNATURE: Brenda K. Stolworthy
Please print your name: Brenda K. Stolworthy

IDWR Eastern Regional Office, 900 N. Skyline Drive, Suite A, Idaho Falls, ID 83402-1718, (208) 525-7161

RECEIVED

MAR 27 1998

Department of Water Resources
Eastern Region

CS

AJ5809NP
No. R35-07493

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/09/98
PAGE: 13

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DAVID STOLWORTHY	03/24/1975	IRRIGATION	04-01 10-31	4.24 CFS	
C	BRENDA STOLWORTHY					
	1320 N 375 E					
	SHELLEY ID 83274			TOTAL DIVERSION:	4.24 CFS	
	(208) 357-7085					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T01N R36E S34 NWSENE NENWNW NWSESW BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE																		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM													
01N	36E	27	:											04	04	36	40		03	37	:	124.0												
01N	36E	33	:	01				01													:	2.0												
01N	36E	34	:	27	39	35	33		40	37	32	36		34	24	28	32				:	397.0												
																				TOTAL ACRES														523.0

POU County: BINGHAM

Other Rights: 35-07000B, 35-07368B

Conditions of Approval:

- C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO SECTION 42-1425, IDAHO CODE.
- H02 - POSSIBLE ALTERNATIVE PERIOD OF USE 04/01 10/31
SEE EXPLANATORY MATERIAL BELOW.
- H03 - IRRIGATION PERIOD OF USE IS CURRENTLY ON APPEAL TO THE IDAHO SUPREME COURT. THE SRBA COURT RULED "IRRIGATION SEASON" IS ADEQUATE AND APPROPRIATE TO DESCRIBE THE PERIOD OF USE.
APPELLANTS ARGUE A SPECIFIC CALENDAR DESCRIPTION IS NECESSARY TO DESCRIBE THE PERIOD OF USE FOR A WATER RIGHT. IF THE IDAHO SUPREME COURT OVERTURNS THE DECISION OF THE SRBA COURT ON USING "IRRIGATION SEASON" THE SPECIFIC CALENDAR DESCRIPTION SHOWN MAY BE USED.

Remarks: QNT USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 2092 AF.
COMBINED RIGHT NOS.: 35-07000B AND 35-07368B.

POU1 USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 523 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS.: 35-07368B AND 35-07000B.
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 480 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

EXP RIGHT NOS. 35-07368B & 35-07000B ARE ALSO DIVERTED THROUGH

AJ5809NP
No. R35-07493

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 03/09/98
PAGE: 14

=====

Remarks: POINTS OF DIVERSION DESCRIBED ABOVE.

Dates: Exam Made Date: 11/12/1993 Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

Comments: Date: 02/26/1998 User-ID: AJU10-DS Subject: CONDITION H02/H03 UPDATE
CONDITION CODES H02 AND H03 ADDED IF NOT ALREADY PART OF RECORD.

Audit: 11/12/93 VERNER 03/30/95 POST-STD 02/20/98 GTAYLOR 02/26/98 AJU10-DS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

22:00:25
11/03/91

CLAIM NUMBER: A35-07493

AGE: 1
GENERAL INFORMATION

AST: STGLWORTHY
ADDRESS: 1320 N. 375 E.
CITY: SHELLEY
PHONE NUMBER: 208-357-7035

FIRST: DAVID

STATE: ID ZIP: 83274

OWNER CODE: C

AST: STGLWORTHY
ADDRESS: 1320 N. 375 E.
CITY: SHELLEY
PHONE NUMBER: 208-357-7035

FIRST: BRENDA

STATE: ID ZIP: 83274

OWNER CODE: C

FIELD EXAM REQUIRED?

FIELD
EXAMINER

DATABASE
N

VERIFICATION REQUIRED DUE TO REMARKS?

0 REMARKS IN CLAIM

AGE: 2
FIELD EXAMINATION INFORMATION

CLAIM NUMBER: A35-07493

CONTACT PERSON: _____

PHONE NUMBER: () _____

DATE OF FIELD EXAM: 11/12/93

APPOINTMENT MADE: Y() V()

TIME: : A() P()

COMPANIED BY: _____

PHONE NUMBER: () _____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

DESKTOP REVIEW w/ LICENSING EXAM AND RECENT EXAM OF PERMIT
35-070003 AND 35-073603

AJ CLAIM: # A35-07493 PRIORITY DATE: 03-24-1975 STAGE: L
WR RECORD: # 35-07493 PRIORITY DATE: 03-24-1975 STAGE: L

FIELD EXAM REQUIRED? FIELD EXAMINER
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N

RE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)

REMARKS: VERIFIED MATCH w/ LICENSE

RECOMMENDED PRIORITY DATE: 03-24-1975

VIEWED BY [Signature] DATE 11-12-93

• AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-07493	01N	36E	34	NE	SE	NE		BINGHAM
35-07493	01N	36E	34	NE	NH	NH		BINGHAM
35-07493	01N	36E	34	NH	SE	SW		BINGHAM

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX
R PREFIX
A35-070008
A35-073688

HR RECORDS IN SAME 40 ACRE TRACT
35-070008

SOURCE: GROUNDWATER

TRIB:

• WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-07493	01N	36E	34		SE	NE		BINGHAM
35-07493	01N	36E	34		SE	SW		BINGHAM
35-07493	01N	36E	34		NH	NH		BINGHAM

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX
R PREFIX

NONE

A35-070008 NONE
A35-073688

SOURCE: GROUNDWATER

TRIB:

• FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
		Y	Y
		N	N

REMARKS:

Is NOT CLAIMING A CHANGE OF POINT OF DIVERSION. 10 ACRE TRACT VERIFIED
WITH AGCS PHOTO AND OTHER LICENSES EVIDENCE.
REMARK FDS: 35-070008, 35-073688.

RECOMMENDED POINT(S) OF DIVERSION AND SOURCES:
TWP. R&E. SEC. 1/4 1/4 1/4 COUNTY

NO CHANGE

SOURCE: GROUNDWATER

TRIB:

VIEWED BY:

DATE:

11-12-93

BUELS, PUMP INTO MACHINES TO 3 PIVOTS AND SOLID SETS.

• ROOT WATER RIGHT NUMBERS: A35-07493

• POB LISTING

WP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	AR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
IN 36E	27	SE	SW			STOLWORTH, DAVID	A35-07493 / 40.0	35-07493 / 40.0	43.0	40	40
		SE	SW			STOLWORTH, DAVID	A35-070008 / 40.0	35-070008 / 40.0			
		SE	SW			STOLWORTH, DAVID	A35-073588 / 40.0	35-073588 / 40.0			
		SE	SW			PUGHIRE, U. R.		01-001818 /			
IN 36E	27	N4	SE			STOLWORTH, DAVID	A35-07493 / 3.0	35-07493 / 3.0	37.0	3	3
		N4	SE			STOLWORTH, DAVID	A35-070008 / 3.0	35-070008 / 3.0			
		N4	SE			STOLWORTH, DAVID	A35-073588 / 3.0	35-073588 / 3.0			
		N4	SE			CARLSON, KENNETH M.	A35-02796 / 39.0	35-02796 / 39.0			
		N4	SE			PUGHIRE, U. R.		01-001818 /			
IN 36E	27	S4	SE			STOLWORTH, DAVID	A35-07493 / 37.0	35-07493 / 37.0	40.0	37	37
		S4	SE			STOLWORTH, DAVID	A35-070008 / 37.0	35-070008 / 37.0			
		S4	SE			STOLWORTH, DAVID	A35-073588 / 37.0	35-073588 / 37.0			
		S4	SE			PUGHIRE, U. R.		01-001818 /			
		S4	SE			STOLWORTH, BRENDA		35-08689 / 3.0			
IN 36E	34	NE	NE			STOLWORTH, DAVID	A35-07493 / 27.0	35-07493 / 27.0	43.0	27	27
		NE	NE			STOLWORTH, DAVID	A35-070008 / 27.0	35-070008 / 27.0			
		NE	NE			STOLWORTH, DAVID	A35-073588 / 27.0	35-073588 / 27.0			
		NE	NE			STOLWORTH, DAVID	A35-10296 /				
		NE	NE			PUGHIRE, U. R.		01-001818 /			
IN 36E	34	N4	NE			STOLWORTH, DAVID	A35-07493 / 40.0	35-07493 / 40.0	39.0	39	35
		N4	NE			STOLWORTH, DAVID	A35-070008 / 40.0	35-070008 / 40.0			
		N4	NE			STOLWORTH, DAVID	A35-073588 / 40.0	35-073588 / 40.0			
		N4	NE			PUGHIRE, U. R.		01-001818 /			
IN 36E	34	S4	NE			STOLWORTH, DAVID	A35-07493 / 34.0	35-07493 / 34.0	33.0	35	35
		S4	NE			STOLWORTH, DAVID	A35-070008 / 34.0	35-070008 / 34.0			
		S4	NE			STOLWORTH, DAVID	A35-073588 / 34.0	35-073588 / 34.0			
		S4	NE			PUGHIRE, U. R.		01-001818 /			
IN 36E	34	SE	NE			STOLWORTH, DAVID	A35-07493 / 33.0	35-07493 / 33.0	39.0	33	33
		SE	NE			STOLWORTH, DAVID	A35-070008 / 33.0	35-070008 / 33.0			
		SE	NE			STOLWORTH, DAVID	A35-073588 / 33.0	35-073588 / 33.0			
		SE	NE			PUGHIRE, U. R.		01-001818 /			
IN 36E	34	NE	NH			STOLWORTH, DAVID	A35-07493 / 40.0	35-07493 / 40.0	43.0	40	40
		NE	NH			STOLWORTH, DAVID	A35-070008 / 40.0	35-070008 / 40.0			
		NE	NH			STOLWORTH, DAVID	A35-073588 / 40.0	35-073588 / 40.0			
		NE	NH			PUGHIRE, U. R.		01-001818 /			
IN 36E	34	NH	NH			STOLWORTH, DAVID	A35-07493 / 40.0	35-07493 / 40.0	37.0	37	37

FINAL RECOMMENDED

CLAIM IDENTIFICATION NO. DAVID STOWORTH

A35-070006

A35-07368

PLACE OF USE OVERLAP REVIEW

CLAIM NO.	TWN	RNG	SEC	NE			NW			SW			SE			TOTAL
				NE	NW	SE	NE	NW	SE	NE	NW	SE	NE	NW	SE	
3	10	36E	20	1		18	18		9	5			40	35	2.5	140
			21				18	13		11	40	21				104
																244
4	10	36E	21			17	2		5	29			19	40	37	179
13	10	36E	27													
			33	1		1										
			34	27	31	35	33	40	37	34	24	28	32			124
																2
																397
																523
																942
																total

35-07493, 35-070006, 35-07368

PERMISSIBLE PLACE OF USE.

HP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
IN 36E	34	SE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-070008 /40.0 A35-073688 /40.0 01-001818 /	35-070008 /40.0 35-073688 /40.0 01-001818 /	41		
IN 36E	34	SE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /36.0 A35-070008 /36.0 A35-073688 /36.0 01-001818 /	35-07493 /36.0 35-070008 /36.0 35-073688 /36.0 01-001818 /	31.0	32	32
IN 36E	34	SE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /37.0 A35-070008 /37.0 A35-073688 /37.0 01-001818 /	35-07493 /37.0 35-070008 /37.0 35-073688 /37.0 01-001818 /	40.0	36	36
IN 36E	34	NE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /32.0 A35-070008 /32.0 A35-073688 /32.0 01-001818 /	35-07493 /32.0 35-070008 /32.0 35-073688 /32.0 01-001818 /	41.0	34	34
IN 36E	34	NE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /20.0 A35-070008 /20.0 A35-073688 /20.0 01-001818 /	35-07493 /20.0 35-070008 /20.0 35-073688 /20.0 01-001818 /	25.0	24	24
IN 36E	34	SE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /28.0 A35-070008 /28.0 A35-073688 /28.0 01-001818 /	35-07493 /28.0 35-070008 /28.0 35-073688 /28.0 01-001818 /	31.0	28	28
IN 36E	34	SE	SW	SW	SW	STOLWORTHY, DAVID STOLWORTHY, DAVID STOLWORTHY, DAVID PUGHIRE, V. R.	A35-07493 /33.0 A35-070008 /33.0 A35-073688 /33.0 01-001818 /	35-07493 /33.0 35-070008 /33.0 35-073688 /33.0 01-001818 /	38.0	32	32
TOTAL ACRES							480.00	480.00	560.00		

RE IRRIGATED ACRES FOUND IN TRACS OTHER THAN INDICATED ABOVE, Y(P) N()
F YES SEE ATTACHED SHEET:

ADD SEC 27 NE SW 4

FIELD EXAM REQUIRED?

DUE TO POI DISCREPANCY? (Y/N)

FIELD EXAMINER
DATABASE Y

NW SW 4
SW SW 36

SEC 33 NE NE 1
SE NE 1

523

RESUMPTION FLAG:

REMARKS:

IS NOT CLAIMING A CHANGE OF EXPANSION OF PLACE OF USE. HOWEVER, FROM
FOR 35-073688 AND 35-0726870008 SINGLED THAT IN COMBINATION, THESE RIGHTS
ARE IRRIGATING 523 ACRES. NAIR PHOTOGRAPHY FROM 1987 VERIFIES THIS HAS BEEN THE
CASE SINCE 1987. RECOMMEND CHANGING YOU TO A 523 ACRE PHOTOGRAPHY
CDS AND REMARK K06: 480 ac. NO JUDGMENT APPARENT - CHANGE PRIOR TO 1987, NO EXPANSION.

RECOMMENDATIONS:

TOTAL ACRES:

523/k06: 480 ac

REVIEWED BY:

EB

DATE:

11-22-93

SEE ATTACHED EXAM COPY w/ 35-070006.

• AJ CLAIMED USES:

PURPOSES MONTH/DAY
35-07493 IRRIGATION FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
4.240 CFS
4.240 CFS

• WR RECORDED USES:

PURPOSES MONTH/DAY
35-07493 IRRIGATION FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
4.240 CFS 1680.00 AF/A
4.240 CFS 1680.00 AF/A

RESUMPTION FLAGS:

• FIELD EXAM REQUIRED?

	FIELD	DATABASE	EXAMINER
DUE TO WATER-USE DISCREPANCY?	(Y/N)	N	N
DUE TO DIVERSION RATE DISCREPANCY?	(Y/N)	N	N
DUE TO PERIOD FROM/TO DISCREPANCY?	(Y/N)	N	N

• PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N(X)

Y(X) N()

EXPLAIN IN REMARKS, BELOW.

REMARKS:

- RECOMMEND PURPOSE USE = 4/1 TO 10/31

• DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 4.240 CFS
 WR ROOT RIGHT TOTAL DIVERSION RATE: 4.240 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
 ** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
 ** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

FIELD
 DATABASE EXAMINER
 N

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FLOW MEASUREMENT

MEASUREMENT METHOD

SEE ATTACHED CALCULATIONS.

• ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: 35-070008, 013688

IST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM NO.	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-07493	GROUNDWATER	STOLWORTH, DAVID	4.240	0.038		
A35-02796	GROUNDWATER	CARLSON, KENNETH H.	5.360	0.014		
A35-070008	GROUNDWATER	STOLWORTH, DAVID	5.450	0.005		
A35-073388	GROUNDWATER	STOLWORTH, DAVID	1.320	0.001		

IST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A35-10296	DOMESTIC	STOLWORTH, DAVID	FROM 01-01 TO 12-31	0.040 CFS	

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1B. CALCULATIONS

1A. IRRIGATION RATE
ACRES 523 X 0.02 CFS/ACRE = 10.46 CFS
(TAKEN FROM P/U REVIEW)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 1233.0 AF/A
ACRES 523 X CONSUMPTIVE VOL. AF/A FOR AREA 3 =
TOTAL CONSUMPTIVE USE 1569 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A
ACRES 523 X DIVERSION VOL. AF/A FOR AREA 4 =
TOTAL DIVERSION VOLUME 2092 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

Comments: C/S Remarks: F/S: 35-070008, 35-07368B
K96: 480a
EP4: ---; 20924fa; 1569cd; 5234aj 35-070008 35-07368B

RECOMMENDATIONS:

REC.
PURPOSES

IRRIGATION

QIAL FOR THIS RIGHT

REC. PERIOD
FROM ID

04-01
~~11-01~~
10-01

REC. DIV
RATE CFS

DATABASE EXAMINER
4.240 4.24
4.240

REC. DIV
VOL. AF/A

DATABASE EXAMINER
~~---~~

REC. CONS.
USE

DATABASE EXAMINER
1200.0
1200.0

VIEWED BY: 

DATE: 11-12-93

CHECK ONLY THE FOLLOWING THAT APPLY:

MEMBERSHIP
ORFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

ACCEPTED AS CLAIMED (X)
NEEDS REVIEW ()
()
()

SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-07493

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE 4.240
EXAMINER 4.24 CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A35-07493	4.240	-	4.24	35-07493	4.240
TOTAL CFS		4.240				4.240

INVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE Y
FIELD EXAMINER X

REMARKS:

RIGHT IS CLAIMED IN FULL

AUTHENTICATION:

SIGNATURE:

DATE: 11-12-93

NAME OF FIELD EXAMINER:

TITLE: SUA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

22:00:25
11/03/91

AGE: 14
WICKLOOK INFORMATION

CLAIM NUMBER: A35-07493

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
RIGIDITY DATE			Desa to 11-12-93			11-12-93	11-12-93	11-24-93
POINT OF DIV	Y			N	52146			
SOURCE								
PLACE OF USE	Y			Y	52146			
IV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE								
URPOSES								
PERIOD OF USE				Y	6			
ASIS OF CLAIM								
REMARKS								

"VERIFIED BY" CODES

- TOPD MAP/ORTHOPHOTO = 1
- ASCS MAP = 2
- AIRMASTER RECORDS = 3
- AIRPHOTOS = 4
- FIELD EXAM = 5
- OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

AJ5809NP
No. P35-07493

DIVERSION
VOLUME

4.24 CES

TOTAL DIVERSION=

Stage: ESSENTIAL

MS:ISSMN

NESW		NWSW		SWSW		SESW	
Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
04	04	04	36	40	32		
34	24	28					

[illegible]

Other Rights: 35-070008, 35-073688

RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
IUAHO CODE 42-1416A.

RIGHT NOS. 35-07368B AND 35-07000B ARE ALSO DIVERTED

THROUGH POINT OF DESCRIBED ABOVE. LISTED BELOW IS LIMITED TO A
 USE OF THIS RIGHT WITH RIGHTS. TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 2092 AF, A TOTAL
 TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 1569 AF, AND TO THE
 COMBINED ANNUAL COMBINED TOTAL OF 523 ACRES IN A SINGLE
 IRRIGATION OF A COMBINED TOTAL OF 523 ACRES IN A SINGLE
 IRRIGATION SEASON. COMBINED RIGHT NOS.: 35-070008 AND 35-07368E.
 THIS RIGHT IS LIMITED TO THE IRRIGATION OF 480 ACRES WITHIN
 THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

11/12/1993

Field Inspection Flag:

11-29-93

ATTACHED ANALYSIS:

17 NOV 1993

NOTE:

35-07000B & 35-07368B COMBINE TO LICENSE LAND UP TO 0.02 CFS/AC

SYSTEMS #1,2,& 3 - - - - -

SYSTEM CAPACITY = 9.62 CFS/523 AC = 0.01839 CFS/AC = 0.92 '/AC
LICENSE (35-07493)

4.24 CFS/480 AC = 0.0088333 CFS/AC = 0.44 "/AC
CAPACITY - LICENSED AMOUNT = REMAINING TO BE LICENSED
(9.62 CFS) - (4.24 CFS) = 5.38 CFS/523 AC REMAINING
USE ALL OF PERMIT 35-07368B (1.82 CFS) ON SYSTEM'S #1,2,3, TO
ELIMINATE SPLITTING PERMIT INTO NUMEROUS SMALL PORTIONS
PORTION OF 35-07000B NECESSARY TO LICENSE SYSTEMS AT CAPACITY
REMAINING CAPACITY - PERMIT 35-07368B = RECOMMENDED
(5.38 CFS) - [35-07368B (1.82 CFS)] = 3.56 CFS FOR 35-07000B

SYSTEM #5 - - - - -

SYSTEM CAPACITY = 3.30 CFS/244 AC = 0.0135 CFS/AC = 0.676 "/AC
LICENSE (35-07420) 1.89 CFS/143 AC = 0.0132 CFS/AC = 0.66 "/AC
CAPACITY - LICENSED = REMAINING TO BE LICENSED
3.30 CFS - 1.89 CFS = 1.41 CFS/244 AC FOR 35-07000E

SYSTEM #4 - - - - -

SYSTEM CAPACITY = 5.54 CFS/179 AC = 0.0309 CFS/AC
LIMIT TO 0.02 CFS/AC
PERMITTED AMOUNT - RECOMMENDED AMOUNTS = REMAINING AMOUNT
(35-7000B/7368B)-(SYSTEM #1,2,3 + SYSTEM #5)
(5.45 CFS + 1.82 CFS)-(5.38 CFS + 1.41 CFS) = 0.48 CFS
PERMITTED AC - RECOMMENDED AC = REMAINING AC TO LICENSE
(924 AC) - (AC OF 1,2,3 + AC OF #5) =
(924 AC) - (523 AC + 244 AC) = 157 AC

RECOMMEND:

0.48 CFS FOR 157 AC WITH/IN PERMISSIBLE PLACE OF USE
OF 179 AC.

ANALYSIS:

QUANTITY	ACRES
35-07368B (1.82 CFS)	523 AC
35-07000B (3.56 CFS)	"
35-07000E (1.41 CFS)	244 AC
<u>35-07000F (0.48 CFS)</u>	<u>157 AC</u> W/IN 179 AC
7.27 CFS	924 AC

PAGE "F"