

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-07592
Date Received: 3/29/1989
Receipt No: 606582
Received By: SS

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GEORGE R. JACKSON 208-328-2253
Address: 1762 W. 800 S.
PINGREE, ID 83262

2. Date of Priority: MAR 18, 1976

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04S	33E	7	SE	SW	SE		BINGHAM

5. Description of diverting works:
50HP TURBINE PUMP INTO MAINLINE / SPRINKLER SYSTEM

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.760		

7. Total Quantity Appropriated is:
0.760 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 114.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04S	33E	7	SE	SE		IRR	38.0
Section Acres							38.0

A35-07592

Page 1

Date: 03/29/89

MICROFILMED
DEC 10 1992

A3507592



10. Place of Use: Continued

Total Acres 38.0

11. Place of use in counties: BINGHAM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
 ABERDEEN-SPRINGFIELD CANAL.

14. Remarks:
 THIS RT. WHEN COMBINED WITH ALL OTHER RTS. SHALL PROVIDE NO MORE
 THAN 0.02 CFS/AC NOR MORE THAN 3.5 AFA/AC FOR THE LANDS ABOVE.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): George R. Jackson Date: 3-29-89

Date: _____

State of Idaho)
County of Bonneville) SS.


Subscribed and sworn (or affirmed) before me this 29 day
of March 1989

[Signature]
Notary Public

Seal


Residing at Idaho Falls, ID
My Commission Expires 22 Aug 1994

MAP (Attach/Attach Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



(Point(s) of diversion: SW 1/4 SE 1/4 SEC 7 T4S R33E

Placers of Use

TWP	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
✓ 4S	33E	7																38	38

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature [Signature]

Date 7-30-81

Checked by [Signature]

Date 8-17-81

MICROFILMED
DEC 10 1992


IDAHO DEPARTMENT OF WATER RESOURCES

GEORGE R JACKSON


DOUGLAS L JACKSON

35-07453B, 35-07592

TOWNSHIP 4S, RANGE 33E, SECTION 7



POINT OF DIVERSION




PLACE OF USE



SECTION LINE



QUARTER/QUARTER



ACRES IRRIGATED-76

GIS place of use illustration
1987/1988 NAPP photography
prepared by Dave Carlson
07/31/1998

**IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)**

DATE: 12/14/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE R JACKSON 1762 W 800 S PINGREE ID 83262 (208) 328-2253	03/18/1976	IRRIGATION	04-01 11-01	0.76 CFS	
TOTAL DIVERSION:					0.76 CFS	

Tributary to:

Stage: LICENSE

T04S R33E S07

BINGHAM County

3

[illegible]

POU County: BINGHAM

Other Rights: 35-074538, ABERDEEN SPRINGFIELD CANAL

Conditions of Approval:

- E02 - USE OF THIS RIGHT IS COMBINED WITH WATER FROM
 - ABERDEEN SPRINGFIELD CANAL CO.
 C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
 - SECTION 42-1425, IDAHO CODE.
 C12 - THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
 - IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER
 - RIGHTS IN BASIN 35:
 WATER RIGHT NO. SOURCE
 NONE NONE
 - THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
 - IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER
 - RIGHTS IN THE SNAKE RIVER BASIN:
 WATER RIGHT NO. SOURCE
 NONE NONE
 - ALL WATER RIGHTS WITHIN BASIN 35 ARE FROM CONNECTED SOURCES
 - OF WATER IN THE SNAKE RIVER BASIN AND SHALL BE ADMINISTERED
 - CONJUNCTIVELY.

Remarks: QNT

USE OF THIS RIGHT WITH RIGHT NO. 35-07453B IS LIMITED TO TOTAL COMBINED DIVERSION RATE OF 1.52 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 304, AF.

POU1

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 38 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.. USE OF THIS RIGHT WITH RIGHT NO. 35-074538 IS LIMITED TO THE

AJ0749NP
No. R35-07592

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/14/98
PAGE: 2

Remarks: IRRIGATION OF A COMBINED TOTAL OF 76 ACRES IN A SINGLE
IRRIGATION SEASON.

EXP RIGHT NO. 35-074538 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.

Dates: Exam Made Date: 09/21/1992 Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag: C
Presumption Flag:

1995

2.76.5

3. 132.4

T1937
4285

1. 70.2 HEL

T24858
4285

65

T24859
4285

63

1. 33.1 HEL

1. 32.2 HEL

T24446
4283

HEL

1. 20.1

70.1

(73)

4. 66.0

5. 36.5
T24500
4285

1. 42.5

T8445
948

2. 56 HEL

3. 73.6

T1986
432

1. HEL

7 8 67.1

18 17

13 18

12 7

13

300 W

UP RR

1. HEL
41.7

300 E

Customer Copy

IDAHO POWER COMPANY PUMP TEST RECORD

Customer Geo Jackson Address Pingree Telephone _____
 Tested By Bill Berry & Pat Evans Date 9-18-80
 Pump Mfg Berkeley Type Deep Well Turbine Make _____
 Pump curve available? Yes No Motor H.P. 50 F.L.R.P.M. 1775 S.F. _____
 Location P-7-5 Meter No 3202 Acct No 2171005092

SESW Sec 7
Pump #1

	UNITS	TEST #1	TEST #2	TEST #3
1. Flow	gpm	$794 \div 448.8 = 1.77$		
2. Suction Head	psi ft	-		
3. Standing Well Water Level	ft	31		
4. Pumping Well Water Level	ft	31		
5. Discharge Pressure	psi ft	61 141		
6. T.D.H.	ft	172		
7. Speed (Nominal)	RPM	1775		
8. Water Hp	WHP	345		
9. EMF	Avg Volts	482		
10. Current	Avg Amps	-		
11. Power Factor		-		
12. Power Input	W	40.6		
13. Power Input	HP	54.5		
14. Pumping Plant Efficiency		63.3		
15. Estimated Motor Eff		90		
16. Estimated Power Output	HP	49		
17. Estimated Pump Efficiency		70.3		

Note: The pump efficiency is estimated because the motor efficiency must be estimated.

Comments:

Bill Berry
 Idaho Power Company Tester

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of January, 19 82.

Director

9. Irrigation uses: Describe the lands irrigated by giving the acreage irrigated within each 40 acre subdivision: _____

Total number of acres irrigated 120

10. Remarks:

21-7-2
(Date)


George R Jackson
(Signature)

State of Illinois)
County of Franklin)

On this 28.11 day of February, 191975, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at Blackledge

My commission expires 8-14-75



T4S R33E
11

Form 219
12/76

State of Idaho DEPARTMENT OF WATER RESOURCES FIELD REPORT

35-7453
Permit No.

CONTACT WITH PERMIT HOLDER

- ☐ Appointment letter mailed:
- ☐ Telephone call made:
(List Telephone No. used)
- ☐ Appointment scheduled for:
(Date, time, location)

DATE

INITIALS

REMARKS

EXAMINATION

Date 6-30-81

Accompanied by Mr. Jackson

Total Q measured 3.63 cfs

If source is surface water, estimate total flow of source

Method of measurement Idaho Power Pump Test Meets Permit requirements?

Measurement calculations:

$$V = 62 \text{ ac} \times 3.5$$

$$= 217 \text{ ac} \quad (\text{PD} \# 1)$$

$$V = 35 \text{ ac} \times 3.5$$

$$= 124 \text{ ac}$$

$$\text{Idaho Power Pump Test} = 7946 \text{ gpm} \text{ or } 1.77 \text{ cfs}$$

$$62 \text{ ac} \text{ at } 0.02 \text{ cfs} = 1.24 \text{ cfs (PD} \# 1)$$

$$\text{Idaho Power Pump Test} = 7946 \text{ gpm} \text{ or } 1.77 \text{ cfs}$$

$$35 \text{ ac} \text{ at } 0.02 \text{ cfs} = 0.72 \text{ cfs (PD} \# 2)$$

$$35 \text{ ac} \text{ at } 0.02 \text{ cfs} = 0.72 \text{ cfs}$$

$$36 \text{ ac} \times 0.02 = 0.72 \text{ cfs}$$

$$V = 1.24 \text{ cfs} \times 1.955 \times 214$$

$$= 526 \text{ cfs}$$

$$+ 1.77 \checkmark$$

$$+ 1.86 \checkmark$$

$$3.63 \text{ cfs}$$

Capacity

WELL/DIVERSION NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
50	30	U.S. Motors	11775-02 0606	Berkley	7525097			

System Description pump/motor thru 8" mainline to 3 wheel lines and 1 hand line.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation (PD #1) 217 ac

Irrigation (PD #2) 124 ac

Irrigation requirement = 3.5

Q (cfs)

1.24

1.72

V total

217 cfs

124 cfs

AFA Acre

FROM

April 1

April 1

Remarks See amendment - PD #2 is same pd in license 35-7592

Permit identifies canal water
Recommend R16(35)

SEE ATTACHMENT
FOR OVERLAP REVIEW

Overlap Review for 35-7453

License 35-7592 gw P/O SWSE Sec 7 T45 R33E
(same) OK
P/O see attached license
(different)

2 35-7592
 This night 35-7453

$$\begin{array}{r} .76 \\ .72 \\ \hline 1.48 \end{array} \text{ or Less than capacity (1.86 b/s)}$$

RC 3/2/83

3-4-83

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein specified, as provided by the law of 1910.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of

14 82

[Signature]
Director

MAP (Attach Aerial Photo)

R 33E

T45

30 39 38 35

PD#1 PD#2

FIG. 1. DIAGRAM OF SYSTEM

SCHEMATIC DIAGRAM OF SYSTEM
(Include distance from pump to measuring device, if applicable.)

Diagram of a vertical pump assembly. A circular pump is at the bottom, connected to a vertical pipe. The pipe has two rectangular valves. The upper valve is labeled "CHECK V." and the lower valve is labeled "GATE V.". A dimension line on the left indicates a height of 8' from the pump to the top of the pipe assembly.

412

Diagram of a pump system. A horizontal pipe of length 6' is connected to a circular pump. The pump is labeled "pump" and has an arrow pointing into it labeled "at V".

(37)

Point(s) of diversion: SE 1/4 of SW 1/4 of SEC 7 T4S R32E
SW 1/4 of SE 1/4 " " "

Place(s) of Use

Plots of Use																TOTALS	
NW.	NE.	SE.	NW.				SW.				SE.				TOTALS		
			NE.	NW.	SW.	SE.	NE.	NW.	SW.	SE.	NE.	NW.	SW.	SE.			
45	315	7										31				92	
												32					
												33					
												34					
												35					
												36					
												37					
												38				108	
												39					

103

03

☐ Change P.D. as reflected above.

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other


Approved by

Date 3-2-83

103


3-4-83

(141)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 of SW 1/4, SECT 7, T4S, R33E
 + SW 1/4 of SE 1/4, " " " "

Place(s) of use

Div.	Acres	Crop	T4S				R33E				SW 1/4				SE 1/4				TOTALS
			SW	SE	SW	SE	SW	SE	SW	SE	SW	SE	SW	SE	SW	SE	SW	SE	
1		7											32	31			35		98

Return to land Agent's comments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

☒ None
☐ Other

Jan 3-4-83

Examiner's Signature

Checked by

Approved by

[Signatures]

Date 7-30-81

Date 12-8-81

Date 3-2-83

ACTION REQUIRED

3/29/89

FROM: Eric Kern

TO: File #35-07453

Claimant insisted on filing for extra acres. & recommended
he write to Department to re-examine this land. Appears a
few acres can be added -

- Claims ditch ~~stands~~ banks insisted for pasture -
all but 1 acre w/ homestead ~~land~~ irrigated (lawson's
pasture).

- Need to make sure he followed up 3/5/89 what Dept's.

response was.

EGV

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

35-7592

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:☐ Telephone call made:
(List Telephone No. used)☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION

Date 6-30-81Accompanied by Mr. JacksonTotal Q measured 1.86 cfs

If source is surface water, estimate total flow of source

Methods of measurement Idaho Power Pump Test ☒ Meets Permit requirements?

Measurement calculations:

$$V = 38 \text{ sec} \times 3.5 \text{ cfs} \\ = 133 \text{ cu ft}$$

$$\text{Pump Test} - \frac{84 \text{ sec} \times 1.86 \text{ cfs}}{448.8} \\ 38 \text{ sec} \text{ at } .02 \text{ cfs/sec} = 0.76 \text{ cfs}$$

$$V = 0.76 \text{ cfs} \times 1.4815 \times 214 \text{ days} \\ = 327 \text{ cu ft}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	50	GE	C1535411	Berkley	7426078			

System Description From pump/motor through 8" mainline to 2 wheel lines and 1 head line

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation requirement = 3.5

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

Irrigation

0.76

133

April


Nov. 1

Total


Remarks

No Overlapping rights


6/15/82



MAP (AMENDMENT)



SCHEMATIC DIAGRAM OF SYSTEM
(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 of SE 1/4 SECT 7 T4S R3E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SE 1/4				SW 1/4				TOTALS
			NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	
✓ 4.5	33E	7																38	38

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date 7-30-81

Date 8-17-81

Date 12-8-81

5

3
132.4

3104

HE
1
70.2

133.1

(Lot 4)
30.6 132.2

13

18

4
66.0

5
36.5

3104

68.5

3104

35.0

38.0

PD



514

2
56

18

STATE OF IOWA
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

23:00:19
11/03/91

AGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A35-07592

AST: JACKSON
ADDRESS: 1762 W. 800 S.
CITY: PINGREE
PHONE NUMBER: 208-328-2253
OWNER CODE: C

FIRST: GEORGE R.

STATE: ID ZIP: 83382

FIELD EXAM REQUIRED?

DATABASE Y FIELD EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: THIS RT. WHEN COMBINED WITH ALL OTHER RTS. SHALL PROVIDE NO MORE THAN 0.02 CFS/AC NOR MORE THAN 3.5 AFA/AC FOR THE LANDS ABOVE.

FIELD EXAMINATION INFORMATION

CONTACT PERSON:

PHONE NUMBER: () - - -

DATE OF FIELD EXAM: 9/21/92

APPOINTMENT MADE: Y() N(X) A() P()

COMPANIED BY:

PHONE NUMBER: () - - -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY / REMARKS:

field Review

Office Review

• AJ CLAIM: # A35-07592 PRIORITY DATE: 03-18-1976 STAGE: L
• WR RECORD: # 35-07592 PRIORITY DATE: 03-13-1976 STAGE: L

• FIELD EXAM REQUIRED?

FIELD
EXAMINER
DATABASE
N

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

RE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)

F YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
03-18-1976

EXEMPTED BY

DATE

9/21/92

. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TAP.	RGE.	SEC.	1/4	1/4	1/4	LOT	ENTY
35-07592	04S	33E	7	SE	SW	SE		BINGHAM

OTHER AJ CLAIMS WITH SAME AJ POD

A PREFIX
R PREFIX
A35-07453

WR RECORDS IN SAME 40 ACRE TRACT

35-07453

SOURCE: GROUNDWATER

TRIS:

. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TAP.	RGE.	SEC.	1/4	1/4	1/4	LOT	ENTY
35-07592	04S	33E	7		SW	SE		BINGHAM

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX
R PREFIX35-07453
A35-07453
A35-10423
A35-07453

SOURCE: GROUNDWATER

TRIS:

. FIELD EXAM REQUIRED?

FIELD EXAMINER	DATABASE	DOE TO POD DISCREPANCY? (Y/N)	DOE TO SOURCE DISCREPANCY? (Y/N)
---	Y	Y	N

REMARKS:

PD is ok - same well as part of 35-7453

F05 - split into A & B

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:			
TRP.	RSE.	SEC.	COUNTY
---	---	---	---
---	---	---	---
---	---	---	---
---	---	---	---
SOURCE: GROUNDWATER			TRIB:
REVIEWED BY: <i>De</i>			DATE: 9/21/92

1. ROOT WATER RIGHT NUMBERS: A35-07592
R35-07592

1. POU LISTING

WP	RWG	SEC	1/4	1/4	LOT	NAME	AJ #ACRES	AR #ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
MS	33E	7	SE	SE		JACKSON, GEORGE R.	A35-07592 / 38.0	35-07592 / 38.0	37.0	38.0	TWO ROADS
			SE	SE		LING, ROGER D.	A01-302972 / 40.0	-			
			SE	SE		LING, ROGER D.	A01-300232 / 40.0	-			
			SE	SE		LING, ROGER D.	A35-025432 / 40.0	-			
			SE	SE		ABERDEEN SPRINGFIELD CANAL C.O.	A35-042462 / 40.0	-			
			SE	SE		LING, ROGER D.	A01-320546 / 40.0	-			
			SE	SE		LING, ROGER D.	A01-320586 / 40.0	-			
			SE	SE		LING, ROGER D.	A01-320588 / 40.0	-			
			SE	SE		JACKSON, GEORGE R.	R35-07592 / 38.0	-			
TOTAL ACRES							38.00	38.00	37.00		

RE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y(X) N()
F YES SEE ATTACHED SHEET:

• FIELD EXAM REQUIRED?

DUE TO POJ DISCREPANCY? (Y/N)

RESUMPTION FLAG: COS

REMARKS:

CUMB PART OF 35-7453 out of same well
SW SE 34.0 AC

split 35-7453 into A & B K06-38AC

35-07453B → CUMB

ECOMMENDATIONS:

TOTAL ACRES: 13

REVIEWED BY: PC

DATE: 9/21/92

1. AJ CLAIMED USES:

PURPOSES
35-07592 IRRIGATION

MONTH/DAY
FROM 04-01 TO 11-01
10/31
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
.760 CFS
.760 CFS

1. WR RECORDED USES:

PURPOSES
35-07592 IRRIGATION

MONTH/DAY
FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
.760 CFS
.760 CFS
133.00 AF/A
133.00 AF/A

RESUMPTION FLAG:

• FIELD EXAM REQUIRED?

DUE TO WATER-USE DISCREPANCY? (Y/N)
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)

FIELD
EXAMINER
DATABASE
N
N
N

• PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

Y(~~X~~) N(~~X~~)
Y(~~X~~) N(~~X~~)

EXPLAIN IN REMARKS, BELOW.

REMARKS:

1. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y(X) N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.760 CFS

WR ROOT RIGHT TOTAL DIVERSION RATE: 0.760 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***

*** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **

*** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) N

FIELD DATABASE EXAMINER

MEASUREMENT METHOD FLOW MEASUREMENT SEE ATTACHED CALCULATIONS.

ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: ABERDEEN-SPRINGFIELD CANAL. 35-7453B-

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM NO.	SOURCE	NAME	DIV. RATE	RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-07592	GROUNDWATER	JACKSON, GEORGE R.	0.760	0.020		
A01-0002370	SNAKE RIVER	LING, ROGER D.	1250.000	0.035		
A01-0029770	SNAKE RIVER	LING, ROGER D.	230.000	0.006		
A01-0205460	SNAKE RIVER	LING, ROGER D.			57133.00	1.61
A01-0205860	SNAKE RIVER	LING, ROGER D.			129940.00	3.66
A01-0206880	SNAKE RIVER	LING, ROGER D.			22850.00	0.64
A35-0254370	GROUNDWATER	LING, ROGER D.	6.000			
A35-0424670	GROUNDWATER	ABERDEEN SPRINGFIELD CANAL CO.	2.440			
A35-07592	GROUNDWATER	JACKSON, GEORGE R.	0.760	0.020		

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

18. CALCULATIONS

1A. IRRIGATION RATE
ACRES _____ X 0.02 CFS/ACRE = _____ CFS
(TAKEN FROM P/U REVIEW)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N()

2. IRRIGATION CONSUMPTIVE USE
CLAIMED CONSUMPTIVE USE = 114.0 AF/A
ACRES 73 X CONSUMPTIVE VOL. AF/A FOR AREA 3 =
TOTAL CONSUMPTIVE USE 219 AF/A

3. IRRIGATION DIVERSION VOLUME
CLAIMED DIVERSION VOLUME = AF/A
ACRES 73 X DIVERSION VOL. AF/A FOR AREA 4 =
TOTAL DIVERSION VOLUME 292 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:
SEE ATTACHED SHEET? Y() N()

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)
E01-105-106

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VJL. AF/A	REC. CONS. USE
IRRIGATION	04-01	01-01 10/31	DATABASE EXAMINER 0.750	DATABASE EXAMINER 114.0

TOTAL FOR THIS RIGHT

REVIEWED BY: DC

DATE: 9/92

1. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED ☒ ()
NEEDS REVIEW ☒ ()
☒ ()
☒ ()

3. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-07592

TOTAL DIVERSION RATE OF WR SPLITS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A35-07592	0.760	R35-07592	0.760	35-07592	0.760

TOTAL CFS

0.760

0.760

0.760

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE
YFIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE:

DATE:

NAME OF FIELD EXAMINER:

TITLE:

David Carlson
DATE: 9/21/92
TITLE: WRA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

23:00:19
11/03/91

CLAIM NUMBER: A35-07592

PAGE: 11
QUICKLOOK INFORMATION

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y		11/9/92	N				
SOURCE								
PLACE OF USE	Y			Y				
QUANTITY, AMOUNT OF VOLUME								
PURPOSES								
PERIOD OF USE				Y				
BASIS OF CLAIM								
REMARKS	Y							

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 MAPS PHOTOS = 4
 FIELD EXAM = 5
 OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

CLAIM NUMBER: A35-07592

STAGE: LICENSE

BINGHAM COUNTY

TOTAL ACRES 38.0

OTHER RIGHTS: ABERDEEN-SPRINGFIELD CANAL.

OTHER WATER RIGHTS WITH SAME POINT(S) OF DIVERSION AND SOURCE:
A35-07453 R35-07453 R35-07592

OTHER WATER RIGHTS LISTING OVERLAPPING 'LACE(S)' OF JSE:
A01-0002370 A01-0002770 A01-0205460 A01-0205690 A01-0206840 A35-0254370 A35-0424670 A35-070592

NON-IRRIGATION USE: NONE

REMARKS: THIS RT. WHEN COMBINED WITH ALL OTHER RTS. SHALL PROVIDE NO MORE THAN 0.02 CFS/AC NOR MORE THAN 3.5 ACR/AC FOR THE LANDS ABOVE.

DATE: _____

MISC: WATER DISTRICT NUMBER: FIELD INSPECTION FLAG: Y
PRESUMPTION FLAG: