

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED

JUN 13 1990

Ident. Number: A43-02296B
Date Received: 5-5-89
Receipt No: 0006659
Received By:
CH 3-10-89

Department of Water Resources
Southern Region Office

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CHURCH OF JESUS CHRIST LATTER DAY SAINTS 801-240-2929
Address: REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, ID 84150

RECEIVED
MAY 05 1989

2. Date of Priority: MAR 05, 1945

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Department of Water Resources

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
14S	27E	5		SW	SW		CASSIA
		8	SW	NW	NW		CASSIA
			SW	SE	NW		CASSIA

5. Description of diverting works:
3 WELLS AND PUMPS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	1.950		

7. Total Quantity Appropriated is:
1.950 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 650.0 Acre Feet Per Annum.

9. Non-irrigation uses:

A43-02296B

Page 1

Date: 03/10/89

MICROFILMED

MAR 03 1993

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
14S	27E	5	NE		SW		IRR	20.0
			NW		SW		IRR	20.0
			SW		SW		IRR	40.0
			SE		SW		IRR	40.0
							Section Acres	120.0
		8	NE		NW		IRR	40.0
			NW		NW		IRR	40.0
			SW		NW		IRR	30.0
			SE		NW		IRR	30.0
							Section Acres	140.0
							Total Acres	260.0

11. Place of use in counties: CASSIA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
43-04005

14. Remarks:
RAFT RIVER/SPRINGDALE FARMS

15. Basis of Claim: LICENSE
Water Right Number: 19602

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am AUTHORIZED AGENT of _____ Title

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole, that I have signed the foregoing Organization document in the space below as AUTHORIZED AGENT of _____ Title

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole and that the statements contained in the Organization foregoing document are true and correct. Jane A. Baker JAB

Signature of Authorized Agent

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole
Title and Organization

4/25/89
Date

State of Utah ~~Idaho~~)
County of Salt Lake) SS.


Subscribed and sworn (or affirmed) before me this 25 day
of April 19 89

Alice Duke
Notary Public

Seal

Residing at Salt Lake

My Commission Expires October 22, 1992




A43-02296B

Page


Date: 03/10/89

MICROFILMED
MAR 03 1993

R27E



TES
E INTERIOR
RVEY



MICROFILMED
MAR 03 1993

MI
10 771 4 MI

306

307

20

308

309

310

Well

Well,

T145

4575

4622

6

1578

Web:

Well,

Wolff

Keogh

4504

Well,

g

ave!
Pit

IM

4671

1997

Wolf

46 R9

Well

18

Well

4678

17

Well

4621

16

Grävel ✕

Well -

PM

1408

Well,

SWATH

Voll

MAR 03 1993

ADJUDICATION FILING FEES FOR IDAHO

RECEIVED
MAY 05 1989

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # A43-02296B
LDS Church Property # 5084857

FEE CALCULATIONS

Department of Water Resources

Domestic, stockwatering, fire protection, etc. \$
Flat fee for irrigation. \$ 50.00

VARIABLE FEE SCHEDULE

Irrigation (\$1.00 per acre). \$ 260.00
Power Generation (\$3.00 per kilowatt) \$
Aquaculture (\$10.00 per cfs) \$
All other uses (\$100.00 per cfs) \$

Other charges. \$

TOTAL \$ 310.00

DATE 3-10-89

Carter Fritschle
Carter Fritschle
Idaho Dept. of Water Resources

Glen L. Nielson
Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

APR 17 1989

MICROFILMED
MAR 03 1993

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION

Twelfth Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-2929

April 25, 1989

Reference reply to:

RECEIVED
MAY 05 1989

Mr. Carter Fritschle
Senior Water Resource Agent
Adjudication bureau
Idaho Department of Water Resources
1301 North Orchard Street
Boise ID 83720

Department of Water Resources

Dear Mr. Fritschle,

Attached are the signed documents and a check for \$1657.00 to pay for the adjudication and application fees for the following water rights in Cassia County.

<u>Groundwater Right</u>	<u>Property Number</u>	<u>Property Name</u>	<u>Adjudication Fee</u>
A43-02296B	508-4857	Wel ID Raft Rv/Springdale	\$310.00
A43-04005	508-4857	Wel ID Raft Rv/Springdale	50.00
A43-04160	504-4898	Elba	58.00
A43-04161	504-4839	Malta 1,2 Wds & Stk Rec	53.00
A43-04163	507-5475	Malta Seminary (Malta Hi)	54.00
A43-04164	504-4944	Malta 1,2	53.00
A43-04165	508-4857	Wel ID Raft Rv/Springdale	25.00
A43-07176	523-1914	Almo	85.00
A43-07194	523-1914	Almo	59.00
A45-02400	508-4687	Wel ID Oakley Vly Farm	313.00
A45-04163	503-8650	Unity 1,2	54.00
A45-04164	504-4944	Malta 1,2	54.00
A45-04194	503-8634	Springdale 1,2	59.00
A45-04201	504-2305	Oakley 1,2,3&	51.00
A45-04202	507-6544	Wel ID Oakley Valley Farm	25.00
A45-04209	504-2070	Burley 1, Star	58.00
A45-04210	504-2143	Burley 3,7	51.00
A45-04211	504-2135	Burley 8,9,10&	54.00
A45-07130	511-4861	Burley 2,4	51.00
A45-10317	508-4660	Wel ID Burley Mntn View Fm	25.00
A45-10318	508-4660	Wel ID Burley Mntn View Fm	25.00
Applic Fee	521-5072	Wel Grain Stor ID Burley Grain Complex	30.00
Applic Fee	525-8324	Albion	30.00
Applic Fee	527-5199	Raft River	15.00
Applic Fee	527-8651	Declo ID Stk Rec-Raft Rv	15.00
A43-04162	508-4822	Sold-no filing necessary (Wel ID Malta)	

MICROFILMED

MAR 03 1993

A45-02451

Not LDS property-per Marvin Black-PFR
Oakley Stk

A45-04208

Filing not needed. Not used by Church


A45-07535

Proof has been submitted-no need to file
now

\$1,657.00

Thanks for your help and that of Glen Nielson in getting these
rights adjudicated and recorded.

Sincerely,



Ronald C. Johnson
Water Analyst

RCJ/ja
enc.

cc: Terry F. Roylance
M. Glade Pincock
Glen Nielson

MICROFILMED
MAR 03 1993

4/5/1989

SRBA CLAIMS RECEIVING CHECKLIST #2

CLAIMANT'S NAME

LDS Church

CL

IDENT. NO.

A 43-02296B

DATE RECEIVED

CK #

AMOUNT \$

YES

NO

Required
Info?

1. Is the name and address complete with zip code? YES ☐ NO ☐ *
 2. Is a priority date entered? YES ☐ NO ☐ *
 Is the priority date acceptable in view of mandatory filing dates? YES ☐ NO ☐ *
 See Adjudication Memos #1 and #4 to determine if a Permit is required. YES ☐ NO ☐ *
 3. (a) Is a source entered? YES ☐ NO ☐ *
 (b) Is a tributary to entered? (if required) N/A ☐ YES ☐ NO ☐ *
 4. Is the legal description of the p.d. sufficient? YES ☐ NO ☐ *
 5. Is there a description of the diverting works? YES ☐ NO ☐ *
 6. Are the water uses appropriate for the form? The short form is limited
 to domestic and stockwater uses with direct diversion. All claims that
 include storage or instream stockwater must use long form. YES ☐ NO ☐ *
 Is the period of use included? YES ☐ NO ☐ *
 Is a quantity claimed for each use? YES ☐ NO ☐ *
 7. Is a total quantity claimed entered? YES ☐ NO ☐ *
 8. If required is a consumptive use entered? N/A ☐ YES ☐ NO ☐ *
 Is the consumptive use correct? N/A ☐ YES ☐ NO ☐ *
 9. Are the non-irrigation uses listed properly? If this claim is on the
 short form, and more than one domestic use is listed, single owner-
 ship must be stated. If not under single ownership, see
 Adjudication Memo # 4. N/A ☐ YES ☐ NO ☐ *
 10. Is (are) the place(s) of use and purpose(s) indicated? YES ☐ NO ☐ *
 11. Is (are) the county(ies) entered? YES ☐ NO ☐ *
 12. Is the ownership of p.u. checked? YES ☐ NO ☐ *
 13. Are other water rights listed or "none" indicated? YES ☐ NO ☐ *
 14. If required, are remarks correct? (If the claimant does not own
 the place of use, authority for filing the claim must be
 explained in the remarks.) N/A ☐ YES ☐ NO ☐ *
 15. Is the basis of the claim indicated? YES ☐ NO ☐ *
 16. If the claimant requested a monthly docket sheet, is payment enclosed?
 (If yes, describe payment status in "Comments" below.) N/A ☐ YES ☐ NO ☐ *
 17. Is the claim signed by the claimant, and is the signature appropriate?
 Organizations must complete the organization block. YES ☒ NO ☐ *
 18. Has the claim been signed, sealed, and dated by a notary? YES ☒ NO ☐ *
 19. Was this claim filed on time, or was an extension granted? YES ☒ NO ☐ *
 20. Is the fee enclosed correct? Exempt ☒ YES ☐ NO ☐ *
 21. If this claim is based on an existing water right, has the
 identification number been entered? N/A ☒ YES ☐ NO ☐ *
 22. Should this claim be data entered? YES ☒ NO ☐ *

Claim checked by:

CA

Date:

6-8-90

Claim must be returned to claimant:

(Yes) ☐ (No) ☒

Claimant must be notified of modifications:

(Yes) ☐ (No) ☒

Receipt Prepared by:

Claim data entered by:

Sent to claimant by:

Date:

Date:

Date:

Checked by:

Date:

Comments:

MICROFILMED

MAR 03 1993

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 43-2296B V1

WATER RIGHT NUMBER: 43-2296B V1

<u>Owner Type</u>	<u>Name and Address</u>
Directors Report Owner	CHURCH OF JESUS CHRIST OF THE LATTER DAY SAINTS REAL ESTATE DIVISION 12TH FLOOR EAST 50 E NORTH TEMPLE SALT LAKE CITY, UT 84150-6312 (801)240-4656
Original Owner	CHURCH OF JESUS CHRIST OF THE LATTER DAY SAINTS RAFT RIVER STAKE MALTA, ID 83342
Current Owner	PETER J GRUSH 2025 S HWY 81 MALTA, ID 83342 (208)645-2361
Current Owner	SYLVIA T GRUSH 2025 S HWY 81 MALTA, ID 83342 (208)645-2361

Priority Date: 03/05/1945

Basis: License

Status: Active

SourceTributary

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	03/15 to 11/15	1.950 CFS	756.00 AF
	<u>Total Diversion:</u>	1.950 CFS	756.00 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4NW1/4	Sec. 8, Twp 14S, Rge 27E, B.M.
CASSIA County		
GROUND WATER	SW1/4NW1/4NW1/4	Sec. 8, Twp 14S, Rge 27E, B.M.
CASSIA County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	27E	5									20.0	20.0	40.0	40.0					120.0
14S	27E	8					40.0	38.0	27.0	30.0									135.0

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 43-2296B V1

Total Acres: 255

Conditions of Approval:

1. C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

Remarks:

1. Place of Use USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION
- Irrigation OF A COMBINED TOTAL OF 255 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED
RIGHT NOS.: 43-13008, 43-13009, 43-13010, 43-13011, 43-13012, 43-13013, 43-13014,
43-13015, 43-13017, 43-2296B & 43-4005.

Comments:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 22, 2004

PETER GRUSH
SYLVIA GRUSH
2025 S HWY 81
MALTA ID 83342

RE: Decreed Water Right 43-2296B, 43-4005, 43-13008,
43-13009, 43-13010, 43-13011, 43-13012, 43-13013,
43-13014, 43-13015, 43-13017

Dear Mr. and Mrs. Grush:

Pursuant to the change in ownership request that has been submitted to the Department, we have changed the record of current ownership to you. Please find the enclosed copies of the computer record of the water right(s) noting the change in owner. Review these records and if there is an error, or you have any questions, please contact this office.

Sincerely,

Trish Fawcett
Technical Records Specialist

enc.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE IN WATER RIGHT OWNERSHIP

RECEIVED

JUL 19 2004

Please print or type. Attach pages with additional information. Instructions are included at the end of this form.
Incomplete forms will be returned.

Department of Water Resources
Southern Region

Please list the water right number(s) and/or adjudication claim number(s) (if any) for each water right to be changed. List just the adjudication claim number if there is no corresponding water right record on file with the department. Indicate, by checking in the space provided (under the "split" heading), if the change in ownership is limited to a portion of a water right in which case division of the existing water right or adjudication claim record will be required.

Water Right No(s).	Adjudication Claim No(s).	Split	Water Right No(s).	Adjudication Claim No(s).	Split
<u>43-4005</u>	<u> </u>	<u> </u>	<u>43-13017</u>	<u> </u>	<u> </u>
<u>43-04165</u>	<u> </u>	<u> </u>	<u>43-13012</u>	<u> </u>	<u> </u>
<u>43-2296B</u>	<u> </u>	<u> </u>	<u>43-13011</u>	<u> </u>	<u> </u>
<u>43-13013</u>	<u> </u>	<u> </u>	<u>43-13010</u>	<u> </u>	<u> </u>
<u>43-13014</u>	<u> </u>	<u> </u>	<u>43-13009</u>	<u> </u>	<u> </u>
<u>43-13015</u>	<u> </u>	<u> </u>	<u>43-13008</u>	<u> </u>	<u> </u>

The following REQUIRED information must be submitted with this form:

- A. The appropriate FILING FEE. See instructions for fee amounts.
- B. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE or other legal document indicating your ownership of the property and water right(s) or claim(s) in question, WITH ATTACHED LEGAL DESCRIPTION.
- C. Either of the following (if necessary to clarify division of water rights or other complex property descriptions):
PLAT OF PROPERTY or SURVEY MAP clearly showing the location of the point(s) of diversion and place of use of your water right(s) and/or adjudication claim(s) (these are usually attached to your deed or on file with the county).

OR

If your water right(s) and/or adjudication claim(s) is for ten or more acres of irrigation, you must submit a USDA Farm Service Agency AERIAL PHOTO with the irrigated acres outlined and point(s) of diversion clearly marked. The AERIAL PHOTO should be submitted in place of the PLAT OF PROPERTY or SURVEY MAP.

Name and Address of Former Owner/Claimant(s) Church of Jesus Christ of the Latter Day Saints

New Owner/Claimant(s) Peter & Sylvia Grush
Name Connector (Check one): ☐ and, ☐ or, ☐ and/or

New Mailing Address 2025 So. Hwy 81

City, State and ZIP Code Malta, ID 83342

New Telephone Number () 645-2361

Date you acquired the property 7-9-04

6.

If the change in ownership affects the entire water right for each water right or adjudication claim number listed in item 1, THEN SKIP THIS ITEM AND GO TO ITEM 7. If the change in ownership divides the water right(s) among multiple owners, you must describe, in detail, your portion of each water right after the change. Fill in the appropriate spaces in the box(es) below to describe your water right(s) after the change (one water right per box, you may copy this page as necessary). If your quantity of water is greater than a proportionate split, you must attach documentation to show justification for a larger amount. If you are not sure how to identify your portion of the original water right or adjudication claim records, please contact the nearest IDWR office for assistance.

DESCRIPTION OF YOUR PORTION OF WATER RIGHT
(If the right(s) will not be split, skip this area and proceed to item 7)

Water Right and/or Adjudication Claim Number _____		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Irrigation	_____	_____
Stock	_____	_____
Domestic	_____	_____
Other _____	_____	_____
Total	_____	_____

DESCRIPTION OF YOUR PORTION OF WATER RIGHT
(If the right(s) will not be split, skip this area and proceed to item 7)

Water Right and/or Adjudication Claim Number _____		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Irrigation	_____	_____
Stock	_____	_____
Domestic	_____	_____
Other _____	_____	_____
Total	_____	_____

7.

Signature of New Owner(s) or Claimant(s)
(include title if applicable)

Peter J. Grush
Ag 2

For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him/her for all matters related to your claims.

For Office Use Only

Received by *H. Smith*Date *7/19/04*Fee *25.00*Receipted by *H. Smith*Date *7/19/04*Receipt No. *5026913*

Processed by _____

AJ

Date _____

WR _____

Date _____

DEPARTMENT OF WATER RESOURCES NOTICE OF CHANGE IN WATER RIGHT OWNERSHIP

RECEIVED

JUL 19 2004

Please print or type. Attach pages with additional information. Instructions are included at the end of this form.
Incomplete forms will be returned.

Department of Water Resources
Southern Region

Please list the water right number(s) and/or adjudication claim number(s) (if any) for each water right to be changed. List just the adjudication claim number if there is no corresponding water right record on file with the department. Indicate, by checking in the space provided (under the "split" heading), if the change in ownership is limited to a portion of a water right in which case division of the existing water right or adjudication claim record will be required.

Water Right No(s).	Adjudication Claim No(s).	Split	Water Right No(s).	Adjudication Claim No(s).	Split
<u>43-4005</u>	<u> </u>	<u> </u>	<u>43-13017</u>	<u> </u>	<u> </u>
<u>43-04165</u>	<u> </u>	<u> </u>	<u>43-13012</u>	<u> </u>	<u> </u>
<u>43-2296B</u>	<u> </u>	<u> </u>	<u>43-13011</u>	<u> </u>	<u> </u>
<u>43-13013</u>	<u> </u>	<u> </u>	<u>43-13010</u>	<u> </u>	<u> </u>
<u>43-13014</u>	<u> </u>	<u> </u>	<u>43-13009</u>	<u> </u>	<u> </u>
<u>43-13015</u>	<u> </u>	<u> </u>	<u>43-13008</u>	<u> </u>	<u> </u>

The following **REQUIRED** information must be submitted with this form:

- A. The appropriate **FILING FEE**. See instructions for fee amounts.
- B. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water right(s) or claim(s) in question, **WITH ATTACHED LEGAL DESCRIPTION**.
- C. Either of the following (if necessary to clarify division of water rights or other complex property descriptions):
PLAT OF PROPERTY or **SURVEY MAP** clearly showing the location of the point(s) of diversion and place of use of your water right(s) and/or adjudication claim(s) (these are usually attached to your deed or on file with the county).

OR

If your water right(s) and/or adjudication claim(s) is for ten or more acres of irrigation, you must submit a USDA Farm Service Agency **AERIAL PHOTO** with the irrigated acres outlined and point(s) of diversion clearly marked. The **AERIAL PHOTO** should be submitted in place of the **PLAT OF PROPERTY** or **SURVEY MAP**.

Name and Address of Former
Owner/Claimant(s)

Church of Jesus Christ of the Latter Day Saints

New Owner/Claimant(s)

Peter & Sylvia Grush

Name Connector (Check one): ☐ and, ☐ or, ☐ and/or

New Mailing Address

2025 So. Hwy 81

City, State and ZIP Code

Malta, ID 83342

New Telephone Number

() 645-2361

Date you acquired the property

7-9-04

39234

RECEIVED

JUL 19 2004

Department of Water Resources
Southern Region

RECORDED AT THE REQUEST OF
LAND TITLE & ESCROW

2004 JUL 13 PM 1 39

FEE 6.00 DEPUTY 46

CASSIA COUNTY, IDAHO
LARRY A. MICKELSEN
RECORDER

296831

Mail Tax Notice to:
Farm Management Company
139 E. South Temple, Suite 110
Salt Lake City, UT 84111-1103

SPECIAL WARRANTY DEED
[Corporate Form]

CORPORATION OF THE PRESIDING BISHOP OF THE CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS, A UTAH CORPORATION SOLE, a corporation organized and existing under the laws of the State of Utah, with its principal office at Salt Lake City, County of Salt Lake County, State of Utah, grantor, does hereby CONVEY and WARRANT against all claiming by, through or under said Grantor to **PETER J. GRUSH AND SYLVIA GRUSH, Husband and Wife**, grantee, of 2025 So. Hwy 81 Malta, Idaho, Cassia County, State of Idaho for the sum of TEN AND NO/100 DOLLARS, and other good and valuable considerations, the following described tract of land in Cassia County, State of Idaho:

All of the following described property:

SEE EXHIBIT A


RESERVING UNTO THE GRANTOR HEREIN ALL OIL, GAS, AND MINERAL RIGHTS.

SUBJECT TO the 2004 and subsequent years general taxes and assessments, all existing patent reservations, easements, right of ways, protective and restrictive covenants, zoning ordinances and applicable building codes, laws and regulations.

TOGETHER WITH any and all improvements, water and ditch rights, easements, and appurtenances thereunto belonging or in anywise appertaining.

In witness whereof, the grantor has caused its corporate name to be hereunto affixed by its duly authorized agent this 7 day of July, 2004.

CORPORATION OF THE PRESIDING BISHOP OF THE
CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS, A
UTAH CORPORATION SOLE.



By: John W. Creer, Agent
Duly authorized by certificate of appointment dated February 6, 1994, by and for, Corporation Of The Presiding Bishop Of The Church of Jesus Christ Of Latter-Day Saints, a Utah Corporation Sole. Said authorization having been filed with the State of Utah, Department of Commerce, Division of Corporations and Commercial Code.

STATE OF UTAH

County of Salt Lake

)
) ss
)

EXHIBIT A

PARCEL 1:

Township 14 South, Range 27 East, Boise Meridian

Section 5: South Half Southwest Quarter (S1/2 SW1/4)
South Half North Half Southwest Quarter (S1/2 N1/2 SW1/4)

Section 8: Northwest Quarter Northwest Quarter (NW1/4 NW1/4)

PARCEL 2:

Township 14 South, Range 27 East, Boise Meridian

Section 8: NE1/4 NW1/4

Section 8: Beginning at a point 1,320 feet South of the Northeast corner of Section 7; thence South 990 feet; thence East 2647.25 feet; thence North 990 feet; thence West 2647.25 more or less feet to the point of beginning.


EXCEPTING the portion deeded to the RAFT RIVER HIGHWAY DISTRICT for a public highway.

TOGETHER with all water rights however evidenced, whether decreed rights or otherwise.

T1641

1
7.5

2
2.8



3
27.3

4
74.2

5
3.5

1
87.0

T1642

55.8

T14
R27

T1643

1
85.4

1
110.4

6
5

7
8

3
62.3

2
127.0

1
356.2

Land Title and Escrow, Inc.

A FULL SERVICE TITLE COMPANY


RECEIVED

JUL 19 2004

Department of Water Resources
Southern Region

July 16, 2004

REFER TO: 39234
OFFICE: Burley



Idaho Department of Water Resources
1341 Fillmore St., Ste. 200
Twin Falls, Id 83301

RE: Notice of Change in Water Right Ownership

Dear Agent:

Enclosed for your review please find a Notice of Change in Water Right Ownership between the LDS Church and peter and Sylvia Grush, along with a filing fee on the domestic well of \$25.00, an aerial and a copy of the Warranty Deed.

Please file these changes and inform me if you have any questions concerning this matter.
You may reach me at (208) 878-3524

Very truly yours,
Land Title and Escrow, Inc.

Terri L. McBride
Senior Escrow Officer

06/22/2001

**NOTICE OF ERROR
REPLY**

508-4857

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: July 20, 2001

Water right number: 43-2296B

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150
Telephone Number: (801)240-2929

RECEIVED

JUN 29 2001

Department of Water Resources
Southern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah corporation sole.

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 6/27/01

SIGNATURE: [Signature]

Please print your name: _____

AUTHORIZED AGENT

IDWR Regional Office, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301, 2087363033

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

RECEIVED

JUN 29 2001

Department of Water Resources
Southern Region

REAL ESTATE DIVISION

Twelfth Floor East
50 East North Temple Street
Salt Lake City, Utah 84150-6320
Phone: 1-801-240-3840
Facsimile: 1-801-240-2913

Reference reply to:

R. William Nelson
(801) 240-1984
Property # 508-4857
June 27, 2001

Mr. Douglas Jones, P.E.
Water Rights Supervisor
Southern Adjudication Unit
Idaho Department of Water Resources
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380

Dear Doug:

Thank you for the completed "Preliminary Recommendation of Water Rights" and Associated Notice of Error Reply Forms on the Surface and Groundwater Rights for the Malta Welfare Farm. We agree with all of them and enclosed are all the signed forms.

Sincerely yours,



R. William Nelson
L.D.S. Water Resources Group

Enclosures: 24 pages



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

6/22/01

Attn: Bill Nelson
Church of Jesus Christ LDS
Twelfth Floor East
50 E North Temple St
Salt Lake City UT 84150

RE: Declo Stake Farm Rights

Dear Bill,

At long last I have completed work on the recommendations for the farm. In summary, the surface water rights were recommended as claimed. The ground water right 43-2296B was recommended as claimed. Right 43-4005 was recommended for 2.05 cfs based on information supplied and a memo discussing the basis for the recommendation is part of this mailing. Right 43-4208 is being disallowed as development could not be documented. Diversion from ground water is limited to a combined flow rate of 3.45 cfs, which is the equivalent of 1500 gallons per minute – what the south well was designed for (and more than it is capable of pumping).

Give me a call if you have questions or fax the Notice of Error forms to initiate dialogue. We are planning to issue our Director's Report in late July or early August, so time is limited. Sorry for the delay in completing these, but there is so much to do and so little time to do it. Thanks for your patience.

Sincerely,

Douglas Jones, RE
Water Rights Supervisor
Southern Adjudication Unit

05/17/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 43-2296B

NAME AND ADDRESS: CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY, UT 84150

SOURCE: GROUND WATER

QUANTITY: 1.95 CFS
756 AFY

PRIORITY DATE: 03/05/1945

POINT OF DIVERSION: T14S R27E S8 SWNNWN Within CASSIA County
T14S R27E S8 SWSNW Within CASSIA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION	03-15 11-15	1.95 CFS 756.00 AFY

PLACE OF USE:

<u>IRRIGATION Within CASSIA County</u>			
T14S R27E S5	NESW	20	T14S R27E S5 NWSW 20
T14S R27E S5	SWSW	40	T14S R27E S5 SESW 40
T14S R27E S8	NENW	40	T14S R27E S8 NWNW 38
T14S R27E S8	SWNW	27	T14S R27E S8 SENW 30

255 ACRES TOTAL

USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 255 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS.: 43-13008, 43-13009, 43-13010, 43-13011, 43-13012, 43-13013, 43-13014, 43-13015, 43-13017, 43-2296B & 43-4005.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

LDS Church Review:

5/9/01
SCC

43- 13008

0.348 cfs

120/
255 Ac

- 13009

1.0

- 13010

0.91

- 13011

2.01

- 13012

0.57

- 13013

0.30

- 13014

1.52

- 13015

0.048

- 13017

5.10

11.806 cfs

- Raft River -

All POD:

T14S R27E S7

SW NE

(GW)

- 2296 B

1.95 cfs

255 AC.

- 4005

3.8 cfs

(GW)

- 4208

1.2 cfs

30 AC.


Glen Nielson
 Jay Harper
 Bill Nelson SLC
 (801) 240-1984

5 SESW / 164
 NW34

Create SAW Claims

14S 27E 5 SW			
WR: 164A		AJ: 170D Parke	
165A		Claim	
166A	2296A	2296B LBS	
167		2428 Parke	
168A	2296B		
169B	2428	4005 LBS	
169C			
170	4005B		
172A			
173			
175A			
176A			
178C			
14S 27E 8 NW			
2296A	2296B		
2296B	4005		
shaw? 2372	4165	LBS	
4005B LBS	4208		
DI 4165 LBS	2294 B Newhater		
4208 LBS	10425 GW		
	10431 DWS		
	10433-35 RA		
	12258 } AR		
	22969 } AR		

Malta Land and Irrigation 43-00169A & 43-00169B




2000 0 2000 4000 6000 8000 Feet

 43-00169A

 43-00169B





MEMORANDUM

TO: Files 43-2296B, 43-4005, 43-4208; 43-4160; 43-4161; 43-4164

FROM: Douglas Jones

DATE: 3/15/01

RE: Appt w/ Grant Cooper, Evidence of Priority

On 3/14/01 I met with Grant Cooper, a real estate and farm specialist for the LDS Church, about several different topics. Initially we talked about the LDS's portions of the several licenses recently split down in an owner change. We also conceptually discussed the Skaggs/BYU system and potential transfer plans, copies of some water right records were provided to Cooper.

The main topic of the meeting, for purposes of this memo, was to explain the need for evidence of priority on the above listed beneficial use rights. The first three rights are for the Stake Welfare Farm. Rights 43-4005 and -4208 appear to have dubious validity and identify a large flow rate for the described acres. Mr. Cooper was asked to develop information on how and when the system evolved, with particular emphasis on capacity changes. I also explained the supplemental conditions on license 43-2296B and the absence of claim filings on the Raft River decreed rights for the farm. Without surface water rights the ground water right may be disallowed, although it is currently drafted for recommendation as licensed. There is a means to store and distribute the surface rights, but it is uncertain where the water is diverted from Raft River. The ground water system capacity (~1300 to 1500 gpm) is currently much greater than the existing license allocates.

Right 43-4160 is for the Elba Ward acre of irrigation. The claim identifies a priority from ground water in the 1950's. No documentation has been provided and the recommendation is drafted for disallowal.

Right 43-4161 is for the Malta Ward recreational field. Right 43-4164 is for the ward building and surrounding grass areas. Neither have had evidence of priority submitted.

Mr. Cooper understood completely the need for the evidence of priority and consequences for not supplying the information. He also verbally confirmed the need to file claims on the some or all of the surface water rights for the Stake Farm. He was provided sheets for each of the surface rights that laid out the proportion of each right and the season of use. I also provided a brochure on Evidence of Priority. The time frame for submittal was discussed – our Preliminary Report is a couple or three weeks away, though anytime up to mid-Summer would be ok (Notice of Error time).

CLAIM NUMBER 43-022961
43-04005
43-04208

DATE 3/01

AGENT Jones

TRANSFER NUMBER _____

CLAIMED ACRE TOTAL 26

GIS ACRE TOTAL 25

	TWP	RNG	SEC	NE				NW				SW				SE			
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
CLAIM	14S	27E	5									20	20	40	40				
GIS	14S	27E	5									20	20	40	40				
RECOM	14S	27E	5									20	20	40	40				
CLAIM	14S	27E	8					40	40	30	30								
GIS	14S	27E	8					40	38	27	30								
RECOM	14S	27E	8					40	38	27	30								
CLAIM																			
GIS																			
RECOM																			

B43-DBPOU.SHP

SHAPE NOS.

* 2 Found wells S4NW1/4 & S4SE1/4
 Well claimed in S4SW1/4 does not exist.

43-DBPOD.SHP

NOS. DESCRIPTION

* 1962 & 1968 photo show the SE 1/4 & 1/2 NE 1/4 as not irrigated. However, by 1976 it is clear that the license ground was irrigated. Based on assumption I have recommended the land on the license.

* Claim 43-4005 was filed in 1968 with well in NW 1/4 S8 & misstated 20 as tracks in place of 200 (apparent confusion as to grid description eg. marked as S4NE when it should be NE 1/4)

* Transfers on 43-2296B & -4005 filed in 1983 to relocate diversion wells to S4SW1/4 & NW 1/4 S8 stating

DBF TABLES UPDATED

B43-DBPOU.DBF

B43-DBPOD.DBF

JPEG LAYOUT

58 wells in existence. No info in well log data or water right files for when wells were drilled. Lic. - 2000 was issued for 3 shallow wells in SE 1/4 S8. Present well in SE 1/4 was redrilled at some point in the past...

// (continued on next page)

3/01

Analysis 43-2296B, -4005, -4208

Jones

... to a deep well.


* Claim 43-4208 was first filed in 1983, contemporaneously with transfers on -2296B + -4005. It describes 1940 priority for well in SWSW 517 (1) & the two wells in S8. There does not appear to be a well at that location in 1962 or 1968, nor any visible way to convey water to the subject land (60 ac in S $\frac{1}{2}$ NW S8). A license, 43-2294, was issued for several shallow wells in SWSW 517, but did not include the 60 acres in S $\frac{1}{2}$ NW S8.

* The nature of 43-2296B has changed from a supplemental to a primary supply for the subject land. In doing so, and as a result of going to pressure irrigation, additional capacity was added to the system. The crucial element is timing of the increase in capacity. No evidence of priority has been submitted, & no IDWR documentation has been found, to corroborate pre-1963 development. Claims 43-4005 & 43-4208 are recommended for disallowance for no lawful appropriation, pending submittal of evidence.

* East River decreed (Lake Adams) rights have NOT been claimed. Serious concerns of ability to divert supplemental right 43-2296B exist in absence of surface water claims/recommendation

IDAHO DEPARTMENT OF WATER RESOURCES

LDS Stake Farm 43-2296B



- RECOMMENDED POINT OF DIVERSION
- RECOMMENDED PLACE OF USE
- SECTION LINES
- QUARTER/QUARTER LINES



GIS WATER RIGHT PRESENTATION
PHOTOGRAPHY: 1987 &/OR 1988 NAPP
DATA ENTRY: Mar., 2001
DOUGLAS JONES



11.5 NHEL/W
70 NHEL/W

3 27.3 NHEL/W

4 74.2 NHEL/W
5 53.5 NHEL/W

T1643

NHEL/W
6.5
7.8

1 123.7 NHEL/W

2 27.9 NHEL/W

2560
1 T1644
6.1 NHEL/W

1 356.2 NHEL/W

2 49.6 NHEL/W

3 29.3 NHEL/W

5 58.4 NHEL/W

Should questions arise during the processing of this application please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

RECEIVED

NOV 30 1983

Transfer No. 2870

Water Right No. 43-2296

Department of Water Resources
STATE OF IDAHO
SALT LAKE CITY OFFICE

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT

To Change the Point of Diversion and/or the Place of Use

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter Day Saints
Name of applicant _____ Phone _____

Post Office address Malta, Idaho 83342

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

- a. Decree No. _____ Decreed to _____ (Name)
in case of _____ vs _____
dated in _____ in _____ county of _____
(Name of court)
- b. License No. 43-2296 issued by the Idaho Department of Water Resources
- c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant License 43-2296 is appurtenant to the property owned by the Raft River Stake. Therefore, the water right is owned by the Stake instead of Malta Land and Irrigation Company, the original right holder.

3. Source of water Ground water tributary to ----

4. Date of priority March 5, 1945

5. Water is used for the following purposes:

amount 3.0 cfs for Irrigation purposes from March 15 to November
amount _____ for _____ purposes from _____ to _____
amount _____ for _____ purposes from _____ to _____
(month/day — both dates incl)

6. Total amount of water under right: a. 3.0 cubic feet per second
&/or
b. _____ acre feet per annum

7. Location of original point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 8
Township 14 South Range 27 East, B.M., in Cassia Count
Additional points of diversion, if any _____

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14S	27E	8					40	40	40	40									160
14S	27E	5							40	40	40	40	40	40					240

Total number of acres to be irrigated 400

9. Describe any other water rights used for the same purpose as described above _____
43-2294, 43-4005

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years of nonuse? No

Amount of water: a. 1.95 cubic feet per second
&/or
b. _____ acre feet per annum

2. Point of diversion SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 8 Township 14S
Range 27E, B.M., Cassia County
Additional points NW/4 NW/4, Sec. 8, T14S, R27E; NW/4 SW/4, Sec. 5, T14S, R27E,
all in Cassia County.

3. Place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14S	27E	8					40	40	30	30									140
14S	27E	5									20	20	40	40					120

Total number of acres to be irrigated 260

C. DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. General Information

- a. Amount of water to be diverted 1.95 c.f.s. &/or _____ acre feet
b. Description of diverting works Two water wells now in existence equipped with verti
turbine pumps. One new well to be drilled to provide a full supply of water
for the farm property.
c. Describe the reasons for the proposed changes Present water rights do not reflect an
efficient method of water distribution. Both existing wells are near the sou
end of the property necessitating lengthy transmission and resultant head los
System will be more flexible and efficient after transfer.

2. Change in point of diversion

Point of diversion SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 8 Township 14 S
Range 27 East, B.M., Cassia County
Additional points NW/4 NW/4, Sec. 8, T14S, R27 E Cassia County, SW/4 SW/4, Sec.
T14S, R27E, Cassia County.

3. Change in place of use


- a. Are there liens, mortgages, or contracts on the lands from which you propose to transfer the water
right which limit your authority to make the proposed change? Yes _____ No X. If yes, provide
a statement agreeing to the proposed change from the holder of the lien, mortgage or contract.
b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfe
Will show actual use pattern of water as it is now used.

Describe the lands or place of use to which right will be transferred:

T.P.	RANGE	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
14S	27E	8					40	40	30	30									140
14S	27E	5									20	20	40	40					120

Total number of acres to be irrigated 260

- Describe any other water rights used for the same purpose as described above. 43-2294, 43-4005
- Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly land involved by section, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

Applicant seeks to transfer only the proportionate share of water right appurtenant to his land. The total water right is for 3.0 cfs for 400 acres. Applicants proportionate share is 260/400 of 3.0 cfs or 1.95 cfs. Primary reason for transfer is to increase flexibility in the irrigation system for the water right appurtenant to applicants land. No additional water will be diverted on land irrigated in excess of existing water rights.

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willfull misrepresentations made in this application may result in voiding its approval.

Authorized (Signature of Applicant) Agent

Subscribed and sworn to before me this 18 day of April, 1983

(Notary Public)

My commission expires 6/17 1984

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Transfer of Water Rights No. 43-2296 and said application is hereby APPROVED, subject to the following limitations and conditions:

Witness my hand this 23rd day of November, 1983

A. Glen Sayton
Chief, Operations Bureau

FOR DEPARTMENT USE ONLY

Received by *marye* Date *5/3/83* Protest filed by *None*
Prelim. check by *ADM* Fee *500*
Receipted by *marye* Date *5/3/83* # *32841*
Published in *South Idaho Press*
Pub. dates *8/10 - 8/25/83*
Watermaster recommendation requested on *N/A*
rec'd. _____
Copies of protest forwarded by _____
Hearing held by _____ Date _____
Recommended for *approval* denial
by *ADM DET*



LDS Stake Farm
43-2296B, 43-4005, 43-4208




-

GIS WATER RIGHT PRESENTATION
PHOTOGRAPHY: 1987 &/OR 1988 NAPP
DATA ENTRY: Mar., 2001
DOUGLAS JONES

IDAHO DEPARTMENT OF WATER RESOURCES

LDS Stake Farm 43-2296B, 43-4005, 43-4208



- RECOMMENDED POINT OF DIVERSION
- RECOMMENDED PLACE OF USE
- SECTION LINES
- QUARTER/QUARTER LINES



GIS WATER RIGHT PRESENTATION
PHOTOGRAPHY: 1987 &/OR 1988 NAPP
DATA ENTRY: Mar., 2001
DOUGLAS JONES

State of Idaho

License and Certificate of Water Right

43-2296

Water License No. 19602

Amount Three (3) second

Water District No.

Priority March 5, 1945

THIS IS TO CERTIFY that MALTA LAND & IRRIGATION COMPANY

of Malta, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated March 5, 1945; that Permit No. 19602 was issued under said application; that Certificate of Completion of works, with a carrying capacity of three (3) second feet, was issued thereunder on May 1, 1945, showing that said works were completed on the 24th day of April, 1945; and that on the 11th day of June, 1945,

MALTA LAND & IRRIGATION COMPANY

of Malta, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of three wells (subterranean), a tributary of, for the purpose of irrigation and domestic

use, under Use Permit No. 19602 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

7 of Licenses at page 4287 on the 8th day of March, 1946;

The right hereby confirmed dates from March 5, 1945;

The Point of Diversion is located

in the SE 1/4 NW 1/4, Sec. 8, Tp. 14 S., R. 27 E., B. M. Cassia Count

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed three (3) cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
			The water covered by this license is supplemental to decreed rights from other sources, and is appurtenant to the following described lands:		
			NW 1/4 Section 8; SE 1/4 NW 1/4, SW 1/4 Section 5; All in Township 14 South, Range 27 East, B.M.		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

8th day of March, 1946.

MARK R. KULP

State Reclamation Engineer

(SEAL)

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No. 19602

This proof is for Beneficial use

In Water District No.

1. Name of applicant Malta Land & Irrigation Co., John A. Elison, Manager, Malta, Idaho

2. Source of water supply: Three wells

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8

T. 14 S. R. 27 E. B. M. County of Cassia

4. Describe works as they exist, giving dimensions and capacities of same: Three dug wells, 30 feet deep, curbed with perforated concrete; Three 5.H.P. Pomona Pumps, motor driven. Ditch 2 $\frac{1}{2}$ Ft. wide X 1 Ft. deep. Pumps deliver approximately one Second Foot each.

5. Water is used for: Irrigation and domestic purposes

6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if for other than irrigation):

NE $\frac{1}{4}$ Section 8;S $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ Section 8;

Township 14 South, Range 27 East, B.M.

(Submit map on attached plat, showing location and details of above description)

8. What large stream would the water here appropriated finally reach?

Unknown


Remarks

Water covered by this filing is supplemental to Decreed rights from other sources, and is to apply equally to all the lands covered by this XI filing.

This examination was made on the 11th. day of July, 1945.

(Signed)

Fred H. Newman



SCALE: 1 INCHES EQUALS 1 MILE. DRAW MAP IN INK.

19602

LDS Church Farm

No.01

L

OG NAME:LDS

START :06-06 13:11

END :06-06 13:26

INTERVAL:00:01:00

06-06 13:11:00

+5.703E+0 ft/s

+1.302E+3 gal/m

+TOTAL 0004134 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:12:00

+5.682E+0 ft/s

+1.297E+3 gal/m

+TOTAL 0005425 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:13:00

+5.670E+0 ft/s

+1.294E+3 gal/m

+TOTAL 0006722 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:14:00

+5.630E+0 ft/s

+1.285E+3 gal/m

+TOTAL 0008022 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:15:00

+5.689E+0 ft/s

+1.299E+3 gal/m

+TOTAL 0009314 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:16:00

+5.682E+0 ft/s

+1.297E+3 gal/m

+TOTAL 0010619 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:17:00

+5.674E+0 ft/s

+1.295E+3 gal/m

+TOTAL 0011918 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:18:00

+5.670E+0 ft/s

+1.294E+3 gal/m

+TOTAL 0013214 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:19:00

+5.653E+0 ft/s

+1.290E+3 gal/m

+TOTAL 0014510 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:20:00

+5.653E+0 ft/s

+1.290E+3 gal/m

+TOTAL 0015801 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:21:00

+5.773E+0 ft/s

+1.318E+3 gal/m

+TOTAL 0017096 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:22:00

+5.669E+0 ft/s

+1.294E+3 gal/m

+TOTAL 0018398 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:23:00

+5.619E+0 ft/s

+1.283E+3 gal/m

+TOTAL 0019693 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:24:00

+5.681E+0 ft/s

+1.297E+3 gal/m

+TOTAL 0020987 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:25:00

+5.694E+0 ft/s

+1.300E+3 gal/m

+TOTAL 0022281 gal

-TOTAL 0000000 gal

NORMAL

06-06 13:26:00

+5.659E+0 ft/s

+1.292E+3 gal/m

+TOTAL 0023581 gal

-TOTAL 0000000 gal

NORMAL

10007912
200-hp well
MS 27E @ 50SE NW
A4304005, -4208, -22968

ave flow:
1297 gpm
2.89 cfs

LDS Church Farm
June 1, 2000



Figure 1. Backup irrigation well looking west.



Figure 2. Backup irrigation well looking northeasterly.

motor in background is pond pump which
pressurizes Raft River surface water.

Pond
Pump →



Figure 3. Looking north from the backup irrigation well at the pond.



Figure 4. From the backup well looking west at the unused open well. Cindy Bird is locating the unused open well. GPS file A0004512.



Figure 5. LDS Church farm unused open well.




Figure 6. Looking inside the unused LDS Church well.



Figure 7. Power Pole for the main LDS Church Farm pump.
Site tag A0007912.



Figure 8. Main LDS irrigation pump. Looking north at POU.



Figure 9. Average flow measurement 1297 gpm or 2.89 cfs. Looking westerly.



Figure 10. LDS Church Farm POU. System operates a linear pivot and 2 hand lines.

assume

Old Curve for well #1, A0007913

A43-02296B, -4208, -9005
LDS Church




Verli-Line PUMP

12 KHHM 1770 RPM

SECTION	40
PAGE	965
DATE	2-24-65
CURVE NO.	1280 A


ONE STAGE
(3)



CUSTOMER _____
ADDRESS _____
JOB _____

LAYNE & BOWLER PUMP CO.
CITY OF INDUSTRY, CALIFORNIA - LOS ANGELES AREA

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 A0007913	US Electric Motor 1770 RPM	75	R204761	Layne & Bowler Vertiline	Model 12K H#M SN 24051
#2 A0007912	US Electric 1770 RPM	200	J1421475	Vertical Turbine - No Tag	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Fuji Porta-Flow X	Ultrasonic			240335		

2. Measurements:

#1 ^{1770 RPM} 6PM "AWP" FT = 100 RPM = 1770. #1 Not Measured
 #2 Measured w/ Linear only (hand lines off). Fuji in 2 locations on discharge pipe. Results = 1280 & 1320 gpm

E. NARRATIVE/REMARKS/COMMENTS

Well #1 A0007913 75 hp well to combined system. This well used only as a backup and not regularly. Other well ("2") serves system. System is 1280 ft universal linear (900 gpm) and two handlines (one w/ 32 birds, other with 28 birds). Linear travels down one side, swings around, then back up other side. Well #1 is next to pond where Raft River water can also be used.

Pump curve for #1 (12KHHM) supports potential capacity of about 1800 gpm. However, the system likely will not produce this quantity today due to wear and declining water table. This pump may have been originally designed to open discharge. However, data from GT Vertiline indicates this pump is now a model 12RL with capacity of 1000 gpm at 260' head. Likely that pump changed from 12KHHM to 12RL as water table decreased.

Well #2 A0007912. Pole # 24012. 200-hp well pump delivers water to system. This is the main water source for this farm, and has been for many years (about 20-yr per Grush). Well pumps sand and bowls are rebuilt about every 2 years.

Power meter: GE SN 79050011, 480V, Kh=4.8, mult=? 40 ^{est} mult

Max Demand = $3.87 \times 40 = 154.8 \text{ kW}$ 10 revs in 46.97 sec

$3.6 \times 4.8 \times 40 \times 10 \div 46.97 = 147.2 \text{ kW} = 197 \text{ hp}$

Today's (6/1/2000) flow ^{1300 gpm} and power measurement with linear on, but handlines off. (Not maximum flow potential).

Data from Layne Pumps (Twin Falls) indicates current #2 pump is Ingersoll-Dresser model 12MKH designed 1550 gpm at 400 ft head. Could produce 2000 gpm at 324 ft.

Have conditions of permit approval been met? ☐ yes ☐ no

Cindy measured again on 6/6 w/ linear and 2 handlines on and got same result. (1300 gpm).

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

#1 Estimates from curves, 1000gpm current capacity, 1800gpm possible historic capacity.

#2 Current design 1550gpm, max about 3000gpm. Measured 1300gpm (linear only) and

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Scott King Date 6/1/2000

Reviewer _____ Date _____

SEAL

RECEIVED



PUMPS, Inc.

P.O. Box 640
Twin Falls, Idaho 83303-0640

Telephone (208) 733-3284

FACSIMILE TRANSMITTAL FORM

MAR 13 2000

Department of Water Resources

FAX 208 733-3550

well
#3

A0607912

TO PETER TRUSH

DATE 12/17/99

SUBJECT CHURCH FARM

TOTAL PAGES INCLUDING COVER SHEET 3

PETER - THE ONLY THING I CAN FIND
ON THE CHURCH FARM PRIOR TO THIS
NEW WELL, IS WHERE WE PUT A 30'
EXTENSION ON A 75HP PUMP IN 1996.


SOUNDS LIKE THAT COULD HAVE
BEEN EITHER WELL.

IT STICKS IN MY MIND THAT WE
DID SOME WORK A LONG TIME AGO AND
IT COULD HAVE BEEN FILED UNDER THE
FARMER'S NAME WHO WAS THERE AT THE
TIME, SO IF YOU DON'T HAVE ANY LUCK
WITH GT, LET ME KNOW AND I'LL
SEARCH FURTHER.

THANKS,

By: Ray W.

BOWL ASSEMBLY PERFORMANCE



Customer : DECLODS STAKE FARM

Project :

Service :

Date : 17 Dec 1999

Impeller : Enclosed



Ingersoll-Dresser Pumps

Flow (USGPM) : 1550.0 SG : 1.00

Head (FEET) : 400 RPM : 1770

Pump : 12NKH


Stages : 7

Bowl Mat. : CILINED

Imp. Mat. : BRONZE

Shaft Mat. : 416SS

GUARANTEES ARE BASED ON SHOP TEST WHEN HANDLING CLEAR FLUIDS - WATER AT A TEMPERATURE OF NOT OVER 80 F.
 C. WESLAW APPROXIMATE P. 400 IS GUARANTEED FOR ONE SET OF CONDITIONS, CAPACITY, HEAD, AND EFFICIENCY.

**G.J. VERTI-LINE PUMPS, INC.**

1970 HIGHLAND AVE. EAST P.O. BOX 892

TWIN FALLS, IDAHO

PHONE (208) 733-4278

FAX (208) 733-5009

RECEIVED**MAR 13 2000**

Department of Water Resources

TO: Peter HershFAX NUMBER: 645-2379

ATTENTION: _____

SUBJECT MATTER: _____

*Here is the information you requested
on the Deeds State for.*

If you have any questions please call

Thanks

TOTAL PAGES: 3

(INCLUDING COVER SHEET)

SENT BY: Eric StaleyDATE: 12/17/99


IF YOU DO NOT RECIEVE THE FULL TRANSMISSION, PLEASE NOTIFY US IMMEDIATELY.

SECTION 1110 PAGE 444
DATED MARCH 1988
SUPERSEDES PAGE 562
DATED DECEMBER 1981

12RL SERIES 1110 Verti-Line PUMP


TOTAL DYNAMIC HEAD-FEET

1770
R.P.M.




L&B-PC-12222

9PC-118394



G. J. VERTI-LINE PUMPS, INC.
1970 HIGHLAND AVE E.
P.O. BOX 692
TWIN FALLS, ID 83301



G.J. VERTI-LINE PUMPS, INC.
TWIN FALLS, IDAHO

PHONE (208) 733-4278

FAX (208) 733-5009

75 H.P. L&B PUMP # 24051

DESIGN: 1000 G.P.M. @ 260' HEAD

BOWLS WERE REPLACED IN 1990

PUMP SETTING 140' 10" X 2" X 1 3/16"

WELL DEPTH 3/14/90 189'

WATER LEVEL 3/14/90 60'

BOWL ASSEMBLY IS 5 STGS. 12 RL

RECEIVED

MAR 13 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 9, 1999

REAL ESTATE DIVISION
NATURAL RESOURCE SECTIONDIRK KEMPTHORNE
GOVERNORKARL J. DREHER
DIRECTOR

RE: Request for information on historic pumping rates

DEC 13 1999

The Idaho Department of Water Resources (IDWR) is preparing to recommend claims to water rights to the Snake River Basin Adjudication (SRBA) court for irrigation users in the Raft River Basin. To facilitate this process, we are requesting data from you in order to estimate historic irrigation well pumping capacities. Specifically, we are requesting information regarding pumping flow rate for wells that have not been previously measured for water right licensing.


This request is made so that IDWR may estimate historic flow rate based on available information including: past flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department understands that water levels throughout much of the Raft River Basin have been declining for many years, most often reducing the water users' ability to divert at the same rate as previously able. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

IDWR will use the information you submit to make recommendations to the SRBA court for your water right claims. Specifically, recommendations will be made for diversion rate (cfs). The enclosed form will help us reach conclusions pertaining to water quantity recommendations for adjudication claims based on historic beneficial use rather than a decree or license.

The goal of this project is to determine historic maximum diversion rates. It is expected that many irrigation systems change over time. Please detail the system configuration that produced the highest flow put to beneficial use. Since this is a general form, some parts may not apply to your system. Include any additional detail that may help in determining historic flow rates. If you have any questions regarding this data request, or if you prefer to discuss these questions with us instead of completing the form, your call is welcomed. Contact either Scott King at (208) 327-7897 or Cindy Bird at (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

Please take a moment to complete the form or to give Cindy or I a telephone call. It would be most helpful if we could have this information by December 22, 1999.

Sincerely,


Scott King

Enclosure

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

Facsimile Transmission

50 East North Temple Street
Salt Lake City, Utah 84150*- Natural Resources*
12th F.I.E.

To	
Name <i>Peter & Sylvia Grush</i>	Total pages, including this one <i>14</i>
Department <i>West 1st Raft River/Springdale Farms Tenant</i>	Fax number <i>208/645-2379</i>
Country/Location	Date <i>12/14/99</i>
From	
Name <i>Alice Duke</i>	Telephone <i>(801) 240- 4657</i>
Department <i>Real Estate</i>	Floor <i>COB 12</i>
Comments	

*Forward originals to state, copies to our
office.*

*Janet Robinson
736-3033*

RECEIVED

MAR 13 2000

Department of Water Resources

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL TO WHOM IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. If the reader of this message is not the intended recipient or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone (collect), and return the original message to us at the above address via U.S. Postal Service. Thank you.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304005
CHURCH OF JESUS CHRIST
14S27E8SWNNW

RECEIVED

508-4857

MAR 13 2000

Department of Water Resources

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

Department of Water Resources

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

508-4857

A4304005
CHURCH OF JESUS CHRIST
14S27E8SWSENW

RECEIVED

MAR 13 2000

Department of Water Resources

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

Department of Water Resources

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304005

CHURCH OF JESUS CHRIST

14S27E5SWSW

508-4857

RECEIVED

MAR 13 2000

Data Submission for Estimating Well Pumping Capacity Department of Water Resources

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

Department of Water Resources

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304208

CHURCH OF JESUS CHRIST

14S27E8NWNW

508-4857
RECEIVED

MAR 13 2000

Department of Water Resources

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

Department of Water Resources

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304208

CHURCH OF JESUS CHRIST

14S27E17SWNW

508-4857
RECEIVED

MAR 13 2000

Department of Water Resources

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

3) Pumping system characteristics:

Department of Water Resources

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304208

CHURCH OF JESUS CHRIST

14S27E8SENW

RECEIVED

MAR 13 2000

Department of Water Resources

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

RECEIVED

MAR 13 2000

3) Pumping system characteristics:

Department of Water Resources

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to water, pump on (ft)	Discharge pressure (psi)

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 – Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 – Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.

1985 to present – Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

R PROOF


CVR


MAPS

PHOTOS

MISC

826 AFA





RECEIVED

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999 **MAR 13 2000**

Department of Water Resources

Name: LDS Church

Point of Diversion: 14S 27E 5 SW SW (mapped well #1)

Claim No(s): A 43-04005, A43-02296B

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

RECEIVED

MAR 13 2000

Department of Water Resources

Name: LDS Church

Point of Diversion: 145 27E 08 SW NW NW (Mapped Well #2)

Claim No(s): A43-04005, A43-04208, A43-02296B

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

RECEIVED
MAR 13 2000

Department of Water Resources

Name: LDS Church

Point of Diversion: 145 27E 08 SW SE NW (Mapped Well # 3)

Claim No(s): A43-04005, A43-04208, A43-02296 B

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

RECEIVED

MAR 13 2000

Department of Water Resources

Name: LDS Church

Point of Diversion: 14S 27E 17 SW NW (Mapped Well #4)

Claim No(s): A 43-04208

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.


If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: _____ (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

IDAHO DEPARTMENT OF WATER RESOURCES
43-13008 through 43-13015
and 43-13017



1320 0 1320 2640 Feet

- RECOMMENDED POINT OF DIVERSION
- RECOMMENDED PLACE OF USE
- SECTION LINES
- QUARTER/QUARTER LINES



GIS WATER RIGHT PRESENTATION
PHOTOGRAPHY: 1987 &/OR 1988 NAPP
DATA ENTRY: Apr., 2001
DOUGLAS JONES

IDAHO DEPARTMENT OF WATER RESOURCES

LDS Stake Farm 43-2296B



1320 0 1320 Feet

- RECOMMENDED POINT OF DIVERSION
- RECOMMENDED PLACE OF USE
- SECTION LINES
- QUARTER/QUARTER LINES



GIS WATER RIGHT PRESENTATION
PHOTOGRAPHY: 1987 &/OR 1988 NAPP
DATA ENTRY: Mar., 2001
DOUGLAS JONES

IDAHO
CASSIA
Report ID: ASCS-156EZ

U.S. Dept. of Agriculture
Agri. Stab. & Conserv. Svc.
Abbreviated 156 Farm Record

Prepared: 03/02/9

Stop Year: 5

Page:

No. of Tracts: 9

Current Year

TRACT NO.	FARMLAND	CROPLAND	IRRIGATED	HEL	027	A927	W	CW	FW	PC	AW	MW	RW	HG	CWTE	CWNA	PCW	
			CROPLAND															
1	160.0	144.4		Y	Y	Y		N									N	
IDENTIFIER	EE26 S19.20 T13 R27																	
OWNER	1 - C BAR CATTLE CO																	
1595	15.0	10.5		10.5	N	N	N	Y	N	N							N	
IDENTIFIER	DD26 S25 T13 R26																	
OWNER	1 - PETER GRUSH																	
1683	180.0	172.1		172.1	Y	Y	Y	Y	N	N							N	
IDENTIFIER	EE30 S6.7 T14 R27																	
OWNER	1 - DOUG NYE																	
1684	240.0	219.8		219.8	N	N	N	N	N	N							N	
IDENTIFIER	EE30 S7 T14 R27																	
OWNER	1 - JAY DEE HUTCHISON																	
1643	260.0	251.6		251.6	N	N	N	Y	N	N							N	
IDENTIFIER	EE30 S5.8 T14 R27																	
OWNER	1 - DECLO STKE WLF FRM																	
8769	972.0	742.9		742.9	Y	Y	Y		N								N	
IDENTIFIER	S-19,24,25,30 T-13 R-27 DD26-28																	
OWNER	1 - C BAR CATTLE CO																	
8746	90.0	77.5		77.5	N	N	N	Y	N	N							N	
IDENTIFIER	S-13 T-13 R-26 DD26																	
OWNER	1 - A D NYE																	
8747	300.0	289.1		289.1	N	N	N	Y	N	N							N	
IDENTIFIER	S-13 T-13 R-26, S-18 T-13 R-27 DD26																	
OWNER	1 - A D NYE																	
8748	70.0	69.3		69.3	N	N	N	Y	N	N							N	
IDENTIFIER	S-13 T-13 R-26 DD26																	
OWNER	1 - A D NYE																	

24.6

1/W

6

7 NHEL/W

NHEL/W

7.0

3

27.3

NHEL/W

4 NHEL/W

74.2

NHEL/W

3.5

12

NHEL/W

T1643

NHEL/W

6

5

7

8

NHEL/W

NW

NW

123.7

NHEL/W

2

127.9

NHEL/W

6

2560

1

T1644

NW

6.1

NHEL/W

1

356.2

NHEL/W

2

49.6

NHEL/W

NW

3

29.3

NHEL/W

5

58.4

NHEL/W

MEMORANDUM

To: File
From: Scott King 
Date: July 14, 2000
Subject: A43-04005, A43-04208 LDS Church

Cindy Bird and I first visited this site on June 1, 2000. Farm manager, Peter Grush, had us meet with the system operator, Dwight, who assisted us during our exam. Although the claims indicate four wells, the system currently has only two operational wells, and one abandoned hole.

The main well, located 14S 27E 8 SWSNW, is equipped with a 200-hp motor and supplies water to a universal linear and two wheel lines which are used to irrigate the property. Flow was measured at 1300 gpm on two occasions. According to data submitted by Grush, the pump is designed for 1550 gpm at 400-ft of head. Dwight explained that this well produces significant sand, and that pump bowls must be rebuilt about every two years. Therefore, our measurement of flow may be lower than flows when bowls are new.

The other well, equipped with a 75-hp motor, is currently used as a backup only. It is located at 14S 27E 8 SWNWNW, near a pond that receives Raft River water during years of good river flows. Usually the 75-hp well is operated in conjunction with a 50-hp pond pump so that both well and surface waters are combined to operate the system. The 75-hp well has not been used for the past several years, mainly due to limited surface water supplies; the 75-hp well alone does not supply enough water to operate the linear. Information supplied by Grush indicates that this pump is currently a model 12RL with designed flow of 1000 gpm at 260 feet of head. The tag on the discharge head indicates a model 12KHHM, which would have a capacity of about 1800 gpm at 132 feet of head. I suspect that the tag indicates an earlier pump that was used when water tables were higher and/or when the pump was used to open discharge, and that the current model is designed for a lower flow (1000 gpm) and higher head.

There is also an abandoned well near the 75-hp well and attempts to measure water levels in this well were unsuccessful. The well may be dry.

The claims also indicate diversions (wells) in sections 5 and 17. We were unable to locate any diversions at the specified locations and it is likely these were older shallow wells that have long been abandoned. The two section 8 wells described above and Raft River water are the only current sources of water for this property.

Data submitted shows that the current pumps have the capacity to deliver about 2500 gpm. However, the irrigation system likely has a capacity of only 1300 to 1500 gpm. Grush explained that the 200-hp well has been the main supply of water for this farm for about the past 20 years. No information was submitted to indicate pre-1963 flow capacities for any of the diversions claimed.

Idaho Department of Water Resources





- Point of diversion
- Place of use
- Quarter-quarter lines
- Section lines

TWP 14S, RNG 27E

Gis Field Map
1987/1988 Napp Photography

Field Exam Date _____
Jeanie Robertson





WATER RIGHT NO.	NAME	OWNER	PRIORITY DATE	STG/STS	SOURCE	USE DESC	SYSTEM
43-02296			00/00/0000	/			WR
43-02296A	MALTA LAND & IRRIGATION CO. <i>not claimed</i>	C	03/05/1945	L/	GROUNDWATER	IRR	WR
						DOMEST	
43-02296B	CHURCH OF JESUS CHRIST LATTER DAY SAINTS	C	03/05/1945	L/	GROUNDWATER	IRR	WR
A43-02296B	CHURCH OF JESUS CHRIST LATTER DAY SAINTS	C	03/05/1945	L/	GROUNDWATER	IRR	AJ

*all three claims overlap
(2 statutory claims have no E/P)
were filed late - no letter sent)*

A43-02296B	1.95 cfs	1945
A43-04005	3.8 cfs	1952
A43-04208	1.2 cfs	1940
	6.95 cfs	

$$6.95 \div 260 \text{ ac} = .0267 \text{ cfs/Ac.}$$

(license matches W.R.)

WR part A not claimed

Mr. James

DATE: 10/20/99
PAGE: 1

USE PERIOD	DIVERSION
FROM TO	RATE
00/00 00/00	1.050 CFS
00/00 00/00	

Stage: LICENSE

CASSIA County

NE

[illegible]

Pou County: CASSIA

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):	43-022968	43-04005B	43-04208

Other Water Rights Listing Overlapping Place(s) of use:

43-00164A	43-00165A	43-00166A	43-00167	43-00168A	43-00169B	43-00169C	43-00170	43-00172A	43-00173B
43-00175A	43-00176A	43-00178C	43-02294B	43-02296B	43-02372	43-02428	43-04005A	43-04208	

Remarks: GEN 3 P/D IN SENW, S8, T14S, R27E.
TRANS. 2880.

Dates:		03/05/1945
App. Received:		Priority Date:
Proof Due Date:		Proof Made Date:
Exam Made Date:		Exam Sent to S.O.:
Licensed Date:	01/30/1984	

Misc: Water District Number: Field Exam Fee:

Audit: 02/26/85 05/28/88 CONVERT

TOTAL DIVERSION: 1.950 CFS

Stage: LICENSE

CASSIA County
CASSIA County

NE

TOTAL ACRES 260.0

43-02296A 43-04005A 43-04005B 43-04208

43-04208

Proof Due Date:	Proof Made Date:
-----------------	------------------

Exam Sent to S.O..

Stage: LICENSE

		NE				NW				SW				SE				
		NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R S	lt	Ac	lt	Ac	lt	Ac	lt	Ac	lt	Ac	lt	Ac	lt	Ac	lt	Ac	SUM
14S	27E 5	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	120.0
14S	27E 8	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	140.0
		:	:	:	:	40	40	30	30	:	20	40	40	:	:	:	:	260.0
		TOTAL ACRES																

Other Rights: 43-04005

Dates:	Exam Made Date:	Verified Date:	D3/26/1985	Objection Filed Date:
--------	-----------------	----------------	------------	-----------------------

Misc: Water District Number: Field Inspection Flag:

Presumption Flag:

Audit: 03/10/89 FRITSCHL 03/30/95 POST-STD