

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A43-04112
Date Received: 5/24/1989
Receipt No: MO03695
Received By: AB

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: J. DEWARD HALL 208-642-2528
Address: BOX 1200
MALTA, ID 83342

AND/OR
Name: ESTELLA N. HALL 208-642-2528
Address: BOX 1200
MALTA, ID 83342

2. Date of Priority: APR 01, 1951

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
12S	26E	24	SW	SW	NE		CASSIA
			SE	SW	NE		CASSIA

5. Description of diverting works:
2 WELLS, 16" 427' DEEP, 16" 210' DEEP 100 HP. MOTOR.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	2.120		

7. Total Quantity Appropriated is:
2.120 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 480.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A43-04112

Page

MICROFILMED

MAR U 4 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
12S	26E	13	NW	SE		IRR	40.0
			SW	SE		IRR	40.0
					Section Acres		80.0
		24	NW	NE		IRR	40.0
			SW	NE		IRR	40.0
					Section Acres		80.0
					Total Acres		160.0

11. Place of use in counties: CASSIA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A4302325 AND DECREE FROM RAFT RIVER.

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): X J. Edward Hall Date: 5-24-89
Date: _____

State of Idaho)
County of Cassia) SS.

Subscribed and sworn (or affirmed) before me this 24 day
of May 19 89 Bruce A. Schuld
Notary Public


Seal

Residing at BRUCE A. SCHULD, NOTARY PUBLIC
RESIDING AT BOISE, IDAHO
My Commission Expires MY COMMISSION EXPIRES APRIL 11, 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES
R26E R27E

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

December 5, 1991

R. KEITH HIGGINSON
Director

A43-04112
J. DEWARD HALL
ESTELLA N. HALL
BOX 1200
MALTA

ID 83342

RE: Evidence of Priority

RESPONSE DEADLINE
FEBRUARY 3, 1992

Dear Claimant:

The Notice(s) of Claim identified with the number shown above your name on the mailing label has been filed in the Snake River Basin Adjudication (SRBA). The Notice(s) indicate your water usage is based on "Beneficial Use" or a "Statutory Claim". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed. **The date of first use, known as the priority date, has not been confirmed by a License, Decree or Permit. The Department will soon conduct reviews &/or field exams for the claims in your area. Since the priority date of a beneficial use water right can not be confirmed by field examination, proof must be provided supporting the priority date you have claimed.**

The Department will not recommend the Notice(s) be decreed by the court as claimed if no evidence of a priority date is submitted.

Please find enclosed a computer printout of your Notice(s) and the pamphlet entitled "Evidence of Priority". The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. I direct your attention to the two sections entitled "What Kind of Evidence is Required" and "Some Examples of Documents Which May Be Evidence of the Priority Date".

Please submit the required evidence supporting the priority date(s) by **February 3, 1992**, referencing all documents with the corresponding Notice number(s). If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

Respectfully submitted,

Allen Merritt, P.E.
Water Rights Supervisor

Enclosures

MICROFILMED
MAR 04 1993

08/07/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 43-4112

NAME AND ADDRESS: ESTELLA N HALL
J DEWARD HALL
BOX 1200
MALTA, ID 83342

SOURCE: GROUND WATER

VERIFIED BY KKC

QUANTITY: 1 CFS

WHEN COMBINED THE FOLLOWING RIGHTS SHALL PROVIDE NO MORE THAN .02 CFS PER
ACRE. COMBINED RIGHT NOS. 43-2009, 43-2325, AND 43-4112.

USE OF THE RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED DIVERSION RATE
OF 2.08 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 616 AF. COMBINED
RIGHT NOS.: 43-2325 AND 43-4112

PRIORITY DATE: 03/15/1957

POINT OF DIVERSION: T12S R26E S24 SESWNE Within CASSIA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03-15 11-15	1.00 CFS

PLACE OF USE:

<u>IRRIGATION Within CASSIA County</u>			
T12S R26E S13	NWSE	39	T12S R26E S13 SWSE 39
T12S R26E S24	NWNE	38	T12S R26E S24 SWNE 38

154 ACRES TOTAL

USE OF THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED
TOTAL OF 154 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS. 43-2009,
43-2325, AND 43-4112.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE
DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS
AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN
THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

**Idaho Dept of Water Resources
Claims review notes and narrative**

Date: 8-6-2001

File: 43-2009 deward hall sys analysis

Prepared by Kelly K Christensen

**DEWARD HALL CLAIMS
43-2009, 43-4112, AND 43-2325**

These claims represent two claims from groundwater (43-4112, AND 43-2325) and one from Raft River (43-2009).

The groundwater system was recognized under 43-2325 for the original clamshell dug well that had a 4' corrugated steel culvert as casing. That right was licensed for 120 acres and 1.08 cfs. According to Rodney Hall and some supporting documentation a supplemental well was drilled in 1957 west of the first well by a thousand feet or so. This well was operated for several years with a 15 hp pump and could produce approximately 1100 gpm under open discharge conditions. According to Rodney, the water tables continued to drop and his father decided to deepen the well in 1963. While deepening the well it caved in and they discontinued its use. In 1975 a third well was drilled near the original well location. Rodney produced a Layne Pumps Inc. pump test dated 2-19-1975 that documented the system capacity at 930 gpm or 2.08 cfs. This represents the current system capacity.

Rodney indicated that in the 40s some of the riparian ground was sub irrigated out of Raft River and was used for grazing only. Since that time the sub irrigated ground has dried up and requires irrigation to keep the pasture area growing. Rodney stated that there is a ditch that runs north from the current point of diversion and has irrigated the ground from the fence line to the Raft River channel. The Raft River channel has now been moved to the eastern side of the place of use and placed in a straight channel. I am recognizing the difference between the licensed ground and the found acres under 43-4112 with the second well development date of 1957.

My recommendation is based upon the system capacity listed below and distributed between the groundwater rights as follows.

System capacity	2.08 cfs	154 acres
Licensed thru 43-2325	1.08 cfs	120 acres
Balance for 43-4112	1.00 cfs	154 acres
Raft River Rt. 43-2009	2.98 cfs	120 acres

06/05/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 43-4112
NAME AND ADDRESS: J DEWARD HALL
BOX 1200
MALTA ID 83342

ESTELLA N HALL
BOX 1200
MALTA ID 83342

*Kelly, Please change to
the amount claimed*

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.240 CFS

WHEN COMBINED THE FOLLOWING RIGHTS SHALL PROVIDE NO MORE THAN .02
CFS PER ACRE. COMBINED RIGHT NOS. 43-2009, 43-2325, AND 43-4112.
USE OF THE RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED DIVERSION
RATE OF 1.08 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF
480 AF. COMBINED RIGHT NOS.: 43-2325 AND 43-4112

PRIORITY DATE: 06/30/1985

*— Please change priority date
to 1957*

POINT OF DIVERSION:

T12S R26E S24 SESWNE Within CASSIA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03/15 11/15	0.240 CFS

7 PLACE OF USE:

IRRIGATION Within CASSIA County

T12S R26E S13	NWSE	39.0	T12S R26E S13	SWSE	39.0
T12S R26E S24	NWNE	38.0	T12S R26E S24	SWNE	38.0

154 ACRES TOTAL

USE OF THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED
TOTAL OF 154 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS.
43-2009, 43-2325, AND 43-4112.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 34 ACRES WITHIN THE PLACE OF USE
DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

Please change to 154 A

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY
FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF
THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A
POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION
42-1412(6), IDAHO CODE.
THIS RIGHT IS BASED UPON AN ENLARGEMENT OF RIGHT NO. 43-2325 PURSUANT
TO SECTION 42-1426, IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

*Thank you
Rod Hall*

DATE _____

WORK ORDER NO.

57-5-10

DESCRIPTION OF WORK

14035

LOCATION

WORK STARTED	
--------------	--

[illegible]

AMOUNT OF ESTIMATE WORK ORDER

CONTRIBUTIONS IN AID OF CONSTRUCTION	
1	1950
2	1951
3	1952
4	1953
5	1954
6	1955
7	1956
8	1957
9	1958
10	1959
11	1960
12	1961
13	1962
14	1963
15	1964
16	1965
17	1966
18	1967
19	1968
20	1969
21	1970
22	1971
23	1972
24	1973
25	1974
26	1975
27	1976
28	1977
29	1978
30	1979
31	1980
32	1981
33	1982
34	1983
35	1984
36	1985
37	1986
38	1987
39	1988
40	1989
41	1990
42	1991
43	1992
44	1993
45	1994
46	1995
47	1996
48	1997
49	1998
50	1999
51	2000
52	2001
53	2002
54	2003
55	2004
56	2005
57	2006
58	2007
59	2008
60	2009
61	2010
62	2011
63	2012
64	2013
65	2014
66	2015
67	2016
68	2017
69	2018
70	2019
71	2020
72	2021
73	2022
74	2023
75	2024
76	2025
77	2026
78	2027
79	2028
80	2029
81	2030
82	2031
83	2032
84	2033
85	2034
86	2035
87	2036
88	2037
89	2038
90	2039
91	2040
92	2041
93	2042
94	2043
95	2044
96	2045
97	2046
98	2047
99	2048
100	2049
101	2050
102	2051
103	2052
104	2053
105	2054
106	2055
107	2056
108	2057
109	2058
110	2059
111	2060
112	2061
113	2062
114	2063
115	2064
116	2065
117	2066
118	2067
119	2068
120	2069
121	2070
122	2071
123	2072
124	2073
125	2074
126	2075
127	2076
128	2077
129	2078
130	2079
131	2080
132	2081
133	2082
134	2083
135	2084
136	2085
137	2086
138	2087
139	2088
140	2089
141	2090
142	2091
143	2092
144	2093
145	2094
146	2095
147	2096
148	2097
149	2098
150	2099
151	2100
152	2101
153	2102
154	2103
155	2104
156	2105
157	2106
158	2107
159	2108
160	2109

3

3

AUTHORIZED BY

18

DESCRIPTION

MATERIAL CHARGE TICKET

DATE 5/23/57 PURPOSE Quard Hall TICKET NO. 104

DESCRIPTION	QUANTITY	UNIT	TOTAL
Anchors			
Anchor Rod Bonding Clamp			
Arrestors			
Bolts Carriage	4	.10	.40
Bolts Eye			
Bolts Mach. & D.A.	4	.140	1.60
Bolts Upset S.J. & D.U.	1	.64	.64
Brace X-Arm 28"	4	.50	2.00
Brace X-Arm 60" Angle			
Brackets			
~~Brackets Neutral Trans.~~ <i>trans. adapter plates</i>	3	1.31	3.93
Brackets Transf. Cluster	1	20.68	20.68
Clamp 3 Bolt			
Clamp Hot Line Cu. Al.	3	1.25	3.75
Clamp Ground Rod	1	1.38	1.38
Clamp Loop D.E.			
Clamp Primary D.E.			
Clamp			
Clevis Secondary J-6 J-10			
Clevis Service K-14 K-11			
Clevis			
Clevis			
Conduit 1 1/2"	10	.87	8.70
Conduit			
Cross Arm 8'	3	5.21	15.63
Cross Arm 10'			
Connectors #6 & #4 Cu.	4	.21	.84
Connectors #2 & #1/0 Cu. & Al.			
Connectors #2/0 & #4/0 Cu. & Al.			
Connectors R-12 & Parallel Groove			
Connectors			
Cutout Arrestor Comb. <i>9KV</i>	3	23.85	71.55
Cutout, Fused			
Deadend, Triplex (bucket)			
Drive Hooks, Large			
Drive Hooks, Small			
Guy Attachment			

DESCRIPTION	QUANTITY	UNIT	TOTAL
Screws Lag			
Staples	6 lb.	.09	.54
Sleeves Nicop Al.		.20	.20
Sleeves Nicop Cu.			
Sleeves Twist Al.			
Sleeves Twist Cu.			
Sleeves T&B			
Sleeves			
Splice #6 Cu. Auto			
Splice #6A Auto			
Splice #4 7/1 & #2 6/1 Auto.			
Mashers 4"			
Weatherheads 1 1/2"	1	1.09	1.09
Weatherheads			
Wireclippers K-10			
Wire 3/8 Guy			
Wire 1/4 Messenger Cable			
Wire Al. Tie			
Wire #8 SD Tie			
Wire #8A Cu-weld			
Wire #6 Cu. SD	7 lb.	.53	3.71
Wire #6 Cu. HD			
Wire #6A Cu-weld			
Wire #4 7/1 ACSR			
Wire #2 Triplex			
Wire Quadruplex			
Wire #6 st. TW			
Wire #4 st. TW			
Wire #2 st. TW	45'	.14	6.30
Wire #1/0 st. TW	10'	.48	1.96
Wire #2/0 st. TW			
Wire #4/0 st. TW			
Wire			
Wire			
Transformers W/H 5KVA 2200-120-240	3		
DB 6169/29-6171564-6169119			
Total			

REFERENCE: Water rights # 43-2009,43-2325,43-4112

PLACE OF USE : T 125 R 26 E, SEC 13, NW SE, SW SE, T 125 R 24 E S 24 NW NE SW NE.

HISTORY :

The land , when purchased by my father in the mid 1940's, was all used for pasture and irrigated from Raft River. There were two points of diversion. See attached map.

Some of the land was native meadow.

He started farming and leveling the land that was not meadow in the late 1940's. He put in ditch pads and ditches.

As nearly as we can determine, service number 1406 was installed in 1950. This was the orange peel well. I helped dig this well. It was cased with 4 foot diameter corrugated steel culvert. it was about 25 feet deep. We test-pumped it with a Farmall M tractor, a flat belt and a water lifter pump. In order to get a good test, we had to have the machine shop build a larger diameter pulley for the tractor. The small pulley on the tractor would not turn the pump fast enough to pump all the water available.

The pump installed was 15 HP and was capable of pumping 1200 gallons per minute with a 25 ft. lift.

Well number 2, Raft River Electric service number 14035 was put in service in 1957. it was a drilled well 50 feet deep. The motor was 15 HP and was pumping about 1100 gmp open discharge and 40 ft. lift.


The wells were pumping simultaneously. By 1962 the orange peel well (# 1) was dry and well # 2 would not pump much water and was surging.

In the fall of 1962, I helped my father deepen well # 2 to 400 ft. We only cased to 210 ft. When the well was test-pumped, it caved in and heaved. He never repaired it.

In 1975 he had well # 3 drilled. It pumped 930 gpm. The pump was 100 HP and had pressure bowls. He installed a sprinkler system and irrigated 154 acres.

**RECOMMENDED PLACE OF USE FOR
43-2009, 43-2325, AND 43-4112**

*2.98 CFS 1.05 CFS * 1.24 CFS **



CASSIA CO

PLACE OF USE
TWP 12S, RNG 26E, SEC 24
Data entry on December 21, 2000

⊙ RECOMMENDED POINT OF DIVERSION

RECOMMENDED PLACE OF USE



SECTION LINES

QUARTER/QUARTER LINES

GIS PLACE OF USE PRESENTATION
1987/1988 NAPP AERIAL PHOTOGRAPHY
DATA ENTRY BY KELLY K CHRISTENSEN



QUOTATION NO.

Quantity	Specifications	Shipping Weight	Unit Price	Total Price
	For Conditions of 930 spm @ 320' TDH			
1	100 HP 460 Volt 3 Phase 60 cycle 4 Pole N.H.S Electric Motor BD 16 1/2 BX 1 1/2			
1	100 HP 460 Volt Size 4 Amps Pumping Plant Panel w/ Circuit Breaker Disconnect NOA + Start + 3rd Leg Protection			
1	8" W x 18" Discharge Head w/ 8" Std Flanged Outlet & 8" Companion Flange w/ 1- gal. Gully & Fittings			
1	5'-0" 8" Std Discharge Pipe TIE			
1	190' 8" x 2 1/2 x 1 1/2 Column Tube + Shaft			
1	12" - 5-stage K M Bowl Assembly			
1	1'-0" x 8" Std. Suction Pipe w/ One Flange			
1	8 3/8 Rubber Mill Seal w/ Fittings			
	Installation of Pump			
	Lightning Arrester & Surge Capacitor			
	480 Volt Time Delay			
	Phase Reversal Relay			
* I (we) certify to have the authority to make this purchase for the buyer and acknowledge and agree to the maximum legal rate of interest to be assessed on any unpaid amounts after (30) thirty days from date of invoice, and that said charges on payment of interest does not provide for automatic deferred payments, or alter any terms, outlined on the reverse side of this quotation and order.				

Subject to conditions stated on reverse side of Sales are hereby attached to and made a part of this quotation and/or contract.

TERMS:

DELIVERY:

STATE SALES TAX

* TOTAL PRICE

11,386.00

We hereby accept your proposal

Signature

on 2/19/1975

Signed Edward Hall

By

LAYNE PUMPS, INC.

By Thomas M Thompson

06/05/2001

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: June 15, 2001

Water right number: 43-4112

J DEWARD HALL
BOX 1200
MALTA ID 83342
Telephone Number: (208) 642-2528

ESTELLA N HALL
BOX 1200
MALTA ID 83342
Telephone Number: (208) 642-2528

RECEIVED

JUN 18 2001

Department of Water Resources
Southern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Due to a recent ownership change there is not enough information available to either agree

2. Describe the changes you wish to make in the proposed recommendation:

with or disagree with recommendation

3. Give a brief explanation as to why you disagree with these portions:

a meeting is scheduled with Kelly at the Twin Falls office to clear the matter.

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12 Jun 01 SIGNATURE: Rodney N Hall

Please print your name: Rodney N Hall

IDWR Regional Office, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301, 2087363033

06/13/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 43-4112
NAME AND ADDRESS: ESTELLA N HALL
J DEWARD HALL
BOX 1200
MALTA, ID 83342

SOURCE: GROUND WATER

VERIFIED BY *KKC*

QUANTITY: 0.24 CFS

WHEN COMBINED THE FOLLOWING RIGHTS SHALL PROVIDE NO MORE THAN .02 CFS PER ACRE. COMBINED RIGHT NOS. 43-2009, 43-2325, AND 43-4112.
USE OF THE RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.08 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 480 AF. COMBINED RIGHT NOS.: 43-2325 AND 43-4112.

PRIORITY DATE: 06/30/1985

POINT OF DIVERSION: T12S R26E S24 SESWNE Within CASSIA County

PURPOSE AND PERIOD OF USE:

PURPOSE OF USE
IRRIGATION

PERIOD OF USE
03-15 11-15

QUANTITY
0.24 CFS

1.00CFS

changed per additional info submitted at NOE. on 8-6-01, KKC

PLACE OF USE:

IRRIGATION Within CASSIA County
T12S R26E S13 NWSE 39 T12S R26E S13 SWSE 39
T12S R26E S24 NWNE 38 T12S R26E S24 SWNE 38

154 ACRES TOTAL

USE OF THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 154 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS. 43-2009, 43-2325, AND 43-4112.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 34 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.


OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.
THIS RIGHT IS AN EXPANSION OF RIGHT NO. 43-2325 PURSUANT TO SECTION 42-1416B, IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

Corrected from previous recommendation KKC


RECOMMENDED PLACE OF USE FOR 43-2009, 43-2325, AND 43-4112



PLACE OF USE
TWP 12S, RNG 26E, SEC 24
Data entry on December 21, 2000

GIS PLACE OF USE PRESENTATION
1987/1988 NAPP AERIAL PHOTOGRAPHY
DATA ENTRY BY KELLY K CHRISTENSEN

-  RECOMMENDED POINT OF DIVERSION
-  RECOMMENDED PLACE OF USE
-  SECTION LINES
-  QUARTER/QUARTER LINES



**Idaho Dept of Water Resources
Claims review notes and narrative**

Date: 12-21-2000

File: 43-2325 hall analysis

Prepared by Kelly K Christensen

**SYSTEM ANALYSIS FOR
43-2009 – SOURCE, RAFT RIVER
43-2325, AND 43-4112 SOURCE, GROUND WATER**

I met with Marvin Hall on December 20, 2000 and reviewed his system. He indicated that there have been a number of changes over the years concerning the operation and delivery of water to the ground.

43-2009 was a licensed right with a priority date prior to the Jobe Adams decree date of 10-18-1928. As this ground was considered in the Jobe Adams Decree and this use was not identified in the decree, I am recommending this right with a priority date of one day after the decree as a beneficial use right. I am recognizing the place of use as identified in the 1962 aerial photo as the historic place of use.

The point of diversion has changed several times over the years. Channeling Raft River, starting in Sec 25 and running north through sections 24, 13, and part of section 12 caused the latest change. The new point of diversion is in the southeast corner of the SWNE section 24, as a pumping system.

The groundwater delivery system has changed several times over the years also. Marvin indicated that the original 'well' was basically a hand-dug system lined with orangeberg and hand perforated with a punch. Eventually the water table dropped and a replacement well was drilled. The latest well that was developed was completed in the mid 1960's or early 1970's and an increase in capacity was developed at that time. Marvin indicated that the current capacity is affected by two different wells owned by neighbors, one approximately ¼ to the southwest and the other approximately ¼ mile northeast. He thought that the current capacity is closer to the licensed rate. The capacity is heavily dependent on the dynamic water level that apparently fluctuates a lot in this area.

I am recommending the licensed right within a permissible place of use for the original acres and at the licensed diversion rate. I am also recognizing the location of the current well as the point of diversion.

43-4112 is being recommended as an expansion claim based upon §42-1416B with a June 30, 1985 priority date. Virtually the entire place of use was irrigated as of 1987 based upon the Napp photography used in ArcView.

P/D OVERLAP BUT ACRES NOT OVERLAPPING,USE FOR SYSTEM TOTAL CALCULATIONS

	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
4112				13													40	40				
2325				13													40	35				
GIS P/U Per 1968 photo				13													394	35.3				
4112				24																		
2325				24																		
GIS P/U Per 1968 photo				24																		
1968 photo total P/U = 124 AC																						
* .02																						
2.48 CRS																						

CLAIM TO A WATER RIGHT

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

Notice is hereby given that

Malta, Idaho 83342

(Mailing Address)

(Name of Claimant)

Telephone No. _____

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows:

- (1) Date of priority: (When was the water first applied to a beneficial use) April 1, 1951

A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use from a ground water source.

- (2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water)

- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

14-00000

[Domestic, Irrigation, Stock, Etc.]

(Both dates inclusive)

(Info. Dev.)

Env. Dev.

Quantity 2.12

Use Irrigation

Period of Use From 3-15

Ta 11-15

Quantity

Use

Period of Use From

Is

Quantity

Use

Period of Use From _____

To

Quantity

Use

Period of Use From

To

- | | |
|----------|---------------------|
| Quantity | Use |
| (4) 2.12 | TOTAL QUANTITY USED |

100% AFAT

- (5) **A. Point of diversion:** (Location of point where water is diverted from its source)

SW 4 NE 14 Sec. 24 Twp. 12S Rge. 26E S.M. County of Cassia
Additional points of diversion: None

Additional points of diversion: None

- B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change. Drilled well, steel and aluminum mainline system - sprinkler irrigation laterals.

- (B) A) Describe location of use by listing number of irrigated acres within each 40 acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

[illegible]


No. of acres 160

- 8) If water is used for other than irrigation, fully describe that use, being as specific as possible.
All for irrigation.

NOTE: Include here the type and number of stock watered: **None**

- (7) If you are claiming water as a member of an organization, list name of organization: N/A

(B) Remarks: Water from license #20691 is also used on part of these lands. Supply, however, was inadequate and therefore additional water was developed from the well for irrigation of all 160 acres. The 1.08 cfs from the license in conjunction with the 2.12 claimed brings the total diversion rate to 3.20 cfs per acre.



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho

County of

Cassia

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

Sworn to before me this

31st

day of

August

J. Edward Hall

(Claimant)

1981

Gene Baxter

Notary Public
Residing at

Melba, Idaho

My commission expires

life term

FOR DEPARTMENT USE ONLY

Received by

Prelim. check by

Section fee received by

Published in

Date

Date

Date

10-28-81

11-28-81

10-28-81

Exception filed by:

Forwarded to

claimant by

Date

30th



South Idaho Press
11-22-81

#20523



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

A 43-04112

February 10, 2000

Second Notice

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

HALL, MARVIN
BOX 1200
MALTA ID 83342

RE: Information about historical water diversion flow rate

Dear Wateruser:

This past December IDWR sent a letter to you requesting your assistance in providing information about flow rates from certain diversions (copy attached). These letters are being sent to claimants with identified rights that have not previously been confirmed (measured) either through the licensing process or by decree. IDWR desires to make the most accurate recommendation to the SRBA Court and this requires your participation and cooperation, pursuant Idaho Code §42-1410.

One advantage of providing good, verifiable information to us is that the flow rate that we recommend will be the full measure of your water right as developed. Another benefit is that disputes over the recommendation are minimized. Lastly, documentation for flow rate will likely be dated and may support evidence of priority determination.

In the absence of good information about historical diversion flow rates IDWR may conclude any of three less desirable alternatives:

- 1) Recommend disallowal of right.
- 2) Recommend a flow rate limited to a licensed rate, if a licensed diversion is part of the system, but with additional diversion volume if the use and diversion capacity is documented to have occurred before 1963.
- 3) Recommend the right as an expansion in a critical ground water area, §42-1416B I.C., which limits the flow rate AND volume to the licensed quantity. This provision also sets the priority at 6/30/1985, regardless of development date between 1963 and 1985.

Thank you for your attention to this matter and we look forward to your quick response and documentation relating to this request. Water Resource Agents from the department may be contacting you in the near future should field work be required to finalize recommendations. Inquiries related to this diversion rate information request should be made to Scott King or Cindy Bird at (208) 327-7900. Inquiries about other aspects of your claim should be made to the Southern Region Office (208) 736-3033.

Sincerely,

Scott King

Enclosures

DD20
J. Seward Hall

HEL/W

8

14.3

19

19.7

20

115.0

31

118.0

1466

18360

13 13
24 19

1

151.9

HEL/W

22

165.9

HEL/W

23

162.5

HEL/W

ATD

U.S. Dept. of Agriculture
Agri. Stab. & Conserv. Svc.
Abbreviated 156 Farm Record

FARM 1466
Prepared: 12/27/93
Crop Year: 94
Page: 1

OPERATOR: Name, Address & I D No.	FARMLAND	CROPLAND	IRRIGATED CROPLAND	EFFECTIVE CROPLAND	FARM IDENTIFIER	STATUS
519-18-7037 S J DEWARD HALL MALTA	357.0	339.7	339.7	339.7	NONE	ACTIVE
ID 83342 0000						

CRP: .0
IFM: N
RECON. REF. NO.: A00209
OFAY NORMAL PLANTED ACRES: .0

No. of Tracts:		2																Current Year
TRACT NO.	FARMLAND	CROPLAND	IRRIGATED CROPLAND	HEL	027	A027	W	CW	FW	PC	AW	MW	RW	MG	CWTE	CWNA	PCW	
8360	160.0	151.9	151.9		N	N		N	N								N	
IDENTIFIER			DD20 Y-20	S-13.24	T-12	R-26												
OWNER	1 - J DEWARD HALL																	
8361	197.0	187.8	187.8		N	N		N	N								N	
IDENTIFIER			CC-26 S-14	T-13	R-26													
OWNER	1 - J DEWARD HALL																	

Meeting With Rod Hall & Mike LEWIS 8-6-01

1, Amended 43-4209

4211

Chged priority date go back
to orig claimed acre limit.

2.43 4112 second well developed in
1957 - with 15 HP
25 ft approx

1962 - 75 ±

1963 redrilled sanded in
replacement well #3 drilled on
east side of Property 1975

150 HP. pump test submitted
dated - 2-19-75
