

Form 238 JUN 08 1995



IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO. 91-95-N-0002-000
Other IDWR No. _____

2. OWNER:

Name Mickey Wallich
Address HC 2 Box 100
City St. Maries State ID Zip 87861

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N		Twp. <u>46</u> North ☒ or South ☐	
E		Rge. <u>02</u> East ☐ or West ☒	
S		Sec. <u>6</u> 1/4 <u>SW</u> 1/4 <u>SW</u> 1/4	
W		Gov't Lot <u>11</u> County <u>Bear Lake</u>	

Address of Well Site Lower Hell Gulch Rd City St. Maries
(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
<u>Ben to Tex</u>	<u>20</u>	<u>15</u>			<u>Trimming</u>

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 90
Was drive shoe seal tested? ☒ Y ☐ N How? Pound

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
<u>6</u>	<u>1</u>	<u>90</u>	<u>250</u>	<u>Steel</u>	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

50 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: SW SW 6 46N 2W

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
<u>35T</u>	<u>By Air</u>	<u>LIFT</u>	

Water Temp. cold Bottom hole temp. cold
Water Quality test or comments: good

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
<u>8</u>	<u>1</u>	<u>3</u>	<u>Top Soil</u>		☒
<u>8</u>	<u>3</u>	<u>80</u>	<u>Brown Clay</u>		☒
<u>8</u>	<u>80</u>	<u>90</u>	<u>Drilling Basket</u>		☒
<u>6</u>	<u>90</u>	<u>130</u>	<u>Hard Basalt</u>		☒
<u>6</u>	<u>130</u>	<u>150</u>	<u>Broken Basalt</u>		☒

Completed Depth 150 (Measurable)
Date: Started 1-25-99 Completed 1-29-95


13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Precision Drilling Inc. Firm No. 552
Firm Official James D. Conner Date 1-29-95
and
Supervisor or Operator James D. Conner Date 1-29-95
(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

91-7336 PROUTY (2004 ARCMAP) PIN RP46N02W06600AA



91-7336 PROUTY (2004 ARCMAP) PIN RP46N02W06600AA

