

RECEIVED

APR - 8 1993

Department of Water Resources

504-40

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAH
IN AND FOR THE COUNTY OF TWIN FALLS

CIVIL CASE NUMBER: 39576

Ident. Number: A43-04160
Date Received: 5/8/1989
Receipt No: C006659
Received By:

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

1. Name: CHURCH OF JESUS CHRIST LATTER DAY SAINTS
Address: REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY UT 84150

2. Date of Priority: MAR 1, 1951

3. Source: GROUNDWATER

4. Point of Diversion:

Township 13S Range 25E Section 32 1/4 of 1/4 of 1/4 SE SW Lot

5. Description of diverting works:
WELL, 6" X 150', 1.5 HP SUBMERSIBLE PUMP

6. Water is used for the following purposes:

Purpose
IRRIGATION
DOMESTIC

From	To	C.F.S.	(or)	A.F.A.
03/15	11/15	0.030		
01/01	12/31	0.070		

7. Total Quantity Appropriated is:
0.100 C.F.S. (and/or)

8. Total consumptive use is

A.F.A.

3.0 Acre Feet Per Annum.

9. Non-irrigation uses:
DOMESTIC, 1 CHURCH BUILDING

10. Place of Use:

Township 13S Range 25E Section 32 1/4 of 1/4 SE SW Lot

Use
IRR Acres
1.0

Page 1

Date: 03/22/93

RECEIVED

APR 21 1993

Department of Water Resources
Southern Region Office
County
CASSIA

A43-04160

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
13S	25E	32	SE	SW		DOMEST	

Section Acres 1.0

Total Acres 1.0

11. Place of use in counties: CASSIA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
ELBA WARD

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am AUTHORIZED AGENT of
Corporation of the Presiding Bishop of The Church of Title
Jesus Christ of Latter-day Saints, a Utah corporation sole
Organization, that I have signed the foregoing
document in the space below as AUTHORIZED AGENT of
Corporation of the Presiding Bishop of The Church of Title
Jesus Christ of Latter-day Saints, a Utah corporation sole
Organization and that the statements contained in the
foregoing document are true and correct.

[Signature]
Signature of Authorized Agent

Corporation of the Presiding Bishop of The Church of
Jesus Christ of Latter-day Saints, a Utah corporation sole
Title and Organization

April 5, 1993
Date

State of ~~Idaho~~ ^{Utah})
County of Salt Lake) SS.

Subscribed and sworn (or affirmed) before me this 5 day


of April 19 93

Alice Duke
Notary Public

Seal

Residing at Salt Lake City, UT

My Commission Expires 10/22/96



THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION, 12th Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-4074
FAX (801) 240-2913

Reference reply to:

May 18, 1993


Carter Fritschle
Idaho Department of Water Resources
1301 Orchard
Boise, Idaho 83706

Dear Carter:

Attached are water claims A43-04164 and A43-4160 belonging to properties 504-4944 and 504-4898 respectively. These were returned as they had not been notarized and then copies were sent to you, or at least we believe they were. We hope these will be adequate and your records and ours will be correct.

If more need to be done please let us know.

Sincerely,



Ronald C. Johnson
Water Analyst

RCJ:mb

cc: Terry F. Roylance
M. Glade Pincock



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 12, 1993

Ron C. Johnson, Water Analyst
Church of Jesus Christ Latter Day Saints
Real Estate Division
Twelfth Floor
50 East North Temple Street
Salt Lake City, UT 84150

RECEIVED

APR 15 1993

Department of Water Resources
Southern Region Office

RE: Snake River Basin Adjudication (SRBA)
Cassia County - Amended Notices of Claim A43-04160 & A43-04164

Dear ^{Ron} Claimant:

We are returning the two amended Notices of Claim referenced above because the Organization block on page 2 is incomplete on both claims. Please fill in the blanks and send the claims to our southern region office at 222 Shoshone St. East, Twin Falls, ID 83301.

If you have any questions, please call either me or our southern region office at 736-3033.

Sincerely,

Carter Fritschle
Water Rights Supervisor
Adjudication Bureau

CLF:sf:state:south:tf

Enclosures:

Amended Notices of Claim Referenced Above

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED

JUN 13 1990

Ident. Number: A43-04160
Date Received: 5-5-89
Receipt No: C006659
Received By: CA 3-7-89

Department of Water Resources
Southern Region Office

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CHURCH OF JESUS CHRIST LATTER DAY SAINTS 801-240-2929
Address: REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

2. Date of Priority: MAR 01, 1951

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
13S	25E	32	SE	SW			CASSIA

5. Description of diverting works:
WELL, 6" X 150', 1.5 HP SUBMERSIBLE PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.020		
DOMESTIC	01/01	12/31	0.070		

7. Total Quantity Appropriated is:
0.070 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 3.0 Acre Feet Per Annum.

9. Non-irrigation uses:
DOMESTIC, 1 CHURCH BUILDING

A43-04160

Page 1

Date: 03/07/89

MICROFILMED
MAR 04 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
13S	25E	32	SE	SW		IRR	1.0
			SE	SW		DOMEST	

Section Acres 1.0

Total Acres 1.0

11. Place of use in counties: CASSIA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
ELBA WARD

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am AUTHORIZED AGENT of _____ Title _____ Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole, that I have signed the foregoing Organization document in the space below as AUTHORIZED AGENT of _____ Title _____ Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole and that the statements contained in the Organization foregoing document are true and correct. *

Judith A. Baker JKR
Signature of Authorized Agent

Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation sole
Title and Organization

4/25/89
Date

State of Utah)
County of Salt Lake) SS.

Subscribed and sworn (or affirmed) before me this 25 day
of April 19 89
Alice Duke
Notary Public

Seal

Residing at Salt Lake
My Commission Expires October 22, 1992



MICROFILMED
MAR 04 1993

ADJUDICATION FILING FEES FOR IDAHO

RECEIVED
MAY 05 1989

Department of Water Resources

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # A43-04160
LDS Church Property # 5044898

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ 50.00
Flat fee for irrigation. \$


VARIABLE FEE SCHEDULE


Irrigation (\$1.00 per acre). \$ 1.00
Power Generation (\$3.00 per kilowatt) \$
Aquaculture (\$10.00 per cfs) \$
All other uses (\$100.00 per cfs) \$ 7.00

Other charges. \$

TOTAL \$ 58.00

DATE 3-10-89


Carter Fritschle
Idaho Dept. of Water Resources


Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION

APR 17 1989

MICROFILMED
MAR 04 1993

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION

Twelfth Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-2929

April 25, 1989

Reference reply to:

Mr. Carter Fritschle
Senior Water Resource Agent
Adjudication bureau
Idaho Department of Water Resources
1301 North Orchard Street
Boise ID 83720

RECEIVED
MAY 05 1989

Department of Water Resources

Dear Mr. Fritschle,

Attached are the signed documents and a check for \$1657.00 to pay for the adjudication and application fees for the following water rights in Cassia County.

<u>Groundwater Right</u>	<u>Property Number</u>	<u>Property Name</u>	<u>Adjudication Fee</u>
A43-02296B	508-4857	Wel ID Raft Rv/Springdale	\$310.00
A43-04005	508-4857	Wel ID Raft Rv/Springdale	50.00
A43-04160	504-4898	Elba	58.00
A43-04161	504-4839	Malta 1,2 Wds & Stk Rec	53.00
A43-04163	507-5475	Malta Seminary (Malta Hi)	54.00
A43-04164	504-4944	Malta 1,2	53.00
A43-04165	508-4857	Wel ID Raft Rv/Springdale	25.00
A43-07176	523-1914	Almo	85.00
A43-07194	523-1914	Almo	59.00
A45-02400	508-4687	Wel ID Oakley Vly Farm	313.00
A45-04163	503-8650	Unity 1,2	54.00
A45-04164	504-4944	Malta 1,2	54.00
A45-04194	503-8634	Springdale 1,2	59.00
A45-04201	504-2305	Oakley 1,2,3&	51.00
A45-04202	507-6544	Wel ID Oakley Valley Farm	25.00
A45-04209	504-2070	Burley 1, Star	58.00
A45-04210	504-2143	Burley 3,7	51.00
A45-04211	504-2135	Burley 8,9,10&	54.00
A45-07130	511-4861	Burley 2,4	51.00
A45-10317	508-4660	Wel ID Burley Mntn View Fm	25.00
A45-10318	508-4660	Wel ID Burley Mntn View Fm	25.00
Applic Fee	521-5072	Wel Grain Stor ID Burley Grain Complex	30.00
Applic Fee	525-8324	Albion	30.00
Applic Fee	527-5199	Raft River	15.00
Applic Fee	527-8651	Declo ID Stk Rec-Raft Rv	15.00
A43-04162	508-4822	Sold-no filing necessary (Wel ID Malta)	

REPROFILMED
MAR 04 1993

A45-02451

Not LDS property-per Marvin Black-PFR
Oakley Stk

A45-04208

Filing not needed. Not used by Church


A45-07535

Proof has been submitted-no need to file
now

\$1,657.00

Thanks for your help and that of Glen Nielson in getting these
rights adjudicated and recorded.

Sincerely,



Ronald C. Johnson
Water Analyst

RCJ/ja
enc.

cc: Terry F. Roylance
M. Glade Pincock
Glen Nielson

MICROFILMED
MAR 04 1955

CLAIMANT'S NAME LDS Church CLAIM IDENT. NO. A43-04160

DATE RECEIVED _____ CK # _____ AMOUNT \$ _____

- | | YES | NO | Required Info? |
|--|-------|-------|----------------|
| 1. Is the name and address complete with zip code? | _____ | _____ | * |
| 2. Is a priority date entered? | _____ | _____ | * |
| Is the priority date acceptable in view of mandatory filing dates? | _____ | _____ | * |
| See Adjudication Memos #1 and #4 to determine if a Permit is required. | _____ | _____ | * |
| 3. (a) Is a source entered? | _____ | _____ | * |
| (b) Is a tributary to entered? (if required) | _____ | _____ | |
| 4. Is the legal description of the p.d. sufficient? | _____ | _____ | * |
| 5. Is there a description of the diverting works? | _____ | _____ | |
| 6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. | _____ | _____ | * |
| Is the period of use included? | _____ | _____ | |
| Is a quantity claimed for each use? | _____ | _____ | * |
| 7. Is a total quantity claimed entered? | _____ | _____ | |
| 8. If required is a consumptive use entered? | _____ | _____ | |
| Is the consumptive use correct? | _____ | _____ | |
| 9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. | _____ | _____ | * |
| 10. Is (are) the place(s) of use and purpose(s) indicated? | _____ | _____ | * |
| 11. Is (are) the county(ies) entered? | _____ | _____ | |
| 12. Is the ownership of p.u. checked? | _____ | _____ | |
| 13. Are other water rights listed or "none" indicated? | _____ | _____ | |
| 14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) | _____ | _____ | |
| 15. Is the basis of the claim indicated? | _____ | _____ | |
| 16. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) | _____ | _____ | |
| 17. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block. | _____ | _____ | * |
| 18. Has the claim been signed, sealed, and dated by a notary? | _____ | _____ | * |
| 19. Was this claim filed on time, or was an extension granted? | _____ | _____ | * |
| 20. Is the fee enclosed correct? | _____ | _____ | * |
| 21. If this claim is based on an existing water right, has the identification number been entered? | _____ | _____ | |
| 22. Should this claim be data entered? | _____ | _____ | |

Claim checked by: GA Date: 6-8-90

Claim must be returned to claimant: _____ (Yes) / _____ (No)

Claimant must be notified of modifications: _____ (Yes) / _____ (No)

 Receipt Prepared by: _____ Date: _____
 Claim data entered by: _____ Date: _____
 Sent to claimant by: _____ Date: _____
 Checked by: _____ Date: _____

Comments: _____

MICROFILMED

MAR 04 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

December 5, 1991

R. KEITH HIGGINSON
Director

A43-04160
CHURCH OF JESUS CHRIST LATTER DAY
REAL ESTATE DIVISION
TWELFTH FLOOR
SALT LAKE CITY UT 84150

RE: Evidence of Priority

RESPONSE DEADLINE
FEBRUARY 3, 1992

Dear Claimant:

The Notice(s) of Claim identified with the number shown above your name on the mailing label has been filed in the Snake River Basin Adjudication (SRBA). The Notice(s) indicate your water usage is based on "Beneficial Use" or a "Statutory Claim". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed. **The date of first use, known as the priority date, has not been confirmed by a License, Decree or Permit.** The Department will soon conduct reviews &/or field exams for the claims in your area. Since the priority date of a beneficial use water right can not be confirmed by field examination, **proof must be provided supporting the priority date you have claimed.**

The Department will not recommend the Notice(s) be decreed by the court as claimed if no evidence of a priority date is submitted.

Please find enclosed a computer printout of your Notice(s) and the pamphlet entitled "Evidence of Priority". The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. I direct your attention to the two sections entitled "What Kind of Evidence is Required" and "Some Examples of Documents Which May Be Evidence of the Priority Date".

Please submit the required evidence supporting the priority date(s) by **February 3, 1992**, referencing all documents with the corresponding Notice number(s). If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

Respectfully submitted,

Allen Merritt, P.E.
Water Rights Supervisor

Enclosures

MICROFILMED

MAR 04 1993

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: June 15, 2001

Water right number: 43-4160

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150
Telephone Number: (801)240-2929

#504-4898

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

Corporation of the Presiding Bishop of The Church of
Jesus Christ of Latter-day Saints, a Utah corporation sole.

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2001 MAY 1 8

SIGNATURE: _____

Please print your name: _____

Terry F. Rudd
Terry F. Rudd
AUTHORIZED AGENT

IDWR Regional Office, 1341 Fillmore St, Suite 200, Twin Falls, ID 83301, 2087363033

04/25/2001

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 43-4160

NAME AND ADDRESS: CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY, UT 84150

SOURCE: GROUND WATER

QUANTITY: 0.06 CFS
4 AFY

PRIORITY DATE: 03/01/1951

POINT OF DIVERSION: T13S R25E S32 SESW Within CASSIA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03-15 11-15	0.03 CFS
		3.60 AFY
DOMESTIC	01-01 12-31	0.06 CFS
		0.40 AFY

PLACE OF USE:

<u>IRRIGATION Within CASSIA County</u>	
T13S R25E S32	SESW 0.9
<u>DOMESTIC Within CASSIA County</u>	
T13S R25E S32	
SESW	

0.9 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE

ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO
CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

Microsoft TerraServer

Display Image

USGS Aerial Photograph

43-04160


2 km S of Elba, Idaho, United States 18 Aug 1994



Church
Building

0 100 yds


43-04160



500 0 500 1000 Feet

T13S R25E S32

Map prepared by: Carter Fritschle
Date prepared: 04/25/01
1987-1988 NAPP photography
Idaho Department of Water Resources



Jones, Doug

From: Fritschle, Carter
Sent: Tuesday, March 13, 2001 3:05 PM
To: Jones, Doug
Subject: LDS Church Claims

Hi Doug,

The three claims I need evidence of priority date on are 43-04160, 43-04161 and 43-⁴¹⁶⁴~~04364~~. Kelly created JPEGs for these, but I will see if Cindy can e-mail you her field exam memo.

Thanks, Carter

MEMORANDUM

DATE: February 26, 2001

TO: Carter Fritschle

FROM: Cindy E. Bird

REF: Claims 43-4161 and 43-4164

PURPOSE: Determine the location listed on the claims.

February 21, 2001 I visited the Church of Jesus Christ Latter Day Saints property in Malta and spoke with one on the Church members. She clarified that claim 43-4164 is for the Church and 43-4161 is for the Malta Ballpark. The 1987-88 NAPP Photograph in figures 1 below shows the LDS Church site on the corner of Third Street N. and First Street W. and the Malta Ward Ball Field one block south on Second Street N. and First Street W.



Figure 1. 1987-88 NAPP Photography showing the LDS place of use for claims 43-4164 and 43-4161.

The legal description of the church is the SENWNW of section 12, township 13 south, range 26 east of the Boise Meridian.




Figure 2. LDS Church claim 43-4164



Photo 1. Looking southeasterly at the claimed place of use for claim 43-4164.



Photo 2. Looking northwesterly at the southeast corner.

Malta Ward Ball Field, claim 43-4161, is located behind Raft River Electric in Malta as illustrated in figure 3 below. The property described is located in the NESWNW of section 12, township 13 south, range 26 east of the Boise Meridian.

The ball field has three sets of bleachers on the north end by Second Street N. The point of diversion (POD) is located on west side of the field approximately 100 feet from the intersection of Second Street N. and First Street W. in the locked green building shown in photo 4.




Figure 3. Malt Ward Ball Field



Photo 4. Malta Ward Ball Field POD.

South of the point of diversion is a picnic area with restroom shown in photo 5. A small sandbox play area is located in the southeast corner of the park. Otherwise, the rest of the park area is planted in grass.



Photo 5. Looking west at picnic area.

The Cassia County Assessors office lists a total of 3.5 acres for the LDS Church, which includes both the Church and ballpark. The Church has a large parking area to the south and east of the building. From the ArcView imagery the Church irrigates roughly 0.65 acres and

approximately 1.7 acres at the ballpark.

A contact for the LDS Churches in Idaho is Paul Schafer of Burley. The Burley phone directory lists a Paul O. Schafer, 520 Riverside Dr., Burley, Idaho, (208) 678-1246. Another contact in the Malta area is Todd Harris, with HARRIS AG. His home/work phone number is (208) 645-2382 and his cell phone number is 863-5663. At the time of my visit Todd Harris was out of the country and was expected back in week.

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY SAINTS

REAL ESTATE DIVISION

Twelfth Floor East
50 East North Temple Street
Salt Lake City, Utah 84150-6320
Phone: 1-801-240-3840
Facsimile: 1-801-240-2913

RECEIVED
APR 12 2001
Department of Water Resources
Southern Region

Reference reply to:

R. William Nelson
(801) 240-1984
Property #504-4898
April 9, 2001

Mr. Douglas Jones, P.E.
Water Rights Supervisor
Idaho Department of Water Resources
1341 Fillmore Street, Suite 200
Twin Falls, ID 83301-3380

RE: Additional Information on Elba, Idaho, LDS Church Meetinghouse

Dear Mr. Jones:

Thank you for meeting with us on March 27 and indicating areas where additional information would be useful on the Adjudication Claim Report for Groundwater Right No. 43-4160 for the property in Elba, Idaho. I am able to supply the following additional information.

The Church of Jesus Christ of Latter-day Saints Elba, Idaho Meetinghouse site was donated by Robert H. Parish and Martha E. Parish by Warranty Deed recorded July 24, 1900 in Book "7" of Deeds, pages 137-139, Records of Cassia County, Idaho. A two story rock meeting house was built on the lot during the next 3 to 5 years, though exactly when completed was not found. Likely this first building did not have running water nor was I able to learn if water was added before 1950.

Records indicate plans to remodel the original 2 story stone church in Elba were started in 1945, see Meeting House Application, Attachment A. The upper story of the original building was removed, the building was remodeled, and additions made as shown on pages 2 and 3 of Attachment A. Meetinghouse renovation and the new construction was approved in early 1950. In connection with the new building, the Committee on Expenditures here in Salt Lake City approved drilling of a 120' deep well on Feb. 21, 1950 signed by J. Reuben Clark, Jr., see Attachment B. The letter in Attachment C indicates that construction of the meeting house got underway in the fall of 1950.

During discussion with Mr. Stan Lloyd, (208) 638-5543, long time resident of Elba, who has worked as a well driller most of his life in Raft River Valley and in the surrounding region, he confirmed that the meeting house well had been drilled in 1950. He also stated the water had been both for domestic use and to irrigate the landscaping on the Church Property since that

time. Accordingly, the March 1, 1951 Priority date for Groundwater Right Claim 43-4160 is well substantiated. The total property is 1.86 acres.

Groundwater Claim Number 43-4160 has been carefully reviewed and has been found correct in so far as can be determined today, see Attachment D. Also included as Attachment E, for completeness, is the copy of the Adjudication Claim Report which was provided to us last month.

In response to the request for the number of people using the church house in the 50's and 60's, I was unable to locate any numbers for average weekly use during that time. The Elba Ward membership numbers, however, were obtained and are summarized in Attachment F.

The well drilled in 1950 was in a small concrete lined pit some 3 feet deep with a very heavy concrete lid covering the entire small well room. Since the well needed to be cleaned out and deepened, a new, more accessible, well was drilled in 1992. The new well was drilled under permit 43-92-5-016 from the Idaho Department of Water Resources. Well Driller's Report for the deeper well put into service in 1992 is in Attachment G. Information on the 3 H.P. submersible pump in the well, and other related information, was provided to Scott King of the Water Resources Department at the end of 1999 as in Attachment H.

The last information, in Attachment I, is the summary of the average number of people attending church in the meeting house each week over the last 5 years and average ward membership by quarters. The average attendance is for Ward Sacrament Meeting, one of three congregational meetings held each Sunday. Also included are average quarterly week day attendance numbers for the Young Men and Young Women organizations using the meetinghouse. This information was obtained from the Declo, Idaho Stake Clerk, Mr. Rodney Lind, (208) 678-3136 by e-mail dated April 6, 2001.

This concludes the additional information I have assembled. If you have questions or should more information be needed to enable you to make more realistic adjudication recommendations, please give me a call, as I am always happy to be of service.

Very truly yours,



R. William Nelson
L.D.S. Water Resources Group

Enclosed: Attachments A through I

copy: Paul O. Schaefer, Manager, (208) 678-2638
Burley Idaho, FM Group
2202 Oakley Ave.
Burley, ID 83318

Attachment A

PRESIDING BISHOPRIC

Department of Water Resources
Southern Region

APR 12 2001

RECEIVED

1 of 3

Elba WARD

Raft River STAKE

August 28 1945

Ward Membership

FIRST PRESIDENCY

Meeting House Application

(SEND TWO COPIES TO PRESIDING BISHOPRIC, 40 NORTH MAIN)

President Heber J. Grant and Counselors,

47 East South Temple Street, Salt Lake City, Utah.

Dear Brethren:

We hereby apply for an appropriation in the sum of
Thirty-three Thousand Four Hundred Sixty & No/100 - - - (\$33,460.00) - - - DOLLARS
 for 50% of Estimated cost of New building, Furnishings & Landscaping

Estimated Cost of New Building	\$56,000.00
--------------------------------	-------------

Furnishings	7,000.00
-------------	----------

Landscaping	1,120.00
-------------	----------

Architectural Fee @ 5%	2,800.00
------------------------	----------

Total	66,920.00
-------	-----------

.50%

Requested Amt.	\$33,460.00
----------------	-------------

Ward's Share 50% or \$33,460.00

Ward Membership May, 1945 was 215

Stake Membership May, 1945 was 1167

Approved,


Respectfully Submitted,

Ephraim S. Miller
 Rawlins J. Harper
 O. Ross Sanders
 Stake Presidency

Fred E. Otley
 Robert M. Incefield
 J. Basil Pettingill
 Ward Bishopric

Elba 2013
Declo ID 51K
#504-4898

ELBA WARD
PROPOSED ADDITION



Attachment B

RECEIVED

APR 12 2001

Department of Water Resources
Southern Region

February 20, 1950

(Date submitted to Committee)

TO THE COMMITTEE ON EXPENDITURES:

ELBA

Ward (Branch)

RAFT RIVER

Stake (Mission)

(Other Organization)

Miscellaneous item to be discussed:

Request permission to drill well - 120' @ \$5.00

TOTAL

\$600.00

WARD OR BRANCH

300.00

CHURCH

300.00

Submitted by the Presiding Bishopric

By

H.G.M.

APPROVED

FEB 21 1950

COMMITTEE ON EXPENDITURES

By

J. R. Coakley

RECEIVED

APR 12 2001

Department of Water Resources
Southern Region


CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS

ELBA WARD BISHOPRIC

RAFT RIVER STAKE

ELBA, IDAHO

September 16



Dear Brother,

The contract has been signed and preparations for commencing work on our new ward chapel and recreation hall are under way.

In checking over the contract, specifications, etc. we feel that there should be some consideration made to our ward in the use of part of the old building in the erecting of the new. As the old building was erected without help from the church, including the purchase of the grounds, we feel that we have a valuation here of about five thousand dollars and would appreciate the church standing half of that in the erection of our new building.

Trusting this may meet with your approval
I remain

Sincerely your Brother

Orvil E. Beecher

5000

RECEIVED

APR 12 2001

Department of Water Resources
Southern RegionSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

CLAIM TO A WATER RIGHT

Under the provisions of Section 42-243, Idaho Code, any person using or claiming rights to the public waters of Idaho established by diversion and application to a beneficial use must file a claim with the Department of Water Resources on or before June 30, 1983. Exempted from this filing are single family domestic uses as defined in Section 42-230(d), Idaho Code. Also exempted are rights represented by a permit, license, decree, adjudicated right, or a previously filed claim.

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

Notice is hereby given that Church of Jesus Christ of Latterday Saints (Elba Ward)
(Name of Claimant)

Elba, ID 83326

(Mailing Address)

Telephone No. 654-2685

(Zip Code)

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows:

- (1) Date of priority: (When was the water first applied to a beneficial use) March 1, 1951

A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use from a ground water source.

- (2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water)

Groundwater tributary to

- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

Quantity	(cfs, af)	Use	(Domestic, Irrigation, Stock, Etc.)	[Both dates inclusive]	
				(Mo., Day)	(Mo., Day)
Quantity <u>0.07 cfs</u>		Use <u>Domestic</u>		Period of Use From <u>Jan 1</u>	To <u>Dec 31</u>
Quantity <u>0.02 cfs</u>		Use <u>Irrigation</u>		Period of Use From <u>Mar 15</u>	To <u>Nov 15</u>
Quantity _____		Use _____		Period of Use From _____	To _____
Quantity _____		Use _____		Period of Use From _____	To _____
Quantity _____		Use _____		Period of Use From _____	To _____

- (4) 0.07 cfs TOTAL QUANTITY USED.
(cfs, af)

- (5) A) Point of diversion: (Location of point where water is diverted from its source)

SE 1/4 SW 1/4, Sec. 32 Twp. 13S Rge. 25E B.M., County of Cassia

Additional points of diversion: _____

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change. 6" X 150' well, 1 1/2 hp submersible pump

- (6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTAL
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
13S	25E	32												X 1/2					1/2


No. of acres 1/2

- B) If water is used for other than irrigation, fully describe that use, being as specific as possible:
domestic use in church meeting house

NOTE: Include here the type and number of stock watered: _____

- (7) If you are claiming water as a member of an organization, list name of organization: _____

(8) Remarks _____



Scale: 2 inches equal 1 mile.


Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho)


) ss.

County of Twin Falls)

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

 Rich Idaho Stake
(Claimant)

Sworn to before me this 10th day of June, 19 83.


Notary Public
Residing at Twin Falls, ID

My commission expires Life

FOR DEPARTMENT USE ONLY

Received by J. E. [Signature] Date 6-10-83 Exception filed by: _____ Forwarded to _____ Date _____
Prelim. check by [Signature] Date 6-12-83
\$30.00 fee received by [Signature] Date 6-10-83 #30283
Published in South Idaho Press
Dates 6/30 & 7/7/83

Attachment E

1 of 2

03/14/2001

IDAHO DEPARTMENT OF WATER RESOURCES Adjudication Claim Report

WATER RIGHT NO. 43-4160

Owner Type **Name and Address**
Current Owner CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY, UT 84150
(801)240-2929

Also Known As LDS
SLC, UT 84150

Original Owner CHURCH OF JESUS CHRIST LATTER DAY SAINTS
ELBA WARD
ELBA, ID 83326

Priority Date: 03/01/1951
Basis: Statutory Claim
Status: Active

Source **Tributary to**
GROUND WATER

Special Use	From	To	Diversion Rate	Volume	Subuse Code
IRRIGATION	3/15	11/15	0.02 CFS		
DOMESTIC	1/01	12/31	0.07 CFS		
Total Diversion			0.07 CFS		

Location of Point(s) of Diversion:

GROUND WATER SESW Sec. 32 Township 13S Range 25E CASSIA County

IRRIGATION Use:
Acre Limit: 1

Place(s) of use:

Place of Use Legal Description: IRRIGATION CASSIA County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
13S	25E	32		SESW	1									

Place of Use Legal Description: DOMESTIC CASSIA County

Township	Range	Section	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres	Lot	Tract	Acres
13S	25E	32		SESW										

Total Acres: 1

Remarks:

1. General

ELBA WARD

MTGH # 504-4898

Dates:

Licensed Date:
Claim Received Date:
Decreed Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:

Other Information:

Receipt Number(s): C006659
State or Federal: S
Owner Name Connector: OR
Water District Number:
Generic Max Rate per Acre:
Generic Max Volume per Acre:
Civil Case Number:
Old Case Number:
Decree Plaintiff:
Decree Defendant:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Cary Act Number:
Mitigation Plan: False

Attachment F

ELBA, IDAHO WARD MEETING HOUSE # 504-4898

RECEIVED
APR 12 2001
Department of Water Resources
Southern Region

Follow up on request of State of Idaho Water Resources Department on the numbers of people using the Elba, Idaho, Meeting House. R. William Nelson [(801) 240-1984] reviewed information available in the Church Historical Department in Salt Lake City, Utah, concerning the Elba Ward. No direct numbers of people attending the Elba Meeting house were found. The total Elba Ward membership numbers for 1939 through 1966 are summarized below.

Elba, Idaho, Ward Membership on Dec. 31, of Each Year

<u>Year</u>	<u>Number of Members</u>
1939	237
1940	235
1941	221
1942	225
1943	220
1944	229
1945	210
1946	190
1947	170
1948	167
1949	151
1950	155
1951	144
1952	159
1953	162
1954	168
1955	135
1956	126
1957	119
1958	123
1959	120
1960	120
1961	115
1962	100
1963	104
1964	96
1965	102
1966	101

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
 Name Elba LDS Church
 Address Elba, Idaho
 Drilling Permit No. 43-92-8-016
 Water Right Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 8.)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED
☒ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION
 Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
 Thickness 8 inches Diameter 1 feet From 186 feet To 185 feet
 Was casing drive shoe used? ☒ Yes ☐ No
 Was a packer or seal used? ☐ Yes ☒ No
 Perforated? ☒ Yes ☐ No
 How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
 Size of perforation? 1/4 inches by 2 inches
 Number 400 From 160 feet To 185 feet
 perforations _____ feet _____ feet
 perforations _____ feet _____ feet
 Well screen installed? ☐ Yes ☒ No
 Manufacturer _____ Type _____
 Top Packer or Headpipe _____
 Bottom of Tailpipe _____
 Diameter _____ Slot size _____ Set from _____ feet to _____ feet
 Diameter _____ Slot size _____ Set from _____ feet to _____ feet
 Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
 Placed from _____ feet to _____ feet
 Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ _____
 Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
 Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata
 Describe access port Well Cap

6. LOCATION OF WELL
 Sketch map location must agree with written location.

 Subdivision Name _____
 Lot No. _____ Block No. _____
 County Cassia
 Address of Well Site _____ (give at least name of road)
 T. 13 N. or S. ☒ E. or W. ☒
 Sec. 32 R. 25 S. ☒ E. or W. ☒

7. WATER LEVEL
 Static water level 83' feet below land surface.
 Flowing? ☐ Yes ☒ No G.P.M. flow _____
 Artesian closed-in pressure _____ p.s.i.
 Controlled by: ☐ Valve ☐ Cap ☐ Plug
 Temperature 58 °F Quality Good
 Describe artesian or temperature zones below _____

8. WELL TEST DATA
☐ Pump ☐ Baker ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>25</u>	<u>180'</u>	<u>14 Hours</u>

9. LITHOLOGIC LOG

Bore Depth	Depth		Material	Water
	From	To		
10"	0	25	Brown Clay & broken Rock	
	25	40	Brown Clay	
	40	93	Brown Clay & Some Broken Rock	
	93	115	Broken Rock	X
	115	125	Brown Clay & Broken Rock	
8"	125	135	Broken Rock	X
	135	158	Brown Clay	
	158	173	Granite (Broken)	X
	173	190	Broken Rock & Some Shale	X
6"	190	200		
	200	210		
	210	220		
	220	230		
	230	240		
	240	250		
	250	260		
	260	270		
	270	280		
	280	290		

10.
 Work started 6/21/92 finished 7/1/92

11. DRILLER'S CERTIFICATION
 I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
 Firm Name Jack Cushman Drilling Firm No. 894
 1405 South Broadway
 Address Blackfoot, Idaho Date 8/5/92
 Signed by Drilling Supervisor Bob Cushman
 and Berry Morgan
 (Operator) _____
 (If different than the Drilling Supervisor)

Department of Water Resources
Southern Region

APR 12 2007

RECEIVED

Attachment H

State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-78661 of 5
RECEIVED
APR 12 2001
Department of Water Resources
Southern Region

December 9, 1999

REAL ESTATE DIVISION
NATURAL RESOURCE SECTIONDIRK KEMPTHORNE
GOVERNORKARL J. DREHMER
DIRECTOR

RE: Request for information on historic pumping rates

DEC 13 1999

The Idaho Department of Water Resources (IDWR) is preparing to recommend claims to water rights to the Snake River Basin Adjudication (SRBA) court for irrigation uses in the Raft River Basin. To facilitate this process, we are requesting data from you in order to estimate historic irrigation well pumping capacities. Specifically, we are requesting information regarding pumping flow rate for wells that have not been previously measured for water right licensing.


This request is made so that IDWR may estimate historic flow rate based on available information including past flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department understands that water levels throughout much of the Raft River Basin have been declining for many years, most often reducing the water users' ability to divert at the same rate as previously able. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

IDWR will use the information you submit to make recommendations to the SRBA court for your water right claims. Specifically, recommendations will be made for diversion rate (cfs). The enclosed form will help us reach conclusions pertaining to water quantity recommendations for adjudication claims based on historic beneficial use rather than a decree or license.

The goal of this project is to determine historic maximum diversion rates. It is expected that many irrigation systems change over time. Please detail the system configuration that produced the highest flow put to beneficial use. Since this is a general form, some parts may not apply to your system. Include any additional detail that may help in determining historic flow rates. If you have any questions regarding this data request, or if you prefer to discuss these questions with us instead of completing the form, your call is welcomed. Contact either Scott King at (208) 327-7897 or Cindy Bird at (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us.

Please take a moment to complete the form or to give Cindy or I a telephone call. It would be most helpful if we could have this information by December 22, 1999.

Sincerely,


Scott King

Enclosure

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304160

CHURCH OF JESUS CHRIST

13925E32SESW

504-4898

Elba

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including: flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: 25-28 gpm (cfs or gpm)

Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

Pump - Sta-Rite

Model - L40P4HS-28 3hp

Code - IC92T

Submitted to Ad State WRR Res 1/20/2000
Paul Schafer, FM group Mgr., completed the form.

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to ~~water~~ , pump ~~off~~ (ft)	Discharge pressure (psi)
	3hp		47'	168'	40-50

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 - Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 - Six wheel lines with 32 birds per line, 3/32 inch nozzles operating at 60 to 70 psi at the sprinklers.


1985 to present - Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

Design Parameters - 1 1/4" Pipe - 25 GPM

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

Attn: Paul

4" Submersible
Pumps**40 GPM**
Design Series

Reliable and rugged, the 40 GPM submersible may be used in wells 4" or larger.

Materials

Discharge - cast iron
 External check valve - brass body
 Impeller hubs - brass
 Impellers - Tyrl®
 Sleeve/spacers - stainless steel
 Shaft and coupling - stainless steel
 Shell - stainless steel
 Lead guard - stainless steel
 Intake bracket - cast iron
 Screen - stainless steel
 Hardware - stainless steel

Floyd Lilly Co

733-1240


11/11/00

Ordering Information

Pump Ends Only

Series	HP	Stages	Disch.	Catalog No.	Approx. Wt. Lbs.
40	1-1/2	5	2"	L40P4FS	20
	2	7	2"	L40P4GS	22
	3	10	2"	L40P4HS	27
	5	17	2"	L40P4JS	45

Please refer to Motors and Controls section for proper selection.


Pump Performance

HP	Series	PSI	Pumping Depth in Feet								
			20'	40'	60'	80'	100'	150'	200'	300'	400'
Capacity — Gallons Per Minute											
1-1/2	40	40	33.1	18.8	1.5						
2	40	40	48.8	40.8	32.0	22.8	12.4				
3	40	40	58.8	55.0	50.8	46.4	40.4	25.4	7.1		
5	40	40	—	—	—	59.2	57.2	51.7	44.9	27.9	6.9

CAUTION. DO NOT use pump at flow rates indicated by the symbol —. To do so can cause premature failure of unit. Pump warranty void when failure occurs under these conditions.



David Weaver & Associates, Landscape Architecture, Inc.
1800 South MacDuff Ave., Suite 100, Tampa, FL 33606 (813) 287-0001



SPRINKLER IRRIGATION PLAN
SCALE: 1" = 20'-0"

LEGEND

- D4 STOP VALVE: SEE MECHANICAL
- BACKFLOW PREVENTER: WATTS, OR EQ. DCA-100-QT
- CONTROLLER: BRINTON, DCA-1-A-B
- 8 QUICK COUPLER VALVE: HANBRO, OR EQ. 33-DRLC
- ⊙ CONTROL VALVE: TOTO 232-08-04
- MANHOLE: PVC SCH 40, SIZE: 1-1/2"
- LATERAL LINE: PVC SCH 40
- SHRUB SPRAY HEAD: HUNTER PS-04-12, SS-S
- Q400 LAWN SPRAY HEAD: HUNTER PS-04-17, 13, 12, 35-S
- ROTOR HEAD: HUNTER POP SERIES: 90-#4, 180-#7, 360-#10 NOZZLE

NOTES:

1. REPAIR DAMAGE TO EXISTING LAWN CAUSED BY DEMOLITION OR CONSTRUCTION. USE NEW TOPSOIL AND REGRASS LAWN TO REPAIR DAMAGE.
2. REPAIR DAMAGE TO EXISTING PLANTINGS CAUSED BY DEMOLITION OR CONSTRUCTION BY REPLACING DAMAGED PLANT WITH LIKE MATERIAL OF SAME SIZE.

Attachment I

RECEIVED
APR 12 2001
Department of Water Resources
Southern Region

ELBA, IDAHO WARD MEETINGHOUSE #504-4698

Quarter of Year	Average No. Members	Average Weekly Attendance		
		Average Sunday	During Week	Total for Week
4th Qtr 1995	162	97	16	113
1st Qtr 1996	159	110	18	128
2nd Qtr 1996	153	95	18	113
3rd Qtr 1996	152	92	18	110
4th Qtr 1996	152	91	16	107
1st Qtr 1997	149	95	16	111
2nd Qtr 1997	144	120	8	128
3rd Qtr 1997	145	72	8	80
4th Qtr 1997	146	85	8	93
1st Qtr 1998	151	97	8	105
2nd Qtr 1998	151	132	8	140
3rd Qtr 1998	148	93	8	101
4th Qtr 1998	151	138	8	146
1st Qtr 1999	149	96	15	111
2nd Qtr 1999	141	92	17	109
3rd Qtr 1999	147	92	13	105
4th Qtr 1999	147	100	13	113
1st Qtr 2000	148	94	13	107
2nd Qtr 2000	152	101	14	115
3rd Qtr 2000	160	94	16	110
4th Qtr 2000	148	176	14	190
Average	150			116

Average of Ward Membership using meetinghouse = $100(116)/150 = 77.3\%$

MEMORANDUM

TO: Files 43-2296B, 43-4005, 43-4208; 43-4160; 43-4161; 43-4164

FROM: Douglas Jones

DATE: 3/15/01

RE: Appt w/ Grant Cooper, Evidence of Priority

On 3/14/01 I met with Grant Cooper, a real estate and farm specialist for the LDS Church, about several different topics. Initially we talked about the LDS's portions of the several licenses recently split down in an owner change. We also conceptually discussed the Skaggs/BYU system and potential transfer plans, copies of some water right records were provided to Cooper.

The main topic of the meeting, for purposes of this memo, was to explain the need for evidence of priority on the above listed beneficial use rights. The first three rights are for the Stake Welfare Farm. Rights 43-4005 and -4208 appear to have dubious validity and identify a large flow rate for the described acres. Mr. Cooper was asked to develop information on how and when the system evolved, with particular emphasis on capacity changes. I also explained the supplemental conditions on license 43-2296B and the absence of claim filings on the Raft River decreed rights for the farm. Without surface water rights the ground water right may be disallowed, although it is currently drafted for recommendation as licensed. There is a means to store and distribute the surface rights, but it is uncertain where the water is diverted from Raft River. The ground water system capacity (~1300 to 1500 gpm) is currently much greater than the existing license allocates.

Right 43-4160 is for the Elba Ward acre of irrigation. The claim identifies a priority from ground water in the 1950's. No documentation has been provided and the recommendation is drafted for disallowal.

Right 43-4161 is for the Malta Ward recreational field. Right 43-4164 is for the ward building and surrounding grass areas. Neither have had evidence of priority submitted.

Mr. Cooper understood completely the need for the evidence of priority and consequences for not supplying the information. He also verbally confirmed the need to file claims on the some or all of the surface water rights for the Stake Farm. He was provided sheets for each of the surface rights that laid out the proportion of each right and the season of use. I also provided a brochure on Evidence of Priority. The time frame for submittal was discussed – our Preliminary Report is a couple or three weeks away, though anytime up to mid-Summer would be ok (Notice of Error time).

Estimated Pumping Rate Documentation Form

Flow Analysis Performed by: Scott KingDate: 2/2/2000

Page 1 of 1

Record ID	257	Measured Flow:	
Water Right No.	A43-04160	Designed Flow:	0.06 cfs
Name	LDS Church	HP/Eff Flow:	0.07 cfs <<--Max
pod	13S25E32SESW	Sprinkler Flow:	
year:		Pivot/System Flow:	
Flow Measurement:		gpm	=
Curve/Pump Design:	25	gpm	= 0.06 cfs
Designed flow			
Horsepower / Efficiency Method			
Horsepower	3	hp	
PWL	168	ft	pump set at 168 feet
Disch Psi	50	psi	
PUMP Eff Estimate	0.73	%	
TDH	276	ft	
OHP	2.19	hp	
Flow	31	gpm	= 0.07 cfs
System Method:			
No Lines		Nozzle Equation: $Q=C*A*\sqrt{2*g*h} / \sqrt{1-r^4}$	
Birds per line		C=	1.00 Nozzle coefficient; typical 0.97 to 1.00
Ttl no nozzles	0	r=	0.0000 ft Nozzle radius
Nozzle size		A=	0.00000 ft^2 Nozzle area
Nozzle pressure		h=	0 ft Head
Flow per nozzle	0.00	g=	32.2 ft/sec^2 Gravitational constant
Sprinkler Flow	0	Q=	0.000 cfs Flow per nozzle
Percent Leaks		=	0.000 gpm Flow per nozzle
Total Flow	0	gpm	=
Pivot / System rating		gpm	=

Comments / Data Supplied:

2/2/2000 snk

Per returned form:

Rated 25-28 gpm

Pump is 3-hp Sta-Rite, capacities from 59 to 7 gpm at 40 psi and pwl from 20 to 200 feet.

Form claims swl 47', pump set at 168 feet, operates 40-50 psi. "Design parameters - 1 1/4" pipe, 25 gpm"

New well drilled in 1992, SWL=83 feet, pump test discharged 25 gpm at 180' pwl for 1 1/4 hours.

The combination of this information leads me to recommend a flow of 25 gpm (0.06 cfs). Although historic pumping may have been higher, none of the data included indicates historic flows.

RECEIVED

FEB 24 2000

Department of Water Resources

Idaho Department of Water Resources
Adjudication Bureau

December 6, 1999

A4304160
CHURCH OF JESUS CHRIST
13525E32SESW

504-4898

Elba

Data Submission for Estimating Well Pumping Capacity

This form is for documenting historic flow rate from a well based on available information including flow measurements, pump curves or specifications, system characteristics such as motor horsepower, depth to water, discharge pressure, and irrigation system characteristics. The department is attempting to quantify the maximum rate of flow diverted and put to beneficial use in the years prior to November 1987.

If you have any questions regarding this data request, please contact either Scott King (208) 327-7897 or Cindy Bird (208) 327-5450. You may also dial the adjudication hotline (1-800-451-4129) and ask for Scott or Cindy. If you prefer to discuss these questions with us instead of completing the form, your call is welcomed. We can also be contacted by e-mail at sking@idwr.state.id.us and cbird@idwr.state.id.us

1) Rate of Flow measurements: 25-28 gpm (cfs or gpm)


Please give approximate date, person or entity performing measurement, description of measuring device and any other applicable data. Examples may include measurements made as part of an energy efficiency survey, which are often provided as a service through your electric utility.

2) Pump characteristic curves or specifications: Please include copy of pump curve, or state designed pumping capacity, rated flow and head, and approximate year of pump installation. Other helpful items may include the pump manufacturer, model number, and number of stages.

Pump - Sta-Rite
Model - L40P4HS-28 3hp
Code - IC92T

43-04160

Attn: Paul

4" Submersible
Pumps**40 GPM**
Design Series

Reliable and rugged, the 40 GPM submersible may be used in wells 4" or larger.

Materials

Discharge - cast iron
 External check valve - brass body
 Impeller hubs - brass
 Impellers - Tyrl®
 Sleeve/spacers - stainless steel
 Shaft and coupling - stainless steel
 Shell - stainless steel
 Lead guard - stainless steel
 Intake bracket - cast iron
 Screen - stainless steel
 Hardware - stainless steel

Floyd Lilly Co

733-1240


11/11/00

Ordering Information

Pump Ends Only

Series	HP	Stages	Disch.	Catalog No	Approx. Wt. Lbs.
40	1-1/2	5	2"	L40P4IS	20
	2	7	2"	L40P4GS	22
	3	10	2"	L40P4HS	27
	5	17	2"	L40P4JS	45

Please refer to Motors and Controls section for proper selection

Pump Performance

HP	Series	PSI	Pumping Depth in Feet								
			20'	40'	60'	80'	100'	150'	200'	300'	400'
			Capacity — Gallons Per Minute								
1-1/2	40	40	33.1	18.8	1.5						
2	40	40	48.8	40.8	32.0	22.8	12.4				
3	40	40	58.8	55.0	50.8	46.4	40.4	25.4	7.1		
5	40	40	—	—	—	59.2	57.2	51.7	44.9	27.9	
6	40	40	—	—	—	59.2	57.2	51.7	44.9	27.9	

CAUTION. DO NOT use pump at flow rates indicated by the symbol —. To do so can cause premature failure of unit. Pump warranty void when failure occurs under these conditions.

3) Pumping system characteristics:

Diversion rate can be determined by using power, pumping lift, discharge pressure, and estimated pumping efficiency. If the system has changed over time, you can provide information for several system configurations.

Year	Well pump motor horsepower	Booster pump(s) motor horsepower	Depth to water, pump off (ft)	Depth to ~~water~~ , pump ~~off~~ (ft)	Discharge pressure (psi)
	3hp		47'	168'	40-50

4) Irrigation System:

Please provide description of the water delivery system. State number of lines and birds, nozzle size, and operating pressure(s) of impact-type sprinkler systems; designed rated flow for pivot systems. As above, if various systems have been used through the years, provide year as well. Example:

1963 to 1974 - Well pump open discharges to ditches for flood irrigation using 50 siphons per set. Siphons were 1.5 inch diameter, 5 feet long.

1975 to 1984 - Six wheel lines with 32 birds per line, 5/32 inch nozzles operating at 60 to 70 psi at the sprinklers.


1985 to present - Eight tower center pivot with impact sprinklers and end gun, no corner catcher, designed for 1150 gpm. Also solid set hand lines in corners which operate separate of the pivot, operating a total of 250 birds per set, 9/64 inch nozzles operating at 65 to 75 psi at the sprinklers.

Design Parameters - 1 1/4" Pipe - 25 GPM

5) Other information:

Please also include any other information that you feel may indicate maximum historic diversion rate for your well.

[illegible]



SPRINKLER IRRIGATION PLAN

SCALE: 1" = 20'-0"



LEGEND

- ✕ STOP VALVE: SEE MECHANICAL
- BACKFLOW PREVENTER: WAITS, OR ED, DCA-100-07
- ⊠ CONTROLLER: HUNTLO, DVA-1-4-8
- ⊞ QUICK COUPLER VALVE: RAMBERG, OR ED, 33-DRLC
- ⊕ CONTROL VALVE: TONO 232-06-04
- MANHOLE: PVC SCH 40, SIZE: 1-1/4"
- LATERAL LINE: PVC SCH 40
- SPRING SPRAY HEAD: HUNTER PS-04-12, 53-5
- 0.400 LAMP SPRAY HEAD: HUNTER PS-04: 17, 19, 12, 53-5
- ROTOR HEAD: HUNTER POP SERIES: 90-#4, 180-#7, 360-#10 NOZZLE

NOTES:

1. REPAIR DAMAGE TO EXISTING LAWN CAUSED BY DEVIATION OR CONSTRUCTION. USE NEW TORSION AND NEW SODDED LAWN TO REPAIR DAMAGE.
2. REPAIR DAMAGE TO EXISTING PLANTINGS CAUSED BY DEVIATION OR CONSTRUCTION BY REPLACING DAMAGED PLANT WITH LIKE MATERIAL OF SAME SIZE.



David & Associates Landscape Architecture Ltd. Planning
1600 South Stewart Ave., Suite 100, Metro 15100 (202) 225-1504




IDAHO DEPARTMENT OF WATER RESOURCES

43-04160

CLAIMED

PLACE OF USE LAYOUT



- ⊕ CLAIMED POINT OF DIVERSION
- CLAIMED PLACE OF USE
- SECTION LINES
- QUARTER QUARTER LINES

FIELD EXAM DATE AGENT

JPEG LAYOUT CREATED 3-26-99




GIS PLACE OF USE PRESENTATION
1987 AND/OR 1988 NAPP PHOTOGRAPHY
DATA ENTRY BY KELLY K CHRISTENSEN

IDAHO DEPARTMENT OF WATER RESOURCES

43-04160

CLAIMED

PLACE OF USE LAYOUT



- ⊕ CLAIMED POINT OF DIVERSION
- ▭ CLAIMED PLACE OF USE
- ▭ SECTION LINES
- ▭ QUARTER QUARTER LINES

FIELD EXAM DATE AGENT

JPEG LAYOUT CREATED 3-26-99

GIS PLACE OF USE PRESENTATION
1987 AND/OR 1988 NAPP PHOTOGRAPHY
DATA ENTRY BY KELLY K CHRISTENSEN