

11/28/2005

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 2-7212

NAME AND ADDRESS: UPPER GRAND VIEW CANAL CO
PO BOX 9
GRAND VIEW ID 83624

SOURCE: SNAKE RIVER

TRIBUTARY: COLUMBIA RIVER

QUANTITY: 20.700 CFS
6,075.000 AFY

PRIORITY DATE: 08/25/1975

POINT OF DIVERSION:

T05S R03E S15 SWSE Lot 7 Within OWYHEE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03/15 11/15	20.700 CFS 6,075.00 AFY

The use of water for irrigation under this right may begin as early as March 1 provided other elements of the right are not exceeded. The use of water before March 15 under this remark is subordinate to all water rights having no subordinated early irrigation use and a priority date earlier than the date a partial decree is entered for this right.

PLACE OF USE:

1332 ACRES TOTAL

The boundary encompassing the place of use for this water right is described with a digital boundary as defined by I.C. Section 42-202B(2) and authorized pursuant to I.C. Section 42-1411(2)(h). The data comprising the digital boundary are incorporated herein by reference and are stored on a CD-ROM disk issued in duplicate originals on file with the SRBA District Court and the Idaho Department of Water Resources. A map depicting the place of use is attached hereto to illustrate the place of use described by the digital boundary.

This right is limited to the irrigation of 1215 acres within the place of use described above in a single irrigation season.

Place of use is within the area served by Upper Grand View Canal Co.

The rights listed below are limited to the irrigation of a combined total of 1332 acres in a single irrigation season. Combined Right Nos.: 2-7090A, 2-7212

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.


EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Right 2-7090A is also diverted through the point of diversion described above.


This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for irrigation of the lands above.

Right includes accomplished change in point of diversion pursuant to Section 42-1425, Idaho Code.

Upper Grand View Canal Co. Service Area Boundary




Place of Use
Township/Range
Sections




Idaho Department of Water Resource
Drawn: 9/19/05
By: D. Shaff
Photography: 1987 NAPP



Upper Grand View Canal Co. Service Area Boundary



Place of Use
Township/Range
Sections



Idaho Department of Water Resource
Drawn: 9/19/05
By: D. Shaft
Photography: 1987 NAAP

ROUTING SLIP

DISTRIBUTION		PROVIDED FOR YOUR:	
DATE:	9/2/05	INFORMATION	
TO: ADJUDICATION DIVISION DON SHAFF		COMMENTS	
FROM: DANIEL A. NELSON WESTERN REGION		APPROVAL	YES
		SIGNATURE	
SPECIAL NOTES: Don, here is the measurements for the Grandview Canal Company. If you have any questions please give me a call. Thank you Dan Nelson Western			

RECEIVED
SEP 6 2005
DEPARTMENT OF
WATER RESOURCES

MEMORANDUM

TO: DON SHAFF

FROM: DANIEL A. NELSON

DATE: 9/2/05

SUBJECT: MEASUREMENT OF PUMP STATION UPPER GRANDVIEW CANAL COMPANY

I met with the Grandview Canal Company president, Arnie Hipwell, on 9/1/2005 to measure their pump diversion from the Snake River. The diversion has 4 pumps that divert into a common penstock that travels underground, and open discharges into the canal. Snake River water flows under the pump station on the northeast side of the pump house. The entire northeast side is open to the river.

The following are the pumps that were found at the pump station:

PUMP #1

General Electric 150 Hp motor – Serial Number ENJ504113 ✓ 7.22
Worthington Pump – Serial Number 43980

PUMP #2

General Electric 150 Hp motor – Serial Number ENJ504115 ✓ 6.93
Worthington Pump – Serial Number 43978

PUMP #3

General Electric 150 Hp motor – Serial Number ENJ504114 ✓ 7.09
Worthington Pump – Serial Number 43979 21.24

PUMP #4

General Electric High Thrust 100 Hp motor – Serial Number 1354651 - 20.7
Johnson Pump – NO Serial Number – 10 inch outflow pipe 1.54 = 26.4%

The pumps diverted into a common mainline (penstock), which went underground directly after the last pump mainline connected. Therefore, each of the pumps needed to be measured separately. The recommended amount of pipe upstream and downstream of the measurement point was not possible, but I did get a good signal at all four measurement sites. I strongly recommend that a measurement device be located on the main penstock that would allow the standard 10 diameters of pipeline upstream and 5 diameters of pipeline downstream. I discussed this with the canal manager, and we agreed that it would be best to locate a measurement device on the other side of the road from the pump station. I would think that it would be a good idea to include a measurement requirement condition on the Snake River Basin Adjudication (SRBA) claim recommendation.

9-19-05

page 2

Grandview Ditch memo

I have attached the measurement data for each pump with this memo. The measurements were as follows:

Pump #1 → 3,242 gpm → 7.22 cfs

Pump #2 → 3,111 gpm → 6.93 cfs

Pump #3 → 3,180 gpm → 7.09 cfs

Pump #4 → 1,833 gpm → 4.09 cfs

TOTAL → 11,366 gpm → 25.33 cfs

The maximum flow from this diversion is 25.33 cfs. I have included pictures of the pumps and diagram of the system.

FIELD MEASUREMENT LOCATION GRANDVIEW CANAL COMPANY BY DAN NELSON



0.06 0 0.06 0.12 Miles


● POINT OF MEASUREMENT

□ 1/4 1/4 LINES


□ SECTION LINES

PLEASE NOTE:

□ The measurement was taken on the discharge of the pumps on the southwest side of the building. The intake to the pumps was directly under the pumps. The pump station sat over the river.



**SYSTEM DIAGRAM OF GRANDVIEW CANAL COMPANY PUMP STATION
BY DAN NELSON**



POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 1

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,242GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,242 GPM / 448.8 = 7.22 CFS FLOW RATE

MODE SELECT
INPUT

OUTER DIAMETER
12.8098 IN

PIPE MATERIAL
? CS-65

WALL THICKNESS
0.1882 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
?

TYPE OF SENSOR
? FULL

DATA CHANGE
?

SPACING
10.066 IN.U

MODE SELECT
TO CHECK

0462.3 MPSED
099.50 X 10

09-01 13:3100 *R
+001.90 *12

ZERO MODE
OUT ZERO

13:38+ 3.331E 36PM 00R
+ 8.005E 0FPS 00R
+00000 *10 G 00R
-00000 *10 G 00R

13:39+ 3.246E 36PM 00R
+ 8.579E 0FPS 00R
+00324 *10 G 00R
-00000 *10 G 00R

13:40+ 3.251E 36PM 00R
+ 8.592E 0FPS 00R
+00645 *10 G 00R
-00000 *10 G 00R

13:41+ 3.231E 36PM 00R
+ 8.540E 0FPS 00R
+00979 *10 G 00R
-00000 *10 G 00R

13:42+ 3.230E 36PM 00R
+ 8.536E 0FPS 00R
+01305 *10 G 00R
-00000 *10 G 00R

13:43+ 3.210E 36PM 00R
+ 8.484E 0FPS 00R
+01629 *10 G 00R
-00000 *12 G 00R

13:44+ 3.190E 36PM 00R
+ 8.431E 0FPS 00R
+01953 *10 G 00R
-00000 *12 G 00R

13:45+ 3.268E 36PM 00R
+ 8.638E 0FPS 00R
+02277 *10 G 00R
-00000 *10 G 00R

13:46+ 3.222E 36PM 00R
+ 8.517E 0FPS 00R
+02605 *10 G 00R
-00000 *12 G 00R

13:47+ 3.244E 36PM 00R
+ 8.576E 0FPS 00R
+02919 *10 G 00R
-00000 *10 G 00R

13:48+ 3.247E 36PM 00R
+ 8.582E 0FPS 00R
+03242 *10 G 00R
-00000 *10 G 00R

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 2

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,111 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,111 GPM / 448.8 = 6.93 CFS FLOW RATE

MODE SELECT
INPUT
OUTER DIAMETER
12.8100 IN
PIPE MATERIAL
? CS-99
WALL THICKNESS
0.1860 IN
INNER LINING
? NO LING.
KIND OF FLUID
? WATER
SENSOR MOUNTING
?
TYPE OF SENSOR
? SMALL
DATA CHANGE
?
SPACING
13.060

ZERO MODE
AUT ZERO

MODE SELECT
TO CHECK

0462.0 MMSEC
099.40 1.10

09-01 14:0300
0000.50 0.012

14:06+ 3.149E 3GPM 00R
+ 8.316E 0FPS 00R
+00000 *10 G 00R
-00000 *10 G 00R
14:07+ 3.150E 3GPM 00R
+ 8.320E 0FPS 00R
+00314 *10 G 00R
-00000 *10 G 00R
14:08+ 3.097E 3GPM 00R
+ 8.179E 0FPS 00R
+00623 *10 G 00R
-00000 *10 G 00R
14:09+ 3.113E 3GPM 00R
+ 8.221E 0FPS 00R
+00937 *10 G 00R
-00000 *10 G 00R
14:10+ 3.147E 3GPM 00R
+ 8.313E 0FPS 00R
+01249 *10 G 00R
-00000 *10 G 00R
14:11+ 3.128E 3GPM 00R
+ 8.261E 0FPS 00R
+01560 *10 G 00R
-00000 *10 G 00R
14:12+ 3.105E 3GPM 00R
+ 8.202E 0FPS 00R
+01871 *10 G 00R
-00000 *10 G 00R
14:13+ 3.141E 3GPM 00R
+ 8.297E 0FPS 00R
+02182 *10 G 00R
-00000 *10 G 00R
14:14+ 3.092E 3GPM 00R
+ 8.166E 0FPS 00R
+02492 *10 G 00R
-00000 *10 G 00R
14:15+ 3.094E 3GPM 00R
+ 8.172E 0FPS 00R
+02790 *10 G 00R
-00000 *10 G 00R
14:16+ 3.067E 3GPM 00R
+ 8.100E 0FPS 00R
+03111 *10 G 00R
-00000 *10 G 00R

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 3

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,180 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,180 GPM / 448.8 = 7.09 CFS FLOW RATE

MODE SELECT
INPUT

OUTER DIAMETER
12.8098 IN

PIPE MATERIAL
? SS

WALL THICKNESS
0.1940 IN

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

SPACING
10.076 IN

ZERO MODE
AUT ZERO

MODE SELECT
TO CHECK

0461.9 MMSEC
099.58 1/2 TO
09-01 14:2400 *R
+002.30 1/2 12

14:30+ 3.198E 3GPM 00R
+ 8.467E 0FPS 00R
+00000 *10 G 00R
-00000 *10 G 00R

14:31+ 3.170E 3GPM 00R
+ 8.395E 0FPS 00R
+00316 *10 G 00R
-00000 *10 G 00R

14:32+ 3.188E 3GPM 00R
+ 8.441E 0FPS 00R
+00636 *10 G 00R
-00000 *10 G 00R

14:33+ 3.226E 3GPM 00R
+ 8.543E 0FPS 00R
+00946 *10 G 00R
-00000 *10 G 00R

14:34+ 3.164E 3GPM 00R
+ 8.379E 0FPS 00R
+01265 *10 G 00R
-00000 *10 G 00R

14:35+ 3.190E 3GPM 00R
+ 8.448E 0FPS 00R
+01587 *10 G 00R
-00000 *10 G 00R

14:36+ 3.202E 3GPM 00R
+ 8.477E 0FPS 00R
+01907 *10 G 00R
-00000 *10 G 00R

14:37+ 3.164E 3GPM 00R
+ 8.379E 0FPS 00R
+02223 *10 G 00R
-00000 *10 G 00R

14:38+ 3.143E 3GPM 00R
+ 8.323E 0FPS 00R
+02542 *10 G 00R
-00000 *10 G 00R

14:39+ 3.185E 3GPM 00R
+ 8.435E 0FPS 00R
+02863 *10 G 00R
-00000 *10 G 00R

14:40+ 3.177E 3GPM 00R
+ 8.412E 0FPS 00R
+03184 *10 G 00R
-00000 *10 G 00R

Pump 3

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 4

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

1,833 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

1,833 GPM / 448.8 = 4.09 CFS FLOW RATE

MODE SELECT
INPUT

OUTER DIAMETER
10.0100 IN

PIPE MATERIAL
? CS-PS

WALL THICKNESS
0.1350 IN

INNER LINING
? NO LINING.

KIND OF FLOW
? STEADY

SENSOR MEASURING
?

TYPE OF SENSOR
?

DATA CHANGE
?

SPACING
7.572 IN U

SPACING
7.572 IN U

09-01 14:5403 *R
+002.00 % 012

MODE SELECT
TS-CHECK

0362.3 HWSFC
099.55 1.15

14:58+ 1.874E 3GPM 00R
+ 8.870E 0FPS 00R
+00000 *10 G 00R
-00000 *10 G 00R

14:59+ 1.825E 3GPM 00R
+ 7.864E 0FPS 00R
+00185 *10 G 00R
-00000 *10 G 00R

15:00+ 1.800E 3GPM 00R
+ 7.788E 0FPS 00R
+00369 *10 G 00R
-00000 *10 G 00R

15:01+ 1.834E 3GPM 00R
+ 7.900E 0FPS 00R
+00552 *10 G 00R
-00000 *10 G 00R

15:02+ 1.809E 3GPM 00R
+ 7.791E 0FPS 00R
+00734 *10 G 00R
-00000 *10 G 00R

15:03+ 1.843E 3GPM 00R
+ 7.939E 0FPS 00R
+00917 *10 G 00R
-00000 *10 G 00R

15:04+ 1.836E 3GPM 00R
+ 7.919E 0FPS 00R
+01101 *10 G 00R
-00000 *10 G 00R

15:05+ 1.842E 3GPM 00R
+ 7.936E 0FPS 00R
+01284 *10 G 00R
-00000 *10 G 00R


15:06+ 1.835E 3GPM 00R
+ 7.906E 0FPS 00R
+01468 *10 G 00R
-00000 *10 G 00R

15:07+ 1.797E 3GPM 00R
+ 7.739E 0FPS 00R
+01649 *10 G 00R
-00000 *10 G 00R

15:08+ 1.846E 3GPM 00R
+ 7.952E 0FPS 00R
+01833 *10 G 00R
-00000 *10 G 00R

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 9/2/2005

FILE NUMBER GRANDVIEW CANAL COMPANY MEASUREMENT



These are photos of the Grandview Canal Company pump station.

FIELD NOTES

UPPER GRANDVIEW CANAL COMPANY ADJUDICATION REVIEW

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual review. They are only being included for reference purposes.

Nelson, Dan

From: Shaff, Don
Sent: Wednesday, August 17, 2005 3:58 PM
To: Nelson, Dan
Subject: Upper Grand View

Dan, the president and contact to inspect the diversion works and measure the pipeline for Upper Grand View Canal Co is Arnie Hipwell: 834-2470 (Home) 599-4553 (Cell).

Thanks,
Don Shaff
(208)287-4921
don.shaff@idwr.idaho.gov

1.060
1243
000
0600

11700
11700

10,190 gpm

11433
9,533

3242

3111

3180

1833

3399

3325

3446
3410

2000

Grand View
Guses
GAS.

2

PO Box 7
Grand View
ID
83624

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 4

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLWS IN GALLONS PER MINUTE (GPM)

1,833 GPM FLOW RATE

FLWS IN CUBIC FEET PER SECOND (CFS)

1,833 GPM / 448.8 = 4.09 CFS FLOW RATE

MODE SELECT

OUTER
18.8

PIPE

WELL
2.1

INLET

WIND

SECTOR

TYPE

DATA

SPAC

SPAC

89-91

4800

MODE

0362

0363

Pump 4

14:58	18.8 GPM	00K
14:59	18.8 GPM	00R
15:00	18.8 GPM	00R
15:01	18.8 GPM	00R
15:02	18.8 GPM	00R
15:03	18.8 GPM	00R
15:04	18.8 GPM	00R
15:05	18.8 GPM	00R
15:06	18.8 GPM	00R
15:07	18.8 GPM	00R
15:08	18.8 GPM	00R
15:09	18.8 GPM	00R
15:10	18.8 GPM	00R
15:11	18.8 GPM	00R
15:12	18.8 GPM	00R
15:13	18.8 GPM	00R
15:14	18.8 GPM	00R
15:15	18.8 GPM	00R
15:16	18.8 GPM	00R
15:17	18.8 GPM	00R
15:18	18.8 GPM	00R
15:19	18.8 GPM	00R
15:20	18.8 GPM	00R
15:21	18.8 GPM	00R
15:22	18.8 GPM	00R
15:23	18.8 GPM	00R
15:24	18.8 GPM	00R
15:25	18.8 GPM	00R
15:26	18.8 GPM	00R
15:27	18.8 GPM	00R
15:28	18.8 GPM	00R
15:29	18.8 GPM	00R
15:30	18.8 GPM	00R
15:31	18.8 GPM	00R
15:32	18.8 GPM	00R
15:33	18.8 GPM	00R
15:34	18.8 GPM	00R
15:35	18.8 GPM	00R
15:36	18.8 GPM	00R
15:37	18.8 GPM	00R
15:38	18.8 GPM	00R
15:39	18.8 GPM	00R
15:40	18.8 GPM	00R
15:41	18.8 GPM	00R
15:42	18.8 GPM	00R
15:43	18.8 GPM	00R
15:44	18.8 GPM	00R
15:45	18.8 GPM	00R
15:46	18.8 GPM	00R
15:47	18.8 GPM	00R
15:48	18.8 GPM	00R
15:49	18.8 GPM	00R
15:50	18.8 GPM	00R
15:51	18.8 GPM	00R
15:52	18.8 GPM	00R
15:53	18.8 GPM	00R
15:54	18.8 GPM	00R
15:55	18.8 GPM	00R
15:56	18.8 GPM	00R
15:57	18.8 GPM	00R
15:58	18.8 GPM	00R
15:59	18.8 GPM	00R
16:00	18.8 GPM	00R

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 1

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,242GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,242 GPM / 448.8 = 7.22 CFS FLOW RATE

MODE SELECT
INPUT

OUTER DIAMETER
12.0000 IN

PIPE MATERIAL
PVC

WALL THICKNESS
0.150 IN

INLET
1.000 IN

OUTLET
1.000 IN

WATER TEMPERATURE
70.00 F

TYPE OF FLOW
STEADY

DATE
10/10/80

TIME
10:00

MODE SELECT
BACK

0.0000
0.0000

0.0000
0.0000

0.0000
0.0000

13:38- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:39- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:40- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:41- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:42- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:43- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:44- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:45- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:46- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:47- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:48- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

13:49- 3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R
3.242E 36PM 00R

pump 1

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 2

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,111 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,111 GPM / 448.8 = 6.93 CFS FLOW RATE

MODE SELECT
INIT

OUTER DIAMETER
12.5100

PISTON RADIUS
0

WELL RADIUS
0.1300

WELL DEPTH
1.5000

WELL AREA
0.0000

WELL VOLUME
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

WELL AREA
0.0000

14186- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14187- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14188- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14189- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14190- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14191- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14192- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14193- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14194- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14195- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14196- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14197- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14198- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

14199- 3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R
3.111 GPM 00R

Pump 2

POLYSONIC READINGS

GRANDVIEW CANAL COMPANY MEASUREMENTS

POINT OF DIVERSION: PUMP 3

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING
PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR
THIS PUMP. THE TOTAL FLOW WAS
AVERAGED OVER A 10 MINUTE READING.

FLows IN GALLONS PER MINUTE (GPM)

3,180 GPM FLOW RATE

FLows IN CUBIC FEET PER SECOND (CFS)

3,180 GPM / 448.8 = 7.09 CFS FLOW RATE

MODE SELECT

OUTER TANK

PIPE

WELL

KIND OF

SENSOR

TYPE

SPACING

ZERO

MODE

0451

0000

00-00

+000.00

Pump 3

14:04 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:05 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:06 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:07 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:08 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:09 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:10 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:11 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R


14:12 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:13 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

14:14 3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R
3.180 GPM 00R

Idaho Department of Water Resources

1987 NAIP Photo



Claim Numbers: 02-07090A, 2-7212

Legal: T05S R03E, S15, 18 & 19

T05S, R02E, S2, 3, 11, 12, 13, 14, 24 & 25

Reviewed By: SJR 3/9/05



Point of Diversion



Place of Use



Section Lines



Quarter Quarter Lines

CANNED



**State of Idaho****DEPARTMENT OF WATER RESOURCES**

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor**KARL J. DREHER**
Director

July 21, 2005

UPPER GRAND VIEW CANAL CO
PO BOX 9
GRAND VIEW ID 83624

Re: Application for Transfer of Water Right(s)

Dear Applicant:

Your application for transfer to change a water right(s) was recently received. Processing of the application must be delayed as explained below.

Your application describes a water right for which a Snake River Basin Adjudication (SRBA) Claim has been filed. SRBA Claims in the area affected by the transfer application are currently being reviewed. The role of the Idaho Department of Water Resources (IDWR) in the SRBA is to review claims and make recommendations regarding those claims to the SRBA Court. Recommendations are presented to the court in a Director's Report. Potentially affected parties may object to recommendations in a Director's Report. This process introduces uncertainty regarding water rights until the objection period is over.

IDWR's limited staff resources must be used to complete the remaining Director's Reports during the next year. Additionally, experience indicates that processing an application for transfer in an area where a Director's Report is being prepared can result in confusion and complications by mixing judicial (SRBA) and administrative (transfer) actions.

The SRBA objection period for your area is expected to conclude sometime during the latter half of next year. Based on that schedule and the above reasoning, your application for transfer cannot be processed at this time. IDWR will hold your transfer application until that time and will notify you at the appropriate time to allow your application to be processed.

IDWR regrets the inconvenience undoubtedly caused by this necessary delay. Please contact me at 208-334-2190 if you have any questions in this regard.

Sincerely,

Steve Lester
Water Rights Supervisor



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

December 26, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Upper Grand View Canal Co.
c/o Bill Wolf
PO Box 9
Grand View ID 83624

RE: Application for Transfer

Dear Mr. Wolf:

We received a transfer from Upper Grand View Canal Co. 9/17/1996. The transfer was then returned with a letter requesting additional information 9/24/1996. If you still intend to pursue the transfer, please return the requested information and the revised transfer. If not, complete the enclosed withdrawal form and return for a refund. Please respond within the next 30 days, otherwise we will proceed to void the transfer application. Thank you.

Sincerely,

Lori Graves
Sr. Water Resource Agent

Encl: Withdrawal Form

From: DWR80::SLESTER 22-DEC-1997 14:12:01.12
To: @WESTERN.LIS
CC: DWR03::SKEEN
Subj: UPPER GRAND VIEW CANAL CO. 02-07212A&B TRANSFER?

Database and S.O. records show a pending transfer for this company & this Snake R. license. So far, no original transfer application can be found at S.O. or Western (water right file, apps.lis etc.).

Shelley forwarded a copy of transfer appl. copy found in S.O. file -- it was apparently received at S.O. on 9/16/96. So I have a copy of the S.O. copy.

Does anyone know anything about this? Any leads would be appreciated. The company includes Whitted & Wolf & a few other users around Grand View.

thanks,

Steve

Reph - Lg has been handling -
She returned appl. of the
9/96 letter. She will follow up

-JL

7/00 -

DEC 22 1997

Page 1 of 2

Depart

DEPARTMENT OF WATER RESOURCES

WATER RESOURCES SOUTHWESTERN REGION

Transfer No.

Total acres 1215-

PART 1

6. General Information:

- a. Description of diversion system PUMP, PIPELINE, CANAL, RELIEFS.
- b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? _____ Yes ☒ No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.
- c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:
PRESENT PLACE OF USE LEFT IDLED.
- d. Remarks:

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____
And said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19 _____.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT

PART 2

(Attach one copy for each right)

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

- a. Decree No. _____ Decreed to _____
in case of _____ vs. _____
dated _____ in _____ county of _____
- b. License No. 02-07212A & 02-07212B issued by the Idaho Department of Water Resources.
- c. Claim No. _____ on file with the Idaho Department of Water Resources.
- d. Transfer No. _____ which produced this right.

2. Attach a copy of last year's tax notice for the property to which the water right is appurtenant or other documents which show ownership. Label document as attachment A. Check appropriate box below: N/A LICENSE HOLDER CHANGE

☐ Tax Notice

☐ Warranty Deed

☐ Other _____

3. Source of water SNAKE RIVER tributary to COLUMBIA RIVER

4. Date or priority 8-25-1975

5. Water is used for the following purpose:

amount 20.7 for IRRIGATION purposes from 3-15 to 11-15
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)
amount _____ for _____ purposes from _____ to _____
(cfs/ac-ft)

6. Total amount of water under right 20.7 cubic feet per second and/or 6075 acre-feet per annum.

7. Point(s) of Diversion: NO CHANGE

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion

8. Lands irrigated or place of use: SAME EXCEPT

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals.
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total acres 1215

9. Describe any other water rights used for the same purpose as described above NONE

ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 09/06/96
PAGE: 1

OWNER NAME & ADDRESS
C UPPER GRAND VIEW CANAL CO
PRIORITY DATE 08/25/1975
WATER USE IRRIGATION
USE PERIOD FROM 03-15 TO 11-15
DIVERSION RATE 20.70 CFS
DIVERSION VOLUME 6075.00 AFA
TOTAL DIVERSION: 20.70 CFS
CONSUMPTIVE USE: 6075.00 AFA
4860.00 AFA

Water Source: SNAKE RIVER

Tributary to: COLUMBIA RIVER

Stage: LICENSE

Point(s) of Diversion:

T05S R03E S22 Lot02(NMNE)

OWYHEE County

Place of use Legal Description for: IRRIGATION

T	R	S	NE			NW			SW			SE			SUM
			NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SESW	NESS	NWSE	NWSE	SWSE	
05S 02E 2			17	19	40	21	02	01	06	01	22	11	10	04	73.0
05S 02E 3			38	27	25	36	07	03	03	01	03	01	04	06	6.0
05S 02E 11			10												5.0
05S 02E 12															44.0
05S 02E 13															257.0
05S 02E 24															242.0
05S 02E 25															10.0
05S 03E 18															38.0
05S 03E 19															32.0
05S 03E 20															167.0
05S 03E 21															36.0
05S 03E 22															2.0
05S 03E 28															205.0
05S 03E 29															98.0
			38	35			25	40	40	38	39				TOTAL ACRES
															1215.0

POU County: OWYHEE

Remarks: GEN PART OF PLACE OF USE IS LEASED IN A COOPERATIVE AGREEMENT WITH BUREAU OF LAND MANAGEMENT. HIGHER DIVERSION VOLUMES AND CONSUMPTIVE USE VOLUMES ARE CLAIMED DUE TO THE HAGERMAN-LIKE TEMPERATURES AND HIGHER WINDS IN THIS AREA.

Dates: Exam Made Date: Verified Date: Objection filed Date:

Misc: Water District Number: Field Inspection Flag: Presumption Flag:

SPECIFIC CAUSES OF SUBJECT TRANSFER.

TRANSFER APPLICATION
ATTACHMENT

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years of non-use?
No If yes, describe _____

B. DESCRIPTION OF PORTION OF RIGHT BEING TRANSFERRED

(If the entire right is to be changed by the applicant, omit part B and C.)

1. amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)

2. Point(s) of Diversion:

Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	

Total acres _____

C. DESCRIPTION OF UNCHANGED PORTION OF RIGHT (omit if there is no change)

1. amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)
 amount _____ for _____ purposes from _____ to _____
 (cfs/ac-ft)

2. Point(s) of Diversion:


Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion

3. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	

Total acres _____

6-8
T5S



U.S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

SCS - CPA - 16

2-81

CONSERVATION PLAN MAP

Owner W. H. Brothers Operator W. H. Brothers
County ... State ... Date ...
Approximate acres 200.0 Approximate scale 1" = 1 mile
Cooperating with ... Conservation District ...
Plan identification FSN Photo number ...
Assisted by ... USDA Soil Conservation Service

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.

The form contains a large grid for drawing a map. The grid is composed of solid lines forming a 10x10 grid of sections. Dashed lines are used to indicate township and range boundaries. A faint circular stamp is visible on the left side of the grid.

PART 3

B. CHANGES IN NATURE OF USE

1.

<u>New Nature of Use</u>	<u>Amount</u> (cfs/ac-ft)	<u>Hours/days/year</u>	<u>Period of Use</u>
_____	_____	_____	_____ to _____
_____	_____	_____	_____ to _____
2. Quantity and quality of return flows and location of discharge:

3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

William R. Wink

(Signature of Applicant)

Subscribed and sworn to before me this 13th day of September, 19 96

Dorrie McDaniel

(Notary Public)

My commission expires 12-19-2000

FOR DEPARTMENT USE ONLY

Transfer contains _____ pages and _____ attachments

Received by _____ Date _____ Protest filed by _____

Prelim. check by Ket Fee \$100.00

Receipted by Ket Date 9-16-96

Published in _____ Copies of protest forwarded by _____

Pub. dates _____ Hearing held by _____ Date _____

Watermaster recommendation requested on _____ Recommended for ☐ approval ☐ denial

_____ rec'd. _____ by _____

Copy of transfer sent to lien holder _____

CONVERSATION MEMORANDUM

DATE 11/28/97

FILE 02-02275

NAME OF PARTY Craig Whitted

EMPLOYEE FL

02-07212 A+B

RE: Licensing Corrections?

Craig W. visited office today to discuss options to correct above license - he thinks they were licensed in error. The time to reconsider license has long ~~past~~ passed.

Options might include:

1) Petition Iowa to reconsider license - hearing.

The Dept. is holding a similar hearing for major west reconsideration of license next month (61-07189).

2) If an error was made & the overlooked wage predates 5/1/97, can consider B.U. claim in SRBA to make up the difference.

3) As in #2 but post-date 1/97 cutoff, can consider

a) transfer of some other wage to cover the deficit, or

b) New Appl. for permit. This last option is problematic since new imp. right between June Falls & Milton would be difficult to establish.

-Continued-

CONVERSATION MEMORANDUM

DATE 11/28/97 continued

FILE 02-02275

NAME OF PARTY _____

02-07212A+B

EMPLOYEE _____

Page 2 of 2

RE: _____

Perhaps the right holders would want to schedule a meeting with Region + J.O. staff to explore options in more detail? I recommended making an appt. c Region.

For 02-07212A+B, see KW's memo of 3/13/1996.

WOLF, WHITEL & 1 other party own most of Canal Co. shares.

CRAIG W. is John WHITEL's son.

Note: BCGI shows pending transfer on 02-07212 (9/19/96) but Region has no info c that.

A02-02275 WHITEL per change of ownership filed today.

A02-07212 Upperground View Canal Co. (combines A02-07212A for Co. plus A02-07212B for BLM - said all is private land now, may submit documentation of that).

CC: Region files:

02-07212

A02-02275

A02-07212



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

September 24, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Upper Grand View Canal Co.
c/o Bill Wolf
PO Box 9
Grand View ID 83624

RE: Application for Transfer

Dear Mr. Wolf:

We received the Upper Grand View Canal Co. transfer 9/17/1996. Before we can continue processing the transfer, several issues need to be addressed. These are highlighted in the enclosed information sheet. Please return the information requested so that processing can proceed.

Since water right 02-07212 has yet to be reviewed and decreed in the Snake River Basin Adjudication (SRBA), the transfer needs to be based on Upper Grand View Canal Company's water right 02-07212A, which does not include the BLM leased acres represented by 02-07212B. These two rights were claimed together in the SRBA, but may be decreed separately pending the outcome of an on-going Federal Government objection currently being litigated in the SRBA. Please file the transfer based on 02-07212A, rather than SRBA claim A02-07212.

The total amount to be transferred is a pro-rated portion of the licensed amount. Based on 02-07212A, 20.6 cfs/1030 acres = .02 cfs/acre X 25 acres = .50 cfs to be transferred.

I have enclosed the original transfer, a blank transfer form, the highlighted information sheet, and profile reports of 02-07212A and 02-07212B.

Please return the above requested information to my attention. Let me know if you have any questions.

Sincerely,

Lori Graves
Sr. Water Resource Agent

✓ on permit / 153 acres

- UGV Amend
- UGV Assign part to BULL
- UGV License
- BULL License unless relinquished in whole or part.

W²SE, S. 24 Runs due south by moving road
just west of ~~the~~ cor. +2
see LANDSAT Polaroid prints

SWSW, S. 2 Add land east of Birch Creek +6
SESW, S. 2 Rounded around hill from edge
of field shown to canal. +6



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-5400 or (208)327-7866

02-07212

DIRK KEMPTHORNE
GOVERNOR

KARL J DREHER
DIRECTOR

FAX TRANSMISSION

COPY

DATE: Nov 18, 1999

Pages: 1

RECEIVED

NOV 26 1999

To: Dixie
FAX No: 208/834-2350
From: Don Shaff
Subject: Point of Diversion

COMMENTS: Looks like we have disagreement among the hair splitters. The pumping plant(s) are located right on the section line. In one case of the Company, the description is in Section 22. You can see the Putnam/Wolfe transfer is in Section 15. In my opinion, given only one location is on the ground, one of the two documents is in error. The only way to reconcile the difference is to use a Global Positioning System (GPS) unit when the IDWR investigator inspects the site for the adjudication. My advise to the Board(s) is to consider the locations one and the same for their administrative purposes. I apologize for this taking so long. I did not want to waste more time by finding a voice line for you from the telephone book or digging for the paper work from our previous calls and visits.

this is for A02-07212

CONVERSATION MEMORANDUM

DATE 11/28/97

FILE 02-02275

NAME OF PARTY Craig Whitted

02-07212 A+B

EMPLOYEE FL

RE: Licensing Corrections?

Craig W. visited office today to discuss options to correct above license - he thinks they were licensed in error. The time to reconsider license has long ~~past~~ passed.

Options might include:

1) Petition Iowa to reconsider license - hearing. The Dept. is holding a similar hearing for Magic West reconsideration of license next month (61-07189).

2) If an error was made & the overlooked wage pre-dates 5/1/97, can consider B.U. claim in SRBA to make up the difference.

3) As in #2 but post-date 1/97 cutoff, can consider

a) transfer of some other wage to cover the deficit, or

b) New Appl. for permit. This last option is problematic since new imp. right between Sunco Falls & Milner would be difficult to establish.

-Continued-

CONVERSATION MEMORANDUM

DATE 11/28/97 continued

FILE 02-02275

NAME OF PARTY _____

02-07212A+B

EMPLOYEE _____

Page 2 of 2

RE: _____

Perhaps the right holders would want to schedule a meeting with Region + J.O. staff to explore options in more detail? I recommended asking for appt. c Region.

For 02-07212A+B, see KW's memo of 3/13/1996.

WOLF, WHITTAL & 1 other party own most of Canal Co. shares.

CRAIG W. is John Whittal's son.

NOTE: BCGI shows pending transfer on 02-07212 (9/19/96) but Region has no info c that.

A02-02275 Whittal per change of ownership filed today.

A02-07212 Upperground View Canal Co. (combine A02-07212A for Co. plus A02-07212B for Ben - said all is private land now, may submit documentation of that).

CC: Region files:

02-07212

A02-02275

A02-07212



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

December 26, 1996

KARL J. DREHER
DIRECTOR

UPPER GRAND VIEW CANAL CO
PO BOX 9
GRAND VIEW ID 83624

RE: Snake River Basin Adjudication (SRBA)
Amended Notice of Claim #A02-07212
Docket Sheet Subscription

Dear Claimant:

Your Notice of Claim form referenced above has been received. On the claim form you indicated you wanted to receive a copy of the monthly docket sheet, which can be ordered through the SRBA Court in Twin Falls. I have enclosed the Court's order form for your possible use.

Please contact the court if you have any questions regarding this matter.

Sincerely,

Idaho Department of Water Resources
Adjudication Bureau

SO:ss:region

Enclosure:

Docket Sheet Order Form

RECEIVED
DEC 27 1996
WATER RESOURCES
WESTERN REGION

MEMORANDUM

March 13, 1996

TO: FILES 02-07212A & 02-07212B

FROM: KAY WALKER *KW*

Mr. Billy Wolf came into our office on Monday, March 11, to make sure all paperwork was accomplished for the SRBA. We reviewed the claim submitted under A02-07212A and found no claim filed on A02-07212B (in the name of BLM but delivered through Upper Grandview Canal Co.). We discussed the processing of Rt. 02-07212 and the field examination conducted by Don Shaff in 1983.

Mr. Wolf also contacted me this morning by telephone and we discussed these rights again for close to an hour. Mr. Wolf who is now the president of the canal company disagrees with the findings made in 1983. I told him that Don was accompanied by the ditch rider on the exam and then the recommendations were reviewed by the president of the company before licensing so there was little chance of rebutting the licenses now. Mr. Wolf says the canal can and always has been able to carry approx. 25 cfs in it. He also said that the ditch rider may have had personality problems with folks on the ditch and may not have shown Don everything. The previous president told Mr. Wolf that he had problems with the recommendations on licensing the right but did not know how to resolve them and did not get any advise from the Dept. on how to accomplish this.

There are also questions on Rt. 02-07212B which has not been claimed in the SRBA. I advised Mr. Wolf to contact the BLM and find out their intentions regarding this right. If the canal company is distributing the water to lands under that license it seems they could file a claim to show that. He said he would contact them.

I also advised Mr. Wolf to make an appointment with Don Shaff to discuss any problems he had with the 1983 exam and maybe Don could fill him in on how the recommendations were prepared.

What Mr. Wolf wants is recognition of the actual amount of water being diverted into the canal and conveyance loss. He says the system has not changed since the exam in 1983; no change in pumps or the canal, and that the company was not aware that conveyance loss could have been applied to the licenses. There may be an increase in the number of acres but he says that is due to errors on Don's exam and he wants to go over information regarding this with someone from the Department.

We also discussed the possibility of the company filing an application for permit. I told him I did not know if an application would be accepted or not since he was on the Snake River and the trust water processing would come into play. We also discussed the use of new surface water, after 1971, and

MICROFILMED

SEP 19 1996

requirements for additional uses or water under the mandatory permit statues. An expansion claim would not suffice since he is wanting more water for the canal system rather than additional irrigation, although there are acres being irrigated that may have to be dried up if errors on Don's recommendations are not reviewed and revised.

MICROFILMED
SEP 19 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 21, 1989

RECEIVED
JUN 26 1989

Ms. Kay Garsja, Secretary
Upper Grand View Canal Company
P. O. Box 9
Grand View, Idaho 83624

Department of Water Resources
Western Regional Office

Re: Snake River Basin Adjudication SRBA
Claim #A02-07212A - Owyhee County

Dear Kay,

You will find enclosed a photocopy of the Company's water right claim and receipt for the fees paid. Today I have initiated a \$10.00 refund that will be paid from the Auditor's Office. The refund is for the credit of the amount paid for the 1981 claim in the dismissed adjudication that I forgot to apply to the current fees.

Yours Truly,

Donald V. Shaff
Manager, Adjudication Section

DVS:mcc:state

Enclosures:

Claim #A02-07212A

Receipt #C007666

MICROFILMED

AUG 10 1992

NOTICE OF CLAIM TO A WATER RIGHT

02 - 7212	
I.D. No.	Map No.
\$ 10	19444
Fee Paid	Receipt No.

P O Box 9 Grand View, Idaho 83624 Telephone No. ~~834-2350~~

(1) Date of priority: (When was the water first applied to a beneficial use, or priority date of decreed, licensed or permit right) April 1, 1958 8/11/1975 8/25/1975

(2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water) Snake River
tributary to COLUMBIA RIVER

(3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:
Quantity 30 CFS Use Irrigation A Period of Use From March 15 To Nov. 15
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, A/F) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, AF) (Domestic, Irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

(4) 30 CFS TOTAL QUANTITY CLAIMED.
(CFS, GPD, AF)

(5) A) Point of Diversion: Give location of point where water is diverted from its source. NW NE
Sec. 22, Twp. 5 S, Rge. 3 E, B.M., Owyhee 73 County

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change.

3, 150 HP, pumps at point of diversion -- 30" ID buried line from there until emptying into Mutual Canal, which provides further distribution of water.

(6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

[illegible]

Total no. of acres ~~1523~~

B) If water is used for other than irrigation, fully describe that use, being as specific as possible: _____

NOTE: Include here the type and number of stock watered: _____

(7) If you are claiming water as a member of an organization, list name of organization: _____

(8) Remarks This right should decreed like the license to be issued.

(9) Basis of claim (Check one) ☐ A) Right based on diversion and beneficial use.
☐ B) Right decreed by court, cite title of case. _____

☒ C) Right based on application, permit, license, or previous statutory claim filed with the Idaho Department of Water Resources. Give No. 02 - 7212

Be it known that the undersigned, after being duly sworn on oath, depose(s) and say(s) that all statements included herein are true and accurate to the best of (his, her, their) knowledge.

Individual

6-18-81
(Date)

(Signature of Claimant)

State of Idaho Organization _____

(Signature of Spouse)

County of Alameda ss.

Organization Upper Grand View Canal Company

Henry L. Dushak
(Signature of Authorized Agent)

On this 16 day of August, in the year 1981 before me
a notary public, personally appeared Harold E. Armstrong

known to me to be the person(s) whose name(s) are subscribed to the above instrument, and acknowledged to me that (he, she, they, corporation, partnership or Chadwick) executed the same.

My commission expires 11-7-83

Notary Public residing at Friend View Id.

IN THE DISTRICT COURT OF THE JUDICIAL DISTRICT
OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF

IN THE MATTER OF THE GENERAL DETER-
MINATION OF RIGHTS TO THE USE OF

Snake River from base of Milner
Dam to Oregon DRAINAGE BASIN.
border.

NOTICE OF CLAIM
TO A
WATER RIGHT

02 - 7212
I.D. No. Map No.
\$ 10 Fee Paid 19444
Receipt No.

Notice is hereby given that Upper Grand View Canal Company
(Name of Claimant)

P O Box 9 Grand View, Idaho 83624 Telephone No. 834 - 2350
(Mailing Address) (Zip Code)

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows:

(1) Date of priority: (When was the water first applied to a beneficial use, or priority date of decreed, licensed or permit right) April 1, 1977 8/1/1975

(2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water) Snake River
tributary to

(3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:
Quantity 30 CFS Use Irrigation Period of Use From March 15 To Nov. 15
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

Quantity _____ Use _____ Period of Use From _____ To _____
(CFS, GPD, AF) (Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both dates inclusive)

(4) _____ TOTAL QUANTITY CLAIMED.
(CFS, GPD, AF)

(5) A) Point of Diversion: Give location of point where water is diverted from its source NW 1/4 NE 1/4
Sec. 22, Twp. 5 S, Rge. 3 E, B.M., Owyhee County

Additional Points:

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change.

3, 150 HP, pumps at point of diversion - 30" ID buried line from there until
emptying into Mutual Canal, which provides further distribution of water

(6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
			SEE LAND LIST ATTACHMENT																

Total no. of acres 1523

B) If water is used for other than irrigation, fully describe that use, being as specific as possible:

NOTE: Include here the type and number of stock watered:

(7) If you are claiming water as a member of an organization, list name of organization:

(8) Remarks This right should decreed like the license to be issued.

(9) Basis of claim (Check one) ☐ A) Right based on diversion and beneficial use.
☐ B) Right decreed by court, cite title of case.

☒ C) Right based on application, permit, license, or previous statutory claim filed with the Idaho Department of Water Resources. Give No. 02 - 7212

Be it known that the undersigned, after being duly sworn on oath, depose(s) and say(s) that all statements included herein are true and accurate to the best of (his, her, their) knowledge.

Individual

(Signature of Claimant)

(Date)

(Signature of Spouse)

State of _____

Organization

Organization

Upper Grand View Canal Company

County of _____

ss.

Seal

Henry P. Driskel
(Signature of Authorized Agent)

On this _____ day of _____, in the year _____, before me
a notary public, personally appeared _____

known to me to be the person(s) whose name(s) are subscribed to the above instrument, and acknowledged to me that (he, she, they, corporation, partnership or _____) executed the same.


My commission expires _____

Notary Public residing at _____


NOTARIZED
NO ORIGINAL
JCR FAILED

[illegible]

Idaho Department of Water Resources



Idaho Department of Water Resources



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

(Late Proof)

License of Water Right No. 02-7212B Priority August 25, 1975 Amount 3.70 cfs

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Management
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 02-7212B issued pursuant to Application for Permit dated August 11, 1975,
and has submitted proof to the Department of Water Resources on November 16, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 20.7 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>3.70</u> cfs and	<u>925.0</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 3.70 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
925.0 acre feet per year, said waters to be diverted within the Gov. Lot 2 (NW1NE1)

Section 22, Twp 5S, Rge 3E in the County of Owyhee

Description and location of place of use: SEE ATTACHED LAND LIST

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with Right 02-7212A shall not exceed 20.7 cfs.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12TH day of DECEMBER, 19 85.

Acting for the Director

Norman C. Young

Description and location of place of use:

[illegible]

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

(late proof)

License of Water Right No. 02-7212A Priority August 25, 1975 Amount 20.6 cfs

THIS IS TO CERTIFY, that Upper Grand View Canal Co.
of Grand View, Idaho, has complied with the terms and conditions of Permit
No. 02-7212A issued pursuant to Application for Permit dated August 11, 1975,
and has submitted proof to the Department of Water Resources on November 16, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 20.7 cfs of water from Snake River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>20.6</u> cfs and	<u>5150.0</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 20.6 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
5150.0 acre feet per year, said waters to be diverted within the Gov. Lot 2 (NW $\frac{1}{4}$ NE $\frac{1}{4}$)
Section 22, Twp 5S, Rge 3E in the County of Owyhee

Description and location of place of use: SEE ATTACHED LAND LIST

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with Right 02-7212B shall not exceed 20.7 cfs.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12TH day of DECEMBER, 19 85.

Acting for the Director



Description and location of place of use:

[illegible]

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 2-7212
Date Received: 12/24/96
Receipt No: CO 36 556
Received By: *[Signature]*

RECEIVED

DEC 20 2000

**WATER RESOURCES
WESTERN REGION**

AMENDED

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name of Claimant(s)

UPPER GRAND VIEW CANAL CO Phone:

PO BOX 9
GRAND VIEW ID 83624

2. Date of Priority: 08/25/1975

3. Source: SNAKE RIVER Trib. to: COLUMBIA RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County
05S	03E	22	NW NE 2	OWYHEE

5. Description of diverting works:

PUMPING STATION, GRANDVIEW MUTUAL CANAL, RELIFT PUMPS, PIPELINE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	3/15	11/15	29.3	6075

7. Total Quantity Appropriated is:
29.3 C.F.S. and/or 6075 A.F.A.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4 of 1/4 Lot	Use	Acres
05S	02E	2	NW SW	IRRIGATION	1
			NE SW	IRRIGATION	19
			SW SW	IRRIGATION	21

			SE	SW	IRRIGATION	32
					Section Acres	73
05S	02E	3	SE	SE	IRRIGATION	6
					Section Acres	6
05S	02E	11	NW	NE	IRRIGATION	25
			SE	NE	IRRIGATION	1
			NE	SE	IRRIGATION	4
					Section Acres	30
05S	02E	12	NW	SW	IRRIGATION	22
			SW	NW	IRRIGATION	1
			SE	SW	IRRIGATION	10
			SW	SW	IRRIGATION	11
					Section Acres	44
05S	02E	13	NW	NW	IRRIGATION	2
			SE	NW	IRRIGATION	6
			NW	NE	IRRIGATION	19
			NE	SE	IRRIGATION	40
			NW	SE	IRRIGATION	40
			SW	SE	IRRIGATION	36
			SE	SE	IRRIGATION	35
			NE	SW	IRRIGATION	1
			SE	NE	IRRIGATION	40
			NE	NE	IRRIGATION	17
			NE	NW	IRRIGATION	21
					Section Acres	257
05S	02E	24	NE	NE	IRRIGATION	38
			SE	NE	IRRIGATION	36
			NE	SE	IRRIGATION	36
			SW	SE	IRRIGATION	7
			SE	SE	IRRIGATION	40
			NW	NE	IRRIGATION	27
			SW	NE	IRRIGATION	25
			SE	NW	IRRIGATION	3
			NW	SE	IRRIGATION	23
			NE	NW	IRRIGATION	7
					Section Acres	242
05S	02E	25	NE	NE	IRRIGATION	10
					Section Acres	10
05S	03E	18	SW	NW	IRRIGATION	23
			SE	SW	IRRIGATION	11
			SE	SE	IRRIGATION	4
					Section Acres	38
05S	03E	19	NW	SW	IRRIGATION	1
			SW	SW	IRRIGATION	6
					Section Acres	7
05S	03E	20	SE	SW	IRRIGATION	1

			SE	NW	IRRIGATION	11
			NE	SW	IRRIGATION	39
			SE	SE	IRRIGATION	19
			SW	SE	IRRIGATION	40
			NW	SE	IRRIGATION	19
					Section Acres	129
05S	03E	21	SW	SW	IRRIGATION	14
			SW	SE	IRRIGATION	14
			SE	SW	IRRIGATION	8
					Section Acres	36
05S	03E	22	NW	NW	IRRIGATION	2
					Section Acres	2
05S	03E	28	SW	SW	IRRIGATION	40
			NE	NW	IRRIGATION	40
			NW	NW	IRRIGATION	40
			SW	NW	IRRIGATION	40
			SE	NW	IRRIGATION	39
			NW	SW	IRRIGATION	40
					Section Acres	239
05S	03E	29	NE	NE	IRRIGATION	38
			NE	NW	IRRIGATION	29
			NW	NE	IRRIGATION	35
					Section Acres	102
					Total Acres	1215

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

PART OF PLACE OF USE IS LEASED IN A COOPERATIVE AGREEMENT WITH BUREAU OF LAND MANAGEMENT

HIGHER DIVERSION VOLUMES AND CONSUMPTIVE USE VOLUMES ARE CLAIMED DUE TO THE HAGERMAN-LIKE TEMPERATURES AND HIGHER WINDS IN THIS AREA

15. Basis of Claim: License

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am Chairman of _____ Title

Upper Grand View Canal Organization that I have signed the foregoing

document in the space below as Chairman of _____ Title

Upper Grand View Canal Organization and that the statements contained in the

foregoing document are true and correct. John P. Whitted Signature of Authorized Agent

Upper Grand View Canal Title and Organization (Chairman)

12-19-2000

Date

State of Idaho)

County of Owyhee) SS.

Subscribed and sworn (or affirmed) before me this - 19th Day

of Dec. 2000

Dorrie McDaniel

Notary Public

Residing at Grand View, Idaho

My commission Expires 12-19-00

RECEIVED

DEC 24 1996

Department of Water Resources

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A02-07212
Date Received: 9/16/1996
Receipt No: C036556
Received By: *[Signature]* 12/24/96

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

RECEIVED

DEC 27 1996

WATER RESOURCES
WESTERN REGION

1. Name: UPPER GRAND VIEW CANAL CO
Address: PO BOX 9
GRAND VIEW ID

83624-0000

2. Date of Priority: AUG 25, 1975

3. Source: SNAKE RIVER

Trib. to: COLUMBIA RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	03E	22	NW	NE		2	OWYHEE

5. Description of diverting works:

PUMPING STATION, GRANDVIEW MUTUAL CANAL, RELIFT PUMPS, PIPELINE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	29.300		6075.00

7. Total Quantity Appropriated is:

29.300 C.F.S. (and/or) 6075.00 A.F.A.

8. Total consumptive use is 4860.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	02E	2	NE	SW		IRR	19.0
			NW	SW		IRR	1.0
			SW	SW		IRR	21.0
			SE	SW		IRR	32.0

RECEIVED

DEC 27 1996

WATER RESOURCES
WESTERN REGION

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	73.0
		3	SE	SE	IRR	6.0
					Section Acres	6.0
		11	SE	NE	IRR	1.0
			NE	SE	IRR	4.0
					Section Acres	5.0
		12	SW	NW	IRR	1.0
			NW	SW	IRR	22.0
			SW	SW	IRR	11.0
			SE	SW	IRR	10.0
					Section Acres	44.0
		13	NE	NE	IRR	17.0
			NW	NE	IRR	19.0
			SE	NE	IRR	40.0
			NE	NW	IRR	21.0
			NW	NW	IRR	2.0
			SE	NW	IRR	6.0
			NE	SW	IRR	1.0
			NE	SE	IRR	40.0
			NW	SE	IRR	40.0
			SW	SE	IRR	36.0
			SE	SE	IRR	35.0
					Section Acres	257.0
		24	NE	NE	IRR	38.0
			NW	NE	IRR	27.0
			SW	NE	IRR	25.0
			SE	NE	IRR	36.0
			NE	NW	IRR	7.0
			SE	NW	IRR	3.0
			NE	SE	IRR	36.0
			NW	SE	IRR	23.0
			SW	SE	IRR	7.0
			SE	SE	IRR	40.0
					Section Acres	242.0
		25	NE	NE	IRR	10.0

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
						Section Acres	10.0
	03E	18	SW	NW	2	IRR	23.0
			SE	SW		IRR	11.0
			SE	SE		IRR	4.0
						Section Acres	38.0
		19	NE	NE		IRR	25.0
			NW	SW	3	IRR	1.0
			SW	SW	4	IRR	6.0
						Section Acres	32.0
		20	SE	NW		IRR	11.0
			NE	SW		IRR	39.0
			SE	SW		IRR	39.0
			NW	SE		IRR	19.0
			SW	SE		IRR	40.0
			SE	SE		IRR	19.0
						Section Acres	167.0
		21	SW	SW		IRR	14.0
			SE	SW		IRR	8.0
			SW	SE		IRR	14.0
						Section Acres	36.0
		22	NW	NW		IRR	2.0
						Section Acres	2.0
		28	NE	NW		IRR	40.0
			NW	NW		IRR	40.0
			SW	NW		IRR	38.0
			SE	NW		IRR	39.0
			NW	SW		IRR	38.0
			SW	SW		IRR	10.0
						Section Acres	205.0
		29	NE	NE		IRR	38.0
			NW	NE		IRR	35.0
			NE	NW		IRR	25.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	98.0
					Total Acres	1215.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

PART OF PLACE OF USE IS LEASED IN A COOPERATIVE AGREEMENT WITH BUREAU OF LAND MANAGEMENT.
HIGHER DIVERSION VOLUMES AND CONSUMPTIVE USE VOLUMES ARE CLAIMED DUE TO THE HAGERMAN-LIKE TEMPERATURES AND HIGHER WINDS IN THIS AREA.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do X do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: ONE

For Organizations:

I do solemnly swear or affirm that I am Chairman of
Title
Upper Grand View Canal, that I have signed the foregoing
Organization
document in the space below as Chairman of
Title
Upper Grand View Canal and that the statements contained in the
Organization
foregoing document are true and correct.

William R. Mab
Signature of Authorized Agent
Chairman
Upper Grand View Canal
Title and Organization

12-18-96
Date

State of Idaho)
County of Owyhee) SS.

Subscribed and sworn (or affirmed) before me this 18th day
of December 19 96

Dyie McDaniel
Notary Public

Seal

Residing at Grand View, Idaho
My Commission Expires 12-19-2000

RECEIVED

SEP 24 1996

WATER RESOURCES
WESTERN REGION

RECEIVED

SEP 16 1996

Department of Water Resources

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A02-07212
Date Received: 6/20/1989
Receipt No: C036556
Received By: KET

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: UPPER GRAND VIEW CANAL CO
Address: PO BOX 9
GRAND VIEW ID

83624-0000

2. Date of Priority: AUG 25, 1975

3. Source: SNAKE RIVER

Trib. to: COLUMBIA RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	03E	22		NW	NE	2	OWYHEE

5. Description of diverting works:

PUMPING STATION, GRANDVIEW MUTUAL CANAL, RELIFT PUMPS, PIPELINE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	20.700		6075.00

7. Total Quantity Appropriated is:

20.700 C.F.S. (and/or) 6075.00 A.F.A.

8. Total consumptive use is 4860.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	02E	2	NE	SW		IRR	19.0
			NW	SW		IRR	1.0
			SW	SW		IRR	21.0
			SE	SW		IRR	32.0

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
						Section Acres	73.0
		3	SE	SE		IRR	6.0
						Section Acres	6.0
		11	SE	NE		IRR	1.0
			NE	SE		IRR	4.0
						Section Acres	5.0
		12	SW	NW		IRR	1.0
			NW	SW		IRR	22.0
			SW	SW		IRR	11.0
			SE	SW		IRR	10.0
						Section Acres	44.0
		13	NE	NE		IRR	17.0
			NW	NE		IRR	19.0
			SE	NE		IRR	40.0
			NE	NW		IRR	21.0
			NW	NW		IRR	2.0
			SE	NW		IRR	6.0
			NE	SW		IRR	1.0
			NE	SE		IRR	40.0
			NW	SE		IRR	40.0
			SW	SE		IRR	36.0
			SE	SE		IRR	35.0
						Section Acres	257.0
		24	NE	NE		IRR	38.0
			NW	NE		IRR	27.0
			SW	NE		IRR	25.0
			SE	NE		IRR	36.0
			NE	NW		IRR	7.0
			SE	NW		IRR	3.0
			NE	SE		IRR	36.0
			NW	SE		IRR	23.0
			SW	SE		IRR	7.0
			SE	SE		IRR	40.0
						Section Acres	242.0
		25	NE	NE		IRR	10.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	10.0
	03E	18	SW	NW	2	IRR 23.0
			SE	SW		IRR 11.0
			SE	SE		IRR 4.0
					Section Acres	38.0
		19	NE	NE		IRR 25.0
			NW	SW	3	IRR 1.0
			SW	SW	4	IRR 6.0
					Section Acres	32.0
		20	SE	NW		IRR 11.0
			NE	SW		IRR 39.0
			SE	SW		IRR 39.0
			NW	SE		IRR 19.0
			SW	SE		IRR 40.0
			SE	SE		IRR 19.0
					Section Acres	167.0
		21	SW	SW		IRR 14.0
			SE	SW		IRR 8.0
			SW	SE		IRR 14.0
					Section Acres	36.0
		22	NW	NW		IRR 2.0
					Section Acres	2.0
		28	NE	NW		IRR 40.0
			NW	NW		IRR 40.0
			SW	NW		IRR 38.0
			SE	NW		IRR 39.0
			NW	SW		IRR 38.0
			SW	SW		IRR 10.0
					Section Acres	205.0
		29	NE	NE		IRR 38.0
			NW	NE		IRR 35.0
			NE	NW		IRR 25.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	98.0
					Total Acres	1215.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

PART OF PLACE OF USE IS LEASED IN A COOPERATIVE AGREEMENT WITH
BUREAU OF LAND MANAGEMENT.
HIGHER DIVERSION VOLUMES AND CONSUMPTIVE USE VOLUMES ARE CLAIMED
DUE TO THE HAGERMAN-LIKE TEMPERATURES AND HIGHER WINDS IN THIS
AREA.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

I do solemnly swear or affirm that I am President of the Board of
Upper Grand View Canal Co., that I have signed the foregoing
Organization
document in the space below as President of the Board of
Upper Grand View Canal Co. and that the statements contained in the
Organization
foregoing document are true and correct. William R. Webb

September 13, 1996

Date

Devin McDaniel
Notary Public

My Commission Expires 12-19-2000

February 12, 1985

Mr. Henry Driskell
Upper Grand View Canal Company
P. O. Box 9
Grand View, Idaho 83624

Re: 02-7212

Dear Hank,

Please find enclosed the Application for Amendment of a Permit and an Assignment of Permit we discussed this morning on the telephone. The land list attached to the Amendment appears like it would if all the land could be licensed as a package. The Assignment reflects the division of this land list between the deeded land and BLM land.

The filing fee for the Amendment is \$20. The Amendment would be necessary whether or not part of the permit was assigned to BLM. Any time the actual place of use varies from the permit, an amendment of the permit is required.

With these steps, I believe this water right matter will be culminated. Thank you for your perseverance and help.

Regards,

Donald V. Shaff
Adjudication Unit Leader

Enclosures

December 20, 1985

Kay Garjsa, Secretary
Upper Grand View Canal Company
P.O. box 9
Grand View, ID 83624

RE: 02-7212A

Dear Kay:

The company may want a copy (enclosed) of the other part of the water right diverted through its system. This piece would then tie the pieces together dealing with the development of this water right.

Regards,

DON SHAFF
Water Rights Supervisor

DS:alw
Enc.

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, Upper Grand View Canal Company, hereby assign to U. S. Dept. of Interior
of Bureau of Land Management, 3948 Development Ave. Boise, ID 83705
Address

CHECK ONE

☐ All my right, title, and interest in and to Permit No. _____
to appropriate the public waters of the State of Idaho.

☒ The following described portion of my right, title, and interest in and to Permit
No. 02-7212 to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

T 5S R 3E: S 28 SENW(39) NWSW(38) SWSW(10); S 29 NWNE(35) NENW(25);

 ^{Lot 3} ^{Lot 4}
S 19(NWSW) 1) (SWSW) 6).

T 5S R 2E: S 24 NENW(3) SENW(3); S 13 NWNW(2) SENW(6) NESW(1);

S 11 SENE(1) NESE(4); S 3 SESE(6); S 2 NWSW(1) = 185 acres.

Same point of diversion. 3.7 cfs of 30 cfs.

Made this _____ day of _____, 19_____.

Permit Holder

Spouse of Permit Holder

State of Idaho)
County of _____) ss.

On this _____ day of _____, 19_____, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

s e a l

Notary Public residing at

My commission expires:

STATE OF IDAHO
LICENSING
APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Upper Grand View Canal Co. Phone 834-2350
of (address) P.O. Box 9, Grand View, Idaho 83624, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 02-7212, and requests that the permit and permit map be changed as follows:

1. Point of diversion: No Change $\frac{1}{4}$ $\frac{1}{4}$, Section _____, Township _____, Range _____, B.M.,
County of _____. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 30.0 for Irrigation purposes from 4-1 to 10-31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

See Attached List

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres to be irrigated = 1215



ate of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 8, 1985

RE: Water Right No. 02-7212

Upper Grand View Canal Co.
Box 9
Grand View, ID 83624

Gentlemen:

A field examination of the extent of water developed under the above referenced permit was conducted and the Department is now preparing the right for licensing.

During the examination of irrigated land it was determined that out of the 1201 acres found to be irrigated under this right, 185 acres are owned by the Bureau of Land Management. The location of these lands is as follows:

Twps 5S, Rge 2E - Sec. 2	NWSW 1 acre ✓
	3 SESE 6 acres ✓
	11 SENE 1 acre ✓
	NESE 4 acres ✓
	13 NWNW 2 acres ✓
	SENE 6 acres ✓
	NESW 1 acre ✓
	24 NENW 7 acres ✓
	SENE 3 acres ✓
Twps 5S, Rge 3E - Sec. 19	NWSW 1 acre ✓
	SWSW 6 acres ✓
	28 SENW 39 acres ✓
	NWSW 38 acres ✓
	SWSW 10 acres ✓
	29 NWNE 35 acres ✓
	NENW 25 acres ✓

Before the Department can issue a license that would allow irrigation of these lands, it must be shown that the land owner, Bureau of Land Management, has authorized said irrigation.

Upper Grand View Canal Co.
January 8, 1985
Page 2

Please provide us with documents showing authorization on or before January 28, 1985. If you have any questions or need assistance on this matter, please let us know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

cc: Bureau of Land Management



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

May 21, 1984

Henry Driskell, President
Upper Grand View Canal Company
P.O. Box 9
Grand View, ID 83624

RE: 02-7212

Dear Hank:

The enclosed letter was sent to Larry Munro following a field inspection of his land. You will note this resulted in a slight change to the acreage tabulated in earlier correspondence and discussions.

Regards,

DONALD V. SHAFF
Adjudication Unit Leader

DVS:ns

Enclosures



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

May 21, 1984

Larry Munro
Grand View, ID 83624

RE: 02-7212

Dear Mr. Munro:

After a field inspection to your farm May 8, 1984, I have revised my findings for the irrigated lands of the Upper Grand View Canal Company. You can see on the attached map I have shown 23 acres irrigated in the kernel-shaped field in Section 12 near your farmstead. You are irrigating about 5 acres of BLM ground.

The net result to the Company is to reduce the number of irrigated acres by 11 to 1201 acres including both deeded and federal. The diversion rate remains the same at 20.7 cfs. The final license will depend on the lease arrangements made with BLM for the irrigation of the federal lands.

Thank you for assisting me in reaching an accurate accounting of the Company's water right.

Regards,

DONALD V. SHAFF
Adjudication Unit Leader

DVS:ns

Enclosure

cc: Henry Driskell

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

02-7212

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	<u>3/19/82</u>	<u>jp</u>	<u>no appointment made</u>
☐ Telephone call made:			
(List Telephone No. used)			
☒ Appointment scheduled for:	<u>8/24/83</u>	<u>DS</u>	
(Date, time, location)	<u>1:30 PM</u>	<u>F. NOBLE'S HOUSE</u>	

EXAMINATION

Date 8/24/83 Accompanied by FRANK NOBLE Total Q measured 20.7
If source is surface water, estimate total flow of source >4,000 cfs
Methods of measurement ANNULAR Meets Permit requirements? YES

Measurement calculations: SEE SUPPLEMENTAL REPORT

ALTERNATE METHOD: NOBLE SAID EACH PUMP WAS DESIGNED TO MOVE 400 M.I. INDEP.
ENT MEASUREMENTS OF EACH PUMP SHOWED 417, 417 & 444 M.I.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	150	GE	ENJ504113	WORTHINGTON	VTP-43978	ANNUBAR	GOOD	
2	150	GE	ENJ504114	"	VTP-43980			
3	150	GE	ENJ504115		VTP-43979			

System Description "CLASS A" PUMPING PLANT WITH LIFT OF 117 FT. TO GRAND VIEW MUTUAL CANAL CO., THENCE RELIEFED BY PERMIT HOLDER'S MEMBERS ABOVE CANAL BY INDIVIDUAL PUMPS & IRRIGATION SYSTEMS.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = 5⁰ AFA/Acre

[illegible]

[illegible]


(Include distance from pump to measuring device, if applicable.)

See Form 219-SUPP.

Point(s) of diversion: G.L. 2 (NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$) S. 22, T 55, R 3E, B.M.

Place(s) of Use See LAND LIST ATTACHMENT

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	



UPPER GRAND VIEW CANAL CO.
02-7212

(32) - Land Owner number
40 - Total irrigated acres
in tract
(14) - Irrigated acres in part
of tract





State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: D. SHAFF

Date 8/24/83

Owner: UPPER GRAND VIEW CANAL Co.

Permit No. 02-7212

Description of well &/or measuring site

- Include any clarifications of the sketch

- Include legal description if more than one p.d. is described in the Field Report

PUMPS #1 & #2 LIE TO THE WEST OF THE PENSTOCK. PUMP #3 LYING
OPPOSITE #1 HAS A SPACE NEXT TO IT FOR A FOURTH PUMP. THIS FOURTH
PUMP WOULD INTERSECT THE PENSTOCK OPPOSITE #2 AT A POINT
4⁵ FEET FROM THE FIRST ELBOW IN THE PENSTOCK. THE DESIGN PLANS
DID NOT INCLUDE STRAIGHTENING VANES IN THE PENSTOCK.

Measured inside diameter of pipe in inches

(A) 25 ⁵/₈"

Size of Annubar used in test 23.5

OWNER
State ID No. 7215761

Model No. of Annubar Meter Used 75

(Model No. = 75 for 6" and larger)

(Model No. = 73 for 4")

Size Eagle Eye Meter Used 2-13

State ID No. 1468

Date of Last Calibration of Meter 4/27/83

Observed inches of H₂O read on Meter

(B) 13.5

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm$ 2% at observed pressure)

(K) 1

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85


If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $K \frac{(A^2) (\sqrt{B})}{448.8} C =$

= 20.7 cfs measured

SKETCH (If not shown on Field Report):



SHARE OWNERSCORES

HENRY DRISKELL	434 + 70	
JOHN WHITTED	<u>320</u>	320
LARRY MUNRO	100	
HAROLD & VAUGHN SIMPER	30	
MEYERS FARMS, INC (MIKE PARKER)	20	
ROBT. FOWER ^{Fowers}	100	95 MUTUAL
ELMER STAHLER	80	
CLYDE HIPWELL	20	
JAMES RICE	4	
LAURA MOCABY	11	
JOHN WHITTED	27	
GEO. HIPWELL (BURGHARDT)	<u>30</u>	
JAMES HIPWELL (IN ARREARS)	8	
	1246	

Photography (1977 ASCS ^{as updated by 1983 aerial}
shots of ASCS)
16073 577 254L
254 R
263 R
264 R
262 R

#1 ~~2~~⁶ INCHES

#2 ~~2~~⁶

#3 ~~2~~⁸

~~2~~²⁴

~~2~~²⁴

~~2~~⁵³

8 ³⁴

417"

417"

444"

1278

20⁷ = 103541

11.



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

March 14, 1984

Henry Driskell, President
Upper Grand View Canal Company
P.O. Box 9
Grand View, ID 83624

RE: 02-7212

Dear Hank:

Perhaps the enclosed materials can help resolve some problems that are holding up the issuance of a water right license for the Company's use of Snake River water. Late in August last year, Frank Noble assisted me in completing the measurement part of the field examination for the license. That measurement yielded a diversion capacity of 20.7 cfs (1035 miners inches).

The other half of the examination involves determining the extent of beneficial use; in this case, the number of irrigated acres. Using 1983 ASCS aerial photo information I have shown the land irrigated by the Company's shareholders. The totals for the figures on the maps are shown on the enclosed table. The 1,199 acres is surprisingly close to the 1,246 shares outstanding. The problem arises because not all of the irrigated land is owned by the shareholders. This agency cannot issue a license for a place of use that is not owned by the permit holder, or in this case, the permit holder's shareholders.

Henry Driskell, President
March 14, 1984
Page 2

Would you review the enclosed materials first to verify I have accounted for all the irrigated land? If the BLM problems have been resolved please let me know. I will check with that agency again before submitting the field report for licensing.

If you would like to discuss this matter further, I will be in Grand View Wednesday, March 21st. I will meet with the Mutual officers at their office at 1:30pm. If that is a convenient day and you would like to meet earlier in the day, please call me or drop me a note.

Regards,

DONALD V. SHAFF
Adjudication Unit Leader

DVS:ns

Enclosures

Town-ship	Range	Sec	NE 1/4			NW 1/4			SE 1/4			NE 1/4			NW 1/4			SE 1/4			TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4			
5 S	2 E	13	24 17	13 19		40	34 21	2							40	40	36 20	35 20	261		
5 S	2 E	2															15 30	26 30	60		
5 S	2 E	3																	10		
5 S	2 E	12							4 20						35 3	39 11	22 10		96		
5 S	2 E	24	38	27 40	25 40	36	7			3					40 36	40 23	40 6	40 39	240		
5 S	2 E	25	10 40																140		
5 S	3 E	18							1 20 23		12	4.3 38	4.4 23	11 20				4	140		
5 S	3 E	19	25 20							11 20	39	40	39		13 22	40	19 28		220		
5 S	3 E	20														8	40		20		
5 S	3 E	21				24										14 20			62		
5 S	3 E	22																	14		
5 S	3 E	28					40	40	33 28	39		36 40	10 40						240		
5 S	3 E	29	39 20	35 40 33			25								40				200		
5 S	2 E	11				27									5						

2 = Number of irrigated acres on BCLD land.

* 25 = Number of irrigated acres on admitted DLE not released by BCLD as of 9/83.

2 = Number of irrigated acres on BLM land.

* 2.5 = Number of irrigated acres on WHITTED DLE not released by BLM as of 9/83.



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

March 19, 1982

Upper Grand View Canal Co.
P. O. Box 9
Grand View, Id. 83624

RE: 02-7212

Dear Customers:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for
no appointment made.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

7/6/83

DITCH RIDER - FRANK NOBLE 834-2374
IS CALLING FOR DATE OF EXAM. *PL*

DEPARTMENT OF WATER RESOURCES

02-7212

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 02-7212.

Name(s) of Permit Holder: Upper Grand View Canal Co.

Post Office Address: Rt. 5 Box 1444 1st Bldg

Grand View, ID, 83424 Tel. No. 834-1350

Source of Water: Snake River


Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 5, 1981
Date

Blair T. Mitchell
Signature of Permit Holder

Identification No. 02-7212

FEB 4 1981

Department of Water Resources
Western Regional OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

JAN 15 1981

Department of Water Resources
Department of Water ResourcesUpper Snake River Canal Co. of Prand View Rt B. Box 2197
(Name) (Address)
83624State of Idaho, deposes and says:That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 02-7212That under the terms and conditions of said permit, work thereunder was required to be completed on or
before Jan 1, 1981.That he has heretofore performed the following work described under said permit: The canal
Co has ordered parts but they will not
arrive in timeCosting \$ 4000.00That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: The upper Snake River Canal Co. requests
extension due to length of delivery of measuring
devices instrumentsWherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to March 1, 1981.
Jan 1 81Larry Munro Treasurer
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit the statement of beneficial use is extended to January 1, 1982.IT IS FURTHER ORDERED that the permit be reinstated and the priority date advanced to
August 25, 1975, pursuant to Idaho Code, Section 218a.Signed this 22 day of January, 1981.David R. Tutthill Jr.
Acting Chief, Operations Bureau\$15.00 fee received by abDate 1-15-81 1-30-81 Receipt # 17515



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higinson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

December 18, 1975

William Scribner
Dept. of Lands
Statehouse Mail
Boise, ID

RE: Application for Permit No. 02-7212 - Upper Grand View Canal Co.

Dear Mr. Scribner:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

Cathy L. Shaw

CATHY L. SHAW
Senior Clerk

CLS:cs

Identification No. _____

Application No. 12-7212

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Upper Grand View Canal Co. Phone: _____
post office address Grand View, ID. 83604
2. Source of water supply Snake River which is a tributary of _____
3. a. Location of point of diversion is 1/4 of 1/4 of Section 22 Township 5 S
Range 3 E B.M. Quince County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into Birch Creek at a point in 1/4
of SW 1/4 of Section 2 Township 5 S Range 2 E B.M. _____
4. Water will be used for the following purposes:
Amount 30.0 for Irrigation purpose from April 1st to Oct. 1st (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 30.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Widen upper side of present Grand View
Mutual Canal so owners can install pumping stations. Remove existing pumping
station at point of diversion. Enlarge siphon at Vinson Wash.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 250,000
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

NAME OF APPLICANT Upper Grand View Canal Co.

Form No. 1



SCALE: 2 Inches Equal 1 Mile

How Plan In Ink.

R. 2 E.

R. 3 E.

8-11-1975

Received by C/S Date 8-11-75 Time 4:30 pm
Preliminary check by HWH Fee \$ 245.00
Receipted by C/S Date 8-11-75 H. 1263
Publication prepared by C/S Date 10-12-75
Published in Chamber of Commerce
Publication dates 10-25-75 to 11-1-75
Publication approved C/S Date 1-7-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JHS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 02-7212, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 81.
- Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of January, 19 76.


P. Karl
Director

LAND LIST ATTACHMENT

Description and location of place of use:

[illegible]

Total number of acres irrigated 1523



RECEIVED

Upper Grand View Canal Co.
P/O: 18287, Sec. 22, T5S, R3E.
Irrigat'ion = 1523 Acres

State of Idaho

02-7212

Permit No.

DAT.

INITIALS

REMARKS

- ☐ Appointment letter mailed: 3/19/82 jp no appointment made
- ☐ Telephone call made: _____
(List Telephone No. used) _____
- ☒ Appointment scheduled for: 8/24/83 RI
(Date, time, location) 1:30 PM F. NOBLE'S HOUSE

EXAMINATION

Date 8/24/83 Accompanied by FRANK NOBLE Total Q measured 20.7
If source is surface water, estimate total flow of source > 4,000 cfs
Methods of measurement ANNULAR Meets Permit requirements? Yes

Measurement calculations: SEE SUPPLEMENTAL REPORT

ALTERNATE METHOD: NOBLE SAID EACH PUMP WAS DESIGNED TO MOVE 400 M.I. /WEEK-
ENT MEASUREMENTS OF EACH PUMP SHOWED 417, 417, 444 M.I.

$$V = 1201 \times 5 = 6005.0 \text{ AF} \checkmark$$

$$V = 20.7 \times 1.9835 \times 245 = 10059.3 \text{ J}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	150	GE	ENJSD4113	WORTHINGTON	VTP 43978	✓		
2	150	GE	ENJSD4114	"	VTP 43980	ANNULAR	GOOD	
3	150	GE	ENJSD4115		VTP 43979			

System Description "CLASS A" PUMPING PLANT WITH LIFT OF 117 FT. TO GRAND VIEW MUTUAL CANAL CO., THENCE RELIEVED BY PERMIT HOLDERS MEMBERS ABOVE CANAL BY INDIVIDUAL PUMPS & IRRIGATION SYSTEMS.

*Code with map on reverse side. Disregard code if only one.

Irrigation requirement =

5^o ✓ AFA, 'Acro

USE

Q (cfs)

V (afa)

FROM

TO

IRRIGATION

20.7 ✓

6005

3-15

11-12

245 days

Total

20.7 V

600.5

Remarks PLACE OF USE INCLUDES SOME LAND ADMINISTERED BY BLM. PERMIT HOLDER SHOULD BE CONTACTED TO SEE IF LAND OWNERS HAVE GAINED INTEREST IN BLM LAND TO ACQUIRE WATER RIGHT. Done

AERIAL PHOTOS ARE 1974 ORTHOPHOTOQUADS DATED WITH 1983
ASC'S AERIAL TRANSPARENCIES IN 35-MM FORMAT. C. PRESIDENT,
HENRY DRISKELL WAS CONSULTED ON 3-21-84 ON FINDINGS.

1. Name of permit holder

Post office address

Person to contact

2. Source of water supply: Groundwater ☐ Surface water ☒ Snake River
(spring, stream, etc.)

Tributary to

3. Water will be used for the following purposes:

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion _____ cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 5S N/S, Range 3E E/W, B.M., Section 22, Subdivision NW 1/4 NE 1/4 Dwyhee County

Township _____ N/S, Range _____ E/W, B. M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____ County _____

Township _____ N/S, Range _____ E/W, B. M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County _____

Other Points of Diversions: _____

Description of diverting works: _____

Measuring device required: yes ☐ no ☐

6. Lands to be irrigated or place of use.

[illegible]

DATE OF EXAM 8/24/1983

ACREAGE
Found 1030 ✓
Recommended 1030 ✓

Irrigation Requirement 5² ✓ Ac Ft/Ac

USE
Irrigation Q = 20.6 c.f.s. V = 5150 ✓ AF/Ann. from 3-15 ✓ to 11-15 ✓ 245 days
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M. Sec. _____, Sub. _____ 1/4 _____ County _____

Total Q measured 20.7 ✓ Method of measurement Aanubar

Total Q recommended 20.6 ✓ Meter No. _____ Type _____ Condition _____

Total V recommended 5150 ✓

Recommended Amendments:

P.D. NO CHANGE ✓
Place of Use - Amended ✓
Other _____
None ✓

MEASUREMENT CALCULATION:

1030 ac. x 0.02 = 20.60 cfs ✓
V = 1030 x 5 = 5150.0 AF ✓
V = 20.6 x 1.9835 x 245 = 10,010.72 AF


SYSTEM DESCRIPTION:

See exam of 8/24/83.

REMARKS:

Cond. 833, 801 ✓ This rd when combined with rd 02-7212B shall not exceed 20.7 cfs. ✓

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

See Form 219-SUPP.

Point(s) of diversion: G.L. 2 (NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$), S. 22, T. 55, R. 3E, B.H.

Place(s) of Use See LAND LIST ATTACHMENT

maps & land list agree - kw
10-18-84

TWP.	RGE.	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Recommended Amendments:

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

1. Name of permit holder D.S. Dept. of Interior

Person to contact: 3748 Development Ave, Boise ID 83705 Phone: 208-333-1111

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion _____ cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 55 N/S, Range 3E E/W, B.M., Section 22, Subdivision NW 1/4 NE 1/4 Quayle County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____ County _____

Other Points of Diversions. _____

Description of diverting works:

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

See Attached Sheet

[illegible]

DATE OF EXAM 8/24/1983

ACREAGE
Found 185
Recommended 185

Irrigation Requirement 50 ✓ Ac Ft/Ac

USE
Irrigation Q = 3.70 ✓ c.f.s. V = 92.5 ✓ AF/Ann. from 3-15 ✓ to 11-15 ✓ ²⁴⁵ days
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, P.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 2.07 ✓ Method of measurement Apex bar

Total Q recommended 3.70 ✓ Meter No. _____ Type _____ Condition _____

Total V recommended 92.5 ✓

Recommended Amendments:

P.D. no change
Place of Use amended
Other _____
None ✓

MEASUREMENT CALCULATION:
185 ac x 0.02 = 3.70 cfs ✓
V = 185 x 50 = 9250 AF ✓
V = 3.7 x 19835 x 245 = 1798.04 AF

SYSTEM DESCRIPTION:
see exam of 8/24/83.

REMARKS

Form 219-Supp.
8/83

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: D. SHAFF Date 8/24/83
Owner: UPPER GRAND VIEW CANAL CO. Permit No. 02-7212

Description of well &/or measuring site
- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

PUMPS #1 & #2 LIE TO THE WEST OF THE PENSTOCK. PUMP #3 LYING
OPPOSITE #1 HAS A SPACE NEXT TO IT FOR A FOURTH PUMP. THIS FOURTH
PUMP WOULD INTERSECT THE PENSTOCK OPPOSITE #2 AT A POINT
4⁵ FEET FROM THE FIRST ELBOW IN THE PENSTOCK. THE DESIGN PLANS
DID NOT INCLUDE STRAIGHTENING VANES IN THE PENSTOCK.

Measured inside diameter of pipe in inches (A) 25 $\frac{5}{8}$ " (25.625)

Size of Annubar used in test 23.5 (B) 25 $\frac{5}{8}$ " (25.625)

Model No. of Annubar Meter Used 75
(Model No. = 75 for 8" and larger)
(Model No. = 73 for 4")

State ID No. 7215761

Size Eagle Eye Meter Used 2-13

State ID No. 1468

Date of Last Calibration of Meter 4/27/83

Observed inches of H₂O read on Meter

(B) 13.5

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) 1

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85


If Model No. = 73, then C = 4.14

(C) 3.85

CALCULATION: $\frac{K (A^2) (\sqrt{B}) C}{448.8}$

= 20.7 ✓ cfs measured

SKETCH (If not shown on Field Report):



2019-2020-2021

[illegible]


11. 11. 11


THE UNIVERSITY OF CHICAGO PRESS

[illegible]

DATA ESTIMATION


Section and Area of Plot										TOTAL									
Type	Acres	Sq. Ft.	Patio				Porch				Deck				Other				TOTAL
			Area	Perimeter	Volume	Cost	Area	Perimeter	Volume	Cost	Area	Perimeter	Volume	Cost					
02-7212 ^B (BLM)																			
JS	2E	2																4	
		3																6	
		11																5	
		13																9	
		24																10	
JS	3E	19																7	
		28																87	
		29																60	
		35																183	
02-7212 ^A (Upper Grand View)																			
JS	2E	2																72	
		12																44	
		13																248	
		24																232	
		25																10	
JS	3E	18																31	
		19																2	
		20																16	
		21																3	
		22																11	
		28																46	
		29																3	
28 81 25 77 93 44 12 59 9 62 62 100 60 62 47 104											10								
1030 + 185 = 1215																			





JOHN 2

APR 3



6045 3

R2E R3E

MAP 2

Ringert, Clark, Harrington, Reid, Christenson & Kaufman


CHARTERED
LAWYERS

WILLIAM F. RINGERT
D. BLAIR CLARK
ANDREW M. HARRINGTON
JAMES G. REID
JEFFREY R. CHRISTENSON
JAMES P. KAUFMAN
MICHAEL J. GAFFNEY
LAURA E. BURRI
LEA C. ADAMS

SAMUEL KAUFMAN (1921-1988)

599 WEST BANNOCK STREET
P.O. BOX 2773
BOISE, IDAHO 83701
TELEPHONE (208) 342-4591
FAX (208) 342-4857

January 17, 1989



Mr. David B. Shaw
Adjudication Bureau Chief
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720

Department of Water Resources

Re: Snake River Basin Adjudication
Twin Falls County Case No. 39576
Upper Grandview Canal Company

Dear Dave:

As I mentioned to you in our telephone conversation last Friday, Upper Grandview Canal Company is in dire need of an extension of time for filing its Notice of Claim to a Water Right in the Snake River Basin Adjudication, Twin Falls County Case No. 39576.

To furnish a brief background of the situation, I believe Upper Grandview Canal Company filed its own claim in the Snake River 02 Adjudication. I do not recall that I represented Upper Grandview Canal Company in any capacity at that time. I have been retained by the company for the past several years.

As you are perhaps aware, Upper Grandview Canal Company shares an office with Grandview Mutual Canal Company, Grandview Irrigation District and Snake River Irrigation District. I represent the latter three entities, also, on essentially the same retainer basis as I represent Upper Grandview.

I think the Board of Directors of Upper Grandview was under the impression that the Objections to dismissal of the Snake River 02 case I filed on behalf of Grandview Mutual and Grandview Irrigation District applied to Upper Grandview, also, and that Upper Grandview was covered by the request for an extension that I submitted earlier on behalf of Grandview Mutual and Grandview Irrigation District.

MICROFILMED

AUG 07 1992

Mr. David B. Shaw
January 17, 1989
Page Two

I assume that Upper Grandview will want to join in the Objections filed previously in the Snake River 02 case by Grandview Mutual and Grandview Irrigation, which would put Upper Grandview in the same status as those two entities. For that reason, and because the Board seems to have been laboring under a misapprehension, and for the further reason that the stockholders of Upper Grandview reportedly have had very difficult financial times during the last three or four years, I certainly would appreciate it if you could grant to Upper Grandview Canal Company the same extension that was previously granted to Grandview Mutual and Grandview Irrigation District.

Please call me if you need any additional information in connection with this request, and thank you in advance for your consideration of this matter.

Yours very truly,

A handwritten signature in cursive script, appearing to read "W. F. Ringert".

W. F. Ringert

WFR:am
cc: Upper Grandview Canal Company

MICROFILMED
AUG 07 1992