

RECEIVED

JUL 18 2013

06/12/2013

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: October 11, 2013

Water right number: 93-7381

GLYNN A RAY
1433 MERIDITH ROAD
PLUMMER ID 83851
Telephone Number: (208) 273-2107

MARIE RAY
1433 MERIDITH ROAD
PLUMMER ID 83851
Telephone Number: (208) 273-2107

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/15/2013 SIGNATURE: Glynn Ray
Please print your name: GLYNN RAY

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D'Alene, ID 83815, (208) 762-2800