

06/12/2013

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: October 11, 2013

Water right number: 93-7369

GERALD MILLER
3790 FAIRFIELD RD
PLUMMER ID 83851
Telephone Number: (559) 970-1020

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

OWNER SHOULD READ: GERALD E. MILLER & GILDA L. MILLER
3970 FAIRFIELD RD.
PLUMMER, ID 83851

2. Describe the changes you wish to make in the proposed recommendation:

EXPLANATORY COMMENT: SHOULD REFER
TO TRACT 12 CRESTVIEW LYING SOUTHEAST OF
ROAD.

3. Give a brief explanation as to why you disagree with these portions:

I REQUEST A CORRECTED RECOMMENDATION
BE MAILED TO ME.

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7-25-13

SIGNATURE:

Gerald Miller Gilda Miller

Please print your name:

GERALD MILLER GILDA MILLER

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D'Alene, ID 83815, (208) 762-2800

RECEIVED

JUL 25 2013

IDWR/NORTHERN