



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

August 9, 2013

Mr. Clarence Steves
1970 N Leslie ST PMB 348
Pahrump, NV 89060 3678

Re: Coeur d'Alene-Spokane River Basin Adjudication Claim (CSRBA) Claim 94-7350


Dear Mr. Steves:

Idaho Department of Water Resources (IDWR) has completed initial processing of your Internet CSRBA Claim on a well to serve one home located on Kootenai County parcel 0-1010-001-018-0 or 0-1010-001-019-0. A copy of your Claim is attached.

Please contact me after you have reviewed the enclosed well record, copy of your CSRBA Claim, map, and copy of License 94-7350. It is not clear if the original License 94-7350 accurately described the legal description / location for the well or if the location of your place of use has changed since License 94-7350 was issued. Additional information is needed from you before IDWR can complete an accurate recommendation to the Court.

My telephone number at the IDWR Northern Region Office is (208) 762.2816.

Respectfully,


Shaun M. Maxey

Senior Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures

Copy CSRBA Claim 94-7350
Copy of Lisc. 94-7350
IDWR Aerial Photomap
Well Drillers Report 94-93-N-0042

SCANNED

AUG - 8 2013

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07350

Priority: November 30, 1993

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that C J JIM STEVES
PO BOX 109

HARRISON ID 83833-0109 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1993; and has submitted Proof of Beneficial Use on February 7, 1994. An examination indicates that the works have a diversion capacity of .030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 11, Township 47N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC


TWN RGE SEC

47N 03W 11 SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 18 & 19, Blk. 1, Canyon Creek Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of April, 1994.

Acting for  R. Keith Higginson, Director

SEP 12 1994

NENE
 NWNW
 94-7350
 10
 SENE
 SWNW
 94
 11
 0-1010-001-018-0
 47N03W
 SENW
 NESE
 NWSW
 0-1010-001-019-0
 NESW

Source: Esri, DigitalGlobe, GeoEye, I-cubed, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community

AUG - 8 2013

SCANNED
AUG - 8 2013

Kootenai County
Terms of Use

Map Layers

Search By

Map Tools

Map Layers

Map Legend

Map Settings

Map Help

STEVES (Structure Point)

OBJECTID	STRUCT_ID	STRUC_TYPE	SERIAL	LAST_NAME	FIRST_NAME	OLD_ADD	OLD_SUB	OLD_DIR	OLD_ROAD	OLD_RDTYPE	OLD_CITY	OLD_ZIP
42726	54125	HS	174922	STEVES	CLARENCE	26008		S	CEDAR GROVE	RD	HARRISON	83833

Owner

Additional

AIN: 174922 LRSN: 60980
Parcel Number: 0-1010-001-018-0
Appr Dist: 6 TRS: 473W11
Incorporation: NONE

Owner Information:
OVERACKER, JEDIAH DANIEL
PO BOX 115
ST MARIES, ID 83861

Site Address:
26362 S CEDAR GROVE RD
HARRISON

Legal Description: BKPG: F239
CANYON CREEK LT 18 BLK 1

Acres: 10

SCANNED

AUG - 8 2013

35'

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>C.T. STEVES</u> Address <u>P.O. Box 109, Harrison, ID</u> Drilling Permit No. <u>94-93-N-0042-000</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>90'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>50</u> °F. Quality <u>CLEAR & CLEAN</u> Describe artesian or temperature zones below.																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>12</u></td> <td style="text-align: center;"><u>108</u></td> <td style="text-align: center;"><u>1</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>12</u>	<u>108</u>	<u>1</u>																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>12</u>	<u>108</u>	<u>1</u>																																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG 83729 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0</td> <td>2'</td> <td>TOPSOIL - BLACK</td> <td></td> <td>X</td> </tr> <tr> <td>10"</td> <td>2</td> <td>10</td> <td>SANDY CLAY - BROWN</td> <td></td> <td>X</td> </tr> <tr> <td>10"</td> <td>10</td> <td>19</td> <td>BASALT - HARD - BLACK</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>19</td> <td>60</td> <td>BASALT - HARD - BLACK</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>60</td> <td>82</td> <td>BASALT - BROKEN BROWN 1/2 GPM</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>82</td> <td>87</td> <td>BASALT - HARD BLACK 1 GPM</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>87</td> <td>93</td> <td>BASALT - BROKEN BROWN 1 1/2 GPM</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>93</td> <td>97</td> <td>BASALT - BROKEN - HARD BLACK 1 1/2 GPM</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>97</td> <td>110</td> <td>BASALT - BROKEN - BROWN 12 GPM</td> <td></td> <td>X</td> </tr> </tbody> </table> RECEIVED FEB 07 1994 DEPARTMENT OF WATER RESOURCES 02/26/1993 NL	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	2'	TOPSOIL - BLACK		X	10"	2	10	SANDY CLAY - BROWN		X	10"	10	19	BASALT - HARD - BLACK		X	6"	19	60	BASALT - HARD - BLACK		X	6"	60	82	BASALT - BROKEN BROWN 1/2 GPM		X	6"	82	87	BASALT - HARD BLACK 1 GPM		X	6"	87	93	BASALT - BROKEN BROWN 1 1/2 GPM		X	6"	93	97	BASALT - BROKEN - HARD BLACK 1 1/2 GPM		X	6"	97	110	BASALT - BROKEN - BROWN 12 GPM		X
Bore Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
10"	0	2'	TOPSOIL - BLACK		X																																																												
10"	2	10	SANDY CLAY - BROWN		X																																																												
10"	10	19	BASALT - HARD - BLACK		X																																																												
6"	19	60	BASALT - HARD - BLACK		X																																																												
6"	60	82	BASALT - BROKEN BROWN 1/2 GPM		X																																																												
6"	82	87	BASALT - HARD BLACK 1 GPM		X																																																												
6"	87	93	BASALT - BROKEN BROWN 1 1/2 GPM		X																																																												
6"	93	97	BASALT - BROKEN - HARD BLACK 1 1/2 GPM		X																																																												
6"	97	110	BASALT - BROKEN - BROWN 12 GPM		X																																																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	10. DRILLER'S CERTIFICATION Work started <u>10/20/93</u> finished <u>10/21/93</u>																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ <u>25</u> inches <u>6</u> inches + <u>1</u> feet <u>19</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ B SACKS Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>WELL CASING</u> FEB 07 1993	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Always Drilling</u> Firm No. <u>510</u> Address <u>ST. MARIES</u> Date <u>10/21/93</u> Signed by Drilling Supervisor <u>Hunt R. Hunt</u> and (Operator) _____ (If different than the Drilling Supervisor)																																																																
6. LOCATION OF WELL - Cedar Glen Rd Sketch map location must agree with written location. Subdivision Name <u>CANYON CREEK</u> Lot No. <u>18</u> Block No. <u>1</u> County <u>KOOTENAI</u> _____ 1/4 _____ 1/4 Sec. <u>11</u>, T. <u>47</u> N ☒ S ☐ R. <u>03</u> E ☐ W ☒	12. NOTES _____ _____ _____																																																																

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

SCANNED
AUG - 8 2013