

06/12/2013

NOTICE OF ERROR
REPLY

RECEIVED

AUG 21 2013

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: October 11, 2013

Water right number: 93-7183

MELVIN I DYER
2475 WILSON PL
PORT TOWNSEND WA 98368

BARBARA ANN DYER
2475 WILSON PL
PORT TOWNSEND WA 98368

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: Aug 19, 2013

SIGNATURE:

Melvin I Dyer Barbara Ann Dyer

Please print your name: MELVIN I. DYER Barbara Ann Dyer

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D'Alene, ID 83815, (208) 762-2800