



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 4, 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

KATHERINE SCHROEDER
C/O WILLIAM SCHROEDER
2388 S MOSER RD
AMERICAN FALLS ID 83211

Re: Snake River Basin Adjudication (SRBA)
Water Rights #35-2167E and 35-2167F
Change of Address

Dear Water Right Holder:

We have modified our records to reflect Katherine Schroeder's address as shown above. Adding the word "Estate" after her name would legally change the claimant name, which we cannot do without a Notice of Change of Water Right Ownership being completed. I have enclosed that form for your possible use. A photocopy of her death certificate will take the place of a Warranty Deed.

Please call this office toll-free at 1-800/451-4129 to obtain a form to make this required change to the water right record.

Sincerely,

Sally Sherman
Technical Records Specialist
Adjudication Bureau

ss:region

Enclosure:

Form 42-248/42-1409(6)

Snake River Basin Adjudication
Change in Address of Notice of Claim

RECEIVED

DEC 28 2001

Department of Water Resources

Claim Number(s): 35-02167E, 35,02167F,

Previous Mailing Address: Katherine Schroeder Estate
P.O. Box 17
Aberdeen, ID 83210

New Mailing Address: Katherine Schroeder Estate
2388 S. Moser Rd.
American Falls, ID 83211

Telephone Number: (208) 226-2179

Signature of Claimant(s): Katherine Schroeder Estate
William Schroeder, G.R.

Please return this completed form to:

Adjudication Bureau
Idaho Dept. of Water Resources
1301 N. Orchard St.
Boise, ID 83706-2237
Ph. 1/800/451-4129 or
FAX 208/327-5400

Adjudication Bureau
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705-5082
Ph. 208/334-2190 or
FAX 208/334-2348

Adjudication Bureau
Idaho Dept. of Water Resources
1341 Fillmore St., Ste. 200
Twin Falls, ID 83301-3380 or
FAX 208/736-3037

Adjudication Bureau
Idaho Dept. of Water Resources
900 N. Skyline, Ste. A
Idaho Falls, ID 83402-3653 or
FAX 208/525-7177

SS
ADDRESS FM
Revised 12/13/1999

IDWR Use Only:
Data Entry: spkerman

Date: 1-31-02

ROGER D. LING
BRENT T. ROBINSONJASON D. WALKER
TIMOTHY J. SCHNEIDER
ASSOCIATESLING & ROBINSON
ATTORNEYS AT LAW
615 'H' STREET
P. O. BOX 396
RUPERT, IDAHO 83350-0396AREA CODE 208
TELEPHONE 436-4717
FAX 436-0804

2001 NOV 13 PM 3:17

FILED
NOV 13 2001
SRBA
DISTRICT COURT
TWIN FALLS, IDAHO

November 8, 2001

Clerk of the District Court
Snake River Basin Adjudication
P. O. Box 2707
Twin Falls, ID 83303-2707RE: Consolidated Lead Subcase No. 35-02315 and
each subcase listed in Exhibit "A" attached to
Aberdeen-Springfield Canal Company's SF.1 Objection

Dear Clerk:

With regard to the mailing list and addresses for Exhibit "A" in
the above captioned matter and document, I have received the following
address corrections:Katherine Schroeder Estate
c/o William R. Schroeder
2388 S Moser Rd.
American Falls, ID 83211

(Nos. 35-02167E, 35-02167F)

Arthur J. Jones
1715 W 200 N
Blackfoot, ID 83221-5047


(No. 35-02100)

Todd Feld
P. O. Box 299
Aberdeen, ID 83210-0299

(No. 35-07732)

I hope this will be of assistance to you.

Very truly yours,


Judy Barnes, Secretary to
Roger D. Lingjb
*1-16-02
Not their
client's
Barnes -*

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: **A35-02167E**
Date Received: 4/ 2/1990
Receipt No: E012719
Received By: _____

**COPY FOR
YOUR FILES**

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

**COPY FOR
YOUR FILES**

1. Name: KATHERINE SCHROEDER 208-397-5335
Address: PO BOX 17
ABERDEEN ID 83210

OR
Name: WILLIAM R SCHROEDER 208-226-2179
Address: 2388 SOUTH MOSER ROAD
AMERICAN FALLS ID 83211

2. Date of Priority: APR 7, 1950

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06S	30E	36	SE	NW	SW		POWER

5. Description of diverting works:
WELL, 100 H.P. PUMP, BURIED MAINLINE TO LATERALS WITH SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	10/31	2.530		520.00

7. Total Quantity Appropriated is:
2.530 C.F.S. (and/or) 520.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06S	30E	36	NE	SW		IRR	28.0

10. Place of Use: Continued

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
06S	30E	36	NW		SW		IRR	39.0
			SW		SW		IRR	39.0
			SE		SW		IRR	24.0
							Section Acres	130.0
							Total Acres	130.0

11. Place of use in counties: POWER

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: LICENSE

Water Right Number: 21449

November 20, 1998

**NOTICE OF ERROR
REPLY**

RECEIVED

DEC 24 1998

Department of Water Resources
Eastern Region

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 18, 1998

Water right number: 35-02167E

WILLIAM R SCHROEDER
2388 SOUTH MOSER ROAD
AMERICAN FALLS ID 83211

Daytime Telephone Number: (208)-226-2179
Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12-16-98 SIGNATURE: William Schroeder
Please print your name: William Schroeder

IDWR Eastern Regional Office, 900 N. Skyline Drive, Suite A, Idaho Falls, ID 83402-1718, (208) 525-7161

2

November 20, 1998

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 18, 1998

Water right number: 35-02167E

KATHERINE SCHROEDER
PO BOX 17
ABERDEEN ID 83210

Daytime Telephone Number:

Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation; no changes need to be made.

DATE: _____ SIGNATURE: _____
Please print your name: _____

IDWR Eastern Regional Office, 900 N. Skyline Drive, Suite A, Idaho Falls, ID 83402-1718, (208) 525-7161

Returned to sender

AJ5853NP
308

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: November 20, 1998
PAGE: 1

RIGHT NUMBER: 35-02167E

NAME AND ADDRESS: WILLIAM R SCHROEDER
2388 SOUTH MOSER ROAD
AMERICAN FALLS ID 83211

KATHERINE SCHROEDER
PO BOX 17
ABERDEEN ID 83210

SOURCE: GROUNDWATER

QUANTITY: 2.53 CFS
520.0 AFY

PRIORITY-DATE: 04/07/1950

POINT OF DIVERSION T06S R30E S36 SENWSW Within POWER County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION		04-01 10-31	2.53 CFS
			520.0 AFY

PLACE OF USE: IRRIGATION Within POWER County
T06S R30E S36 NESW 28 NWSW 39 SWSW 39 SESW 24
130 ACRES TOTAL

OTHER MATTERS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER
RIGHTS IN BASIN 35:

WATER RIGHT NO.	SOURCE
NONE	NONE


THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER
RIGHTS IN THE SNAKE RIVER BASIN:

WATER RIGHT NO.	SOURCE
NONE	NONE

ALL WATER RIGHTS WITHIN BASIN 35 ARE FROM CONNECTED SOURCES
OF WATER IN THE SNAKE RIVER BASIN AND SHALL BE ADMINISTERED
CONJUNCTIVELY.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE


35-02167E




500 0 500 1000 1500 2000 2500 Feet

T06S R30E S36 SW1/4

Map prepared by: Carter Fritschle
Date prepared: 04/21/98
1987-1988 NAPP photography
Total recommended acres: 130




35-02167E



500 0 500 1000 1500 2000 2500 Feet

T06S R30E S36 SW1/4

Map prepared by: Carter Fritschle
Date prepared: 04/21/98
1987-1988 NAPP photography
Total recommended acres: 130



IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/26/93
PAGE: 1

DIVERSION
VOLUME

520.0 AFA

520.0 AFA
390.0 AFA

Stage: LICENSE

POWER County

SE	:	SUM
Ac	:	

130.0

Non-Irrigation Uses: NONE

Field Inspection Flag:
Presumption Flag:

THIS RIGHT REPRESENTS A PORTION OF 35-02167

Audit: 11/26/93 KEEN

de
Sm. van
11-26-93

deleted
7-27-98
CA

SPLIT ANALYSIS FOR 35-02167

Prepared by S.W. Keen

November 26, 1993

The split analysis for licensed right 35-02167 is complicated primarily by the way the splits were claimed. Four portions were claimed in the SRBA: they are A35-02167A, A35-02167B, A35-02167C, and A35-02167D. However, six portions are recommended because A35-02167C is recommended as being split into R35-02167E, R35-02167F, and R35-02167G. The tables on the following pages should provide most of the explanation necessary. However, a few points require additional explanation here.

First, A35-02167A claimed an entire $\frac{1}{4}$ -section that is not being recommended. Therefore, the recommended diversion rate is reduced to 0.02 cfs for the remaining acres. This reduction in rate frees 0.46 cfs to be allocated to A35-02167D and A35-02167C, which overclaimed their prorata shares of the licensed diversion rate. Moreover, A35-02167A underclaimed its prorata share of the licensed diversion rate leaving another 0.06 cfs that can be allocated to A35-02167D and A35-02167C.

In other words, A35-02167C should have claimed 5.33 cfs based on the number of acres claimed. However, because 0.52 cfs is available from A35-02167A, 0.38 cfs of it is recommended to R35-02167C. The remaining 0.15 cfs portion of the 0.52 cfs is recommended to R35-02167D, which claimed 1.98 cfs but should have claimed 1.83 cfs.

Second, because of how the claims were filed, there is no way to even out the diversion rates per acre. For example, R35-02167A is recommended for 0.02 cfs per acre, while R35-02167B is recommended for 0.012 cfs per acre.

Third, R35-02167F, a portion of claim A35-02167C, is recommended to the capacity of its well at the time of licensing instead of to a prorata share of A35-02167C. The reason for this is that it is supplemental to Aberdeen-Springfield Canal Company water and, therefore, should require a smaller rate per acre than R35-02167E and R35-02167G, which have groundwater as their sole source.

Fourth, there are a number of ways one could approach the split of this right. In the following pages the method ultimately used is represented as Alternative I. Three additional alternative methods are also described for comparison purposes.

SPLIT ANALYSIS FOR 35-02167
 ALTERNATIVE I
 Prepared by S.W. Keen
 November 23, 1993

Claim Number	Claimed Rate	Claimed Acres	Claimed Rate/Acre	Rec. Rate	Rec. Acres	Rec. Rate/Acre
A35-02167A	3.60 cfs	320	0.011 cfs/acre	3.14 cfs	157	0.020 cfs/acre
A35-02167B	1.83 cfs	160	0.011 cfs/acre	1.83 cfs	154	0.012 cfs/acre
A35-02167D	1.98 cfs	160	0.012 cfs/acre	1.98 cfs	154	0.013 cfs/acre
A35-02167C	5.76 cfs	466	0.012 cfs/acre			
R35-02167E				2.53 cfs	130	0.019 cfs/acre
R35-02167F				2.66 cfs	251	0.011 cfs/acre
R35-02167G				0.52 cfs =====	27 ===	0.019 cfs/acre =====
				5.71 cfs	408	0.014 cfs/acre
TOTALS	13.17 cfs	1106	0.012 cfs/acre	12.66 cfs	873	0.015 cfs/acre
Licensed	12.66 cfs	1106	0.011 cfs/acre	12.66 cfs	1106	0.011 cfs/acre

This scenario limits R35-02167F to the 2.66 cfs its well produced at the time of licensing. The small rate per acre for R35-02167F is probably okay because it is supplemental to Aberdeen-Springfield Canal Company water. R35-02167A, R35-02167B, and R35-02167D get the rates they claimed, which still results in a fairly low rate/acre for R35-02167B and R35-02167D. However, R35-02167E and R35-02167G get nearly 0.02 cfs/acre. One problem with this scenario is that R35-02167G and R35-02167D, which are served from the same well and system, get greatly disparate rates per acre.

CALCULATIONS RELATING TO THE SPLIT ANALYSIS FOR 35-02167

ALTERNATIVE I

Prepared by S.W. Keen

November 23, 1993

$$\frac{A35-02167A}{3.14 \text{ cfs}} = 157 \text{ acres} * 0.02 \text{ cfs/acre}$$

$$\frac{A35-02167B}{1.83 \text{ cfs}} = (160 \text{ acres}/1106 \text{ acres}) (12.66 \text{ cfs})$$

$$\frac{A35-02167D}{1.98 \text{ cfs}} = [(160 \text{ ac.}/1106 \text{ ac.}) (12.66 \text{ cfs})] + (A \text{ Portion of } 0.52 \text{ cfs})$$

$$\frac{A35-02167C}{5.71 \text{ cfs}} = [(466 \text{ ac.}/1106 \text{ ac.}) (12.66 \text{ cfs})] + (A \text{ Portion of } 0.52 \text{ cfs})$$

$$\frac{R35-02167E}{2.53 \text{ cfs}} = [(130 \text{ ac.}/408 \text{ ac.}) (5.71 \text{ cfs})] + [(130 \text{ ac.}/157 \text{ ac.}) (5.71 \text{ cfs} - 4.86 \text{ cfs})]$$

$$\frac{R35-02167F}{2.66 \text{ cfs}} = \text{Amount produced by this well when first licensed.}$$

$$\frac{R35-02167G}{0.52 \text{ cfs}} = [(27 \text{ ac.}/408 \text{ ac.}) (5.71 \text{ cfs})] + [(27 \text{ ac.}/157 \text{ ac.}) (5.71 \text{ cfs} - 4.86 \text{ cfs})]$$

CALCULATIONS RELATING TO THE SPLIT ANALYSIS FOR 35-02167

ALTERNATIVE I

Prepared by S.W. Keen

November 23, 1993

The 0.52 cfs used in these calculations comes from the rate claimed in but not recommended to A35-02167A, plus the rate that A35-02167A was underclaimed based on a prorated share of the licensed diversion rate of 12.66 cfs.

$$0.52 \text{ cfs} = (3.60 \text{ cfs} - 3.14 \text{ cfs}) + [(320 \text{ acres}/1106 \text{ acres})(12.66 \text{ cfs}) - (3.60 \text{ cfs})]$$

Because A35-02167D and A35-02167C have claimed more than their prorated shares of the licensed diversion rate, I divided the 0.52 cfs between them to make the total recommended diversion rate equal the licensed diversion rate. A slightly higher proportional share of the 0.52 cfs is allotted to A35-02167D because it brings the recommendation up to the claimed rate and because it needs the diversion rate per acre more than R35-02167E and R35-02167G needs it.

The 4.86 cfs used above is that portion of the 5.71 cfs allotted to A35-02167C comprised of the prorated shares for R35-02167E and R35-02167G and the 2.66 cfs for R35-02167F.

$$4.66 \text{ cfs} = [(157 \text{ ac.}/408 \text{ ac.})(5.71 \text{ cfs})] + 2.66 \text{ cfs}$$

DIVERSION RATES COMPARED TO PUMP CAPACITIES
Prepared by S.W. Keen
November 26, 1993

<u>Claim Number</u>	<u>Rec. Acres</u>	<u>Pump Capacity</u>	<u>Rec. Rate</u>	<u>Rec. Rate/Acre</u>
R35-02167A	157	3.34 cfs	3.14 cfs	0.020 cfs
R35-02167B	154	3.10 cfs	1.83 cfs	0.012 cfs
R35-02167D	154	4.00 cfs*	1.98 cfs	0.013 cfs
R35-02167E	130	2.96 cfs	2.53 cfs	0.019 cfs
R35-02167F	251	3.92 cfs	2.66 cfs	0.011 cfs
R35-02167G	27	4.00 cfs*	0.52 cfs	0.019 cfs

* Same well

A35-02167C does not appear because it was split into R35-02167E, R35-02167F, and R35-02167G.

SPLIT ANALYSIS FOR 35-02167
Prepared by S.W. Keen
November 23, 1993

<u>Claim Number</u>	<u>Claimed Rate</u>	<u>Claimed Acres</u>	<u>Claimed Rate/Acre</u>	<u>Rec. Rate</u>	<u>Rec. Acres</u>	<u>Rec. Rate/Acre</u>
A35-02167A	3.60 cfs	320	0.011 cfs/acre	3.09 cfs	157	0.020 cfs/acre
A35-02167B	1.83 cfs	160	0.011 cfs/acre	1.83 cfs	154	0.012 cfs/acre
A35-02167D	1.98 cfs	160	0.012 cfs/acre	1.98 cfs	154	0.013 cfs/acre
A35-02167C	5.76 cfs	466	0.012 cfs/acre			
R35-02167E				2.57 cfs	130	0.020 cfs/acre
R35-02167F				2.66 cfs	251	0.011 cfs/acre
R35-02167G				0.53 cfs =====	27 ===	0.020 cfs/acre =====
				5.76 cfs	408	0.014 cfs/acre
TOTALS	13.17 cfs	1106	0.012 cfs/acre	12.66 cfs	873	0.015 cfs/acre
Licensed	12.66 cfs	1106	0.011 cfs/acre	12.66 cfs	1106	0.011 cfs/acre

This scenario limits R35-02167F to the 2.66 cfs its well produced at the time of licensing. The small rate per acre for R35-02167F is probably okay because it is supplemental to Aberdeen-Springfield Canal Company water. This scenario also gives R35-2167B, R35-02167C, and R35-02167D the rates they claimed, which still results in a fairly low rate/acre for R35-02167B and R35-02167D. However, R35-02167A, R35-02167E, and R35-02167G get nearly 0.02 cfs/acre. One problem with this scenario is that R35-02167G and R35-02167D, which are served from the same well and system, get greatly disparate rates per acre.

SPLIT ANALYSIS FOR 35-02167
Prepared by S.W. Keen
November 23, 1993

Claim Number	Claimed Rate	Claimed Acres	Claimed Rate/Acre	Rec. Rate	Rec. Acres	Rec. Rate/Acre
A35-02167A	3.60 cfs	320	0.011 cfs/acre	2.27 cfs	157	0.015 cfs/acre
A35-02167B	1.83 cfs	160	0.011 cfs/acre	2.23 cfs	154	0.015 cfs/acre
A35-02167D	1.98 cfs	160	0.012 cfs/acre	2.23 cfs	154	0.015 cfs/acre
A35-02167C	5.76 cfs	466	0.012 cfs/acre			
R35-02167E				1.89 cfs	130	0.015 cfs/acre
R35-02167F				3.65 cfs	251	0.015 cfs/acre
R35-02167G				0.39 cfs	27	0.015 cfs/acre
				=====	===	=====
				5.93 cfs	408	0.015 cfs/acre
TOTALS	13.17 cfs	1106	0.012 cfs/acre	12.66 cfs	873	0.015 cfs/acre
Licensed	12.66 cfs	1106	0.011 cfs/acre	12.66 cfs	1106	0.011 cfs/acre

This scenario is probably ideal because it gives each tract a reasonable diversion rate per acre of 0.015 cfs. However, the highlighted diversion rates cannot now be recommended without amended claims.

SPLIT ANALYSIS FOR 35-02167
 Prepared by S.W. Keen
 November 23, 1993

<u>Claim Number</u>	<u>Claimed Rate</u>	<u>Claimed Acres</u>	<u>Claimed Rate/Acre</u>	<u>Rec. Rate</u>	<u>Rec. Acres</u>	<u>Rec. Rate/Acre</u>
A35-02167A	3.60 cfs	320	0.011 cfs/acre	3.14 cfs	157	0.020 cfs/acre
A35-02167B	1.83 cfs	160	0.011 cfs/acre	1.83 cfs	154	0.012 cfs/acre
A35-02167D	1.98 cfs	160	0.012 cfs/acre	1.97 cfs	154	0.013 cfs/acre
A35-02167C	5.76 cfs	466	0.012 cfs/acre			
R35-02167E				1.82 cfs	130	0.014 cfs/acre
R35-02167F				3.52 cfs	251	0.014 cfs/acre
R35-02167G				0.38 cfs =====	27 ===	0.014 cfs/acre =====
				5.72 cfs	408	0.014 cfs/acre
TOTALS	13.17 cfs	1106	0.012 cfs/acre	12.66 cfs	873	0.015 cfs/acre
Licensed	12.66 cfs	1106	0.011 cfs/acre	12.66 cfs	1106	0.011 cfs/acre

This scenario apportions the water based on the claimed number of acres for each split. Then, because A35-02167A is underclaimed and cannot be recommended to the claimed diversion rate anyway, the remaining unallocated portion is divided between A35-02167D and A35-02167C, which were both overclaimed.

DIAGRAM OF THE SPLIT OF 35-02167
Prepared by S.W. Keen
November 23, 1993


<u>LICENSE</u>	<u>CLAIMED SPLITS</u>	<u>RECOMMENDED SPLITS</u>
35-02167	A35-02167A	R35-02167A
	A35-02167B	R35-02167B
	A35-02167C	R35-02167E R35-02167F R35-02167G
	A35-02167D	R35-02167D

CLAIMANT'S NAME: William SchroederDATE: 11-15-1993COUNTY: PowerEMPLOYEE: S.W. Keen

I called Mr. Schroeder today to discuss the place of use for the claims referenced above. He confirmed ~~my~~ my guess that the land west of the canal in the $W\frac{1}{2}$ of the NE $\frac{1}{4}$ of S 36, T6S, R30, is watered from the well in the NW $\frac{1}{4}$ and not from the claimed wells on A35-02167C.

I explained the filing problem as best I could over the phone. The problem is that the land described above needs a new claim or an amended claim showing the appropriate well in order to be recommended in the SRBA. Mr. Schroeder explained that the filing was done the way it is because his mother owns the NE $\frac{1}{4}$, while he owns the NW $\frac{1}{4}$ and farms part of his mother's land.

I agreed to send Mr. Schroeder a letter explaining the problem and detailing some possible solutions.



[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

13:11:09
10/12/91

AS5-02101

PAGE: 1
ADJUDICATION CLAIM VERIFICATION

CLAIM NUMBER: AS5-02167C

CLAIM NUMBER	CLAIMANT	DATE OF CLAIM	DATE OF REVIEW	DATE OF VERIFICATION	DATE OF ADJUDICATION
AS5-02167C	CLARK	11-23-93	11-23-93	11-23-93	11-23-93
PRIORITY DATE	11-23-93	11-23-93	11-23-93	11-23-93	11-23-93
POINT OF VIEW	Y	Y	Y	Y	Y
SOURCE					
PLACE OF USE	Y	Y	Y	Y	Y
DIV. ACCOUNT					
CONSTRUCTION	Y	Y	Y	Y	Y
PERIOD OF USE	11-23-93	11-23-93	11-23-93	11-23-93	11-23-93
PERIOD OF USE	Y	Y	Y	Y	Y
DATE OF CLAIM	11-23-93	11-23-93	11-23-93	11-23-93	11-23-93
REMARKS	Y	Y	Y	Y	Y

VERIFIED BY: S.W. Kean
DATE: 11-23-93
REVIEW: 11-23-93
ADJUDICATION: 11-23-93
CLAIM NUMBER: AS5-02167C

THIS COPY IS USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
FOR THIS CLAIM VERIFICATION. ADJUDICATION AND ALL OTHERS WHICH APPLY.

PAGE: 1
GENERAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

13:11:03
10/10/91

CLAIM NUMBER: A35-02167C

LAST: SCHREIBER
ADDRESS: 2233 SOUTH WILSON
CITY: BOYCE ID
PHONE NUMBER: 208-377-9035

FIRST: KATHLEEN
STATE: ID AGE: 32210

LAST: SCHREIBER
ADDRESS: 2233 SOUTH WILSON
CITY: BOYCE ID
PHONE NUMBER: 208-377-9035

FIRST: WILLIAM R
STATE: ID AGE: 32211

OWNER CODE: 2

LAST: SCHREIBER

FIRST: ARMIN

ADDRESS: 4231000 ELL
CITY: BOYCE ID
PHONE NUMBER: 208-377-9035

STATE: ID AGE: 32211

OWNER CODE: 2

FILED EXAM REQUEST

DATE: 10/10/91

FILED
EXAMINER

VERIFICATION REQUESTED: YES

CLAIM NUMBER: THIS CLAIM REPRESENTS A PORTION OF 35-02167

This claim is being split.

Active = Z

Remarks = See nos. 35-02167E, 35-02167F, and 35-02167G.

*S.M. Keen
11-26-93*

CONTACT PERSON: Katherine Schroeder

PHONE NUMBER: () -

DATE OF FIELD EXAM: 7/1/91

DEPARTMENT NAME: V() A() T() P()

ACCOMPANIED BY: William Schroeder

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: Son

DIRECTION TO REPORT / ACTIONS:

On ~~7-1-91~~ 7-1-91 L. Butler of IDWR conducted a field investigation of A35-12796 ~~which~~ which overviews the claim. The field report, photos, etc. are in the files for the various portions (E, F, + G) of the recommendation.

A. AG CLAIM # A35-02157C PRIORITY DATE: 04-07-1930 STAGE: 1
J. MR REVIEW # 35-07-1931 PRIORITY DATE: 04-07-1930 STAGE: 1

C. FIELD EAGLE DOCUMENT
DATE TO PRIORITY FOR SUBMISSION? (Y/N) N DATE: 04-07-1930 FIELD EAGLE DOCUMENT

ARE THERE OTHERS WHO WOULD QUESTION THE PRIORITY DATE CLAIMED? Y() N() ☒

IF YES EXPLAIN:

REMARKS: Claimed as licensed; recommend as claimed.

RECOMMEND PRIORITY DATE:

35-07-1930

REVIEWED BY S.W. Koen DATE 9-23-93

REMARKS:

Claimed P/D's match two of the 5 licensed P/D's.
 This recommendation is being split into 3 parts (E, F, + G) because the record splits the claimed P/D. The three portions are each covered by a different well (see the full review by L. Budaur in this file and file A35-02167D). The 10-acre locations are taken from L. Budaur's maps.

RECOMMENDED PORTION(S) OF CLAIMED SECTION AND TOWNSHIP	1/4	1/4	1/4	1/4	LOT	COUNTY
6S 30E 36	SE	NW	SW	SW	--	Bingham = E
6S 30E 36	NW	SW	NE	NW	--	Bingham = F
6S 30E 36	SW	NE	NW	NW	--	Bingham = G



REVIEWED BY: S.W. Ken DATE: 11-23-93

G shows a well with R35-02167D. Please remake F05.

22

4. FOOT AND EYE EXERCISES:

45-61574
45-61573

2000-01-01

25-01677

44-38861-1A

3. POLITICAL

2422 NC 215 Lf. 1.57 Nimm

[illegible]

THE

Farmington

2017

[illegible]

MR.35
140.0
27-02131
2044 JENNY - A 744
MR.

[illegible][illegible]

06-1-3029771837.0
CLARK

[illegible]

ACI-30684/77.0		3E-02167	/	6A0-0
LABOR COSTS	-			
NR				
M4				
M4				

[illegible]

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

1365 1364 1363 1362 1361 1360 1359 1358 1357 1356 1355 1354 1353 1352 1351 1350 1349 1348 1347 1346 1345 1344 1343 1342 1341 1340 1339 1338 1337 1336 1335 1334 1333 1332 1331 1330 1329 1328 1327 1326 1325 1324 1323 1322 1321 1320 1319 1318 1317 1316 1315 1314 1313 1312 1311 1310 1309 1308 1307 1306 1305 1304 1303 1302 1301 1300 1299 1298 1297 1296 1295 1294 1293 1292 1291 1290 1289 1288 1287 1286 1285 1284 1283 1282 1281 1280 1279 1278 1277 1276 1275 1274 1273 1272 1271 1270 1269 1268 1267 1266 1265 1264 1263 1262 1261 1260 1259 1258 1257 1256 1255 1254 1253 1252 1251 1250 1249 1248 1247 1246 1245 1244 1243 1242 1241 1240 1239 1238 1237 1236 1235 1234 1233 1232 1231 1230 1229 1228 1227 1226 1225 1224 1223 1222 1221 1220 1219 1218 1217 1216 1215 1214 1213 1212 1211 1210 1209 1208 1207 1206 1205 1204 1203 1202 1201 1200 1199 1198 1197 1196 1195 1194 1193 1192 1191 1190 1189 1188 1187 1186 1185 1184 1183 1182 1181 1180 1179 1178 1177 1176 1175 1174 1173 1172 1171 1170 1169 1168 1167 1166 1165 1164 1163 1162 1161 1160 1159 1158 1157 1156 1155 1154 1153 1152 1151 1150 1149 1148 1147 1146 1145 1144 1143 1142 1141 1140 1139 1138 1137 1136 1135 1134 1133 1132 1131 1130 1129 1128 1127 1126 1125 1124 1123 1122 1121 1120 1119 1118 1117 1116 1115 1114 1113 1112 1111 1110 1109 1108 1107 1106 1105 1104 1103 1102 1101 1100 1099 1098 1097 1096 1095 1094 1093 1092 1091 1090 1089 1088 1087 1086 1085 1084 1083 1082 1081 1080 1079 1078 1077 1076 1075 1074 1073 1072 1071 1070 1069 1068 1067 1066 1065 1064 1063 1062 1061 1060 1059 1058 1057 1056 1055 1054 1053 1052 1051 1050 1049 1048 1047 1046 1045 1044 1043 1042 1041 1040 1039 1038 1037 1036 1035 1034 1033 1032 1031 1030 1029 1028 1027 1026 1025 1024 1023 1022 1021 1020 1019 1018 1017 1016 1015 1014 1013 1012 1011 1010 1009 1008 1007 1006 1005 1004 1003 1002 1001 1000 999 998 997 996 995 994 993 992 991 990 989 988 987 986 985 984 983 982 981 980 979 978 977 976 975 974 973 972 971 970 969 968 967 966 965 964 963 962 961 960 959 958 957 956 955 954 953 952 951 950 949 948 947 946 945 944 943 942 941 940 939 938 937 936 935 934 933 932 931 930 929 928 927 926 925 924 923 922 921 920 919 918 917 916 915 914 913 912 911 910 909 908 907 906 905 904 903 902 901 900 899 898 897 896 895 894 893 892 891 890 889 888 887 886 885 884 883 882 881 880 879 878 877 876 875 874 873 872 871 870 869 868 867 866 865 864 863 862 861 860 859 858 857 856 855 854 853 852 851 850 849 848 847 846 845 844 843 842 841 840 839 838 837 836 835 834 833 832 831 830 829 828 827 826 825 824 823 822 821 820 819 818 817 816 815 814 813 812 811 810 809 808 807 806 805 804 803 802 801 800 799 798 797 796 795 794 793 792 791 790 789 788 787 786 785 784 783 782 781 780 779 778 777 776 775 774 773 772 771 770 769 768 767 766 765 764 763 762 761 760 759 758 757 756 755 754 753 752 751 750 749 748 747 746 745 744 743 742 741 740 739 738 737 736 735 734 733 732 731 730 729 728 727 726 725 724 723 722 721 720 719 718 717 716 715 714 713 712 711 710 709 708 707 706 705 704 703 702 701 700 699 698 697 696 695 694 693 692 691 690 689 688 687 686 685 684 683 682 681 680 679 678 677 676 675 674 673 672 671 670 669 668 667 666 665 664 663 662 661 660 659 658 657 656 655 654 653 652 651 650 649 648 647 646 645 644 643 642 641 640 639 638 637 636 635 634 633 632 631 630 629 628 627 626 625 624 623 622 621 620 619 618 617 616 615 614 613 612 611 610 609 608 607 606 605 604 603 602 601 600 599 598 597 596 595 594 593 592 591 590 589 588 587 586 585 584 583 582 581 580 579 578 577 576 575 574 573 572 571 570 569 568 567 566 565 564 563 562 561 560 559 558 557 556 555 554 553 552 551 550 549 548 547 546 545 544 543 542 541 540 539 538 537 536 535 534 533 532 531 530 529 528 527 526 525 524 523 522 521 520 519 518 517 516 515 514 513 512 511 510 509 508 507 506 505 504 503 502 501 500 499 498 497 496 495 494 493 492 491 490 489 488 487 486 485 484 483 482 481 480 479 478 477 476 475 474 473 472 471 470 469 468 467 466 465 464 463 462 461 460 459 458 457 456 455 454 453 452 451 450 449 448 447 446 445 444 443 442 441 440 439 438 437 436 435 434

CONFIDENTIAL

621-320-761/77,0
621-320-891/77,0

25-02157 140.0

[illegible]

01-320361760.C
PAGE 001

501-3026721/49.0

5	1795	435-3224371/67.0	-	1	Feb
5	1795	435-3224371/67.0	-	1	Feb
5	1795	435-3224371/67.0	-	1	Feb

三

1	21	1986-1987	ALLIANCE	43-15034	/	/
2	22	1987-1988	ALLIANCE	43-15034	/	/
3	23	1988-1989	ALLIANCE	43-15034	/	/
4	24	1989-1990	ALLIANCE	43-15034	/	/
5	25	1990-1991	ALLIANCE	43-15034	/	/
6	26	1991-1992	ALLIANCE	43-15034	/	/
7	27	1992-1993	ALLIANCE	43-15034	/	/
8	28	1993-1994	ALLIANCE	43-15034	/	/
9	29	1994-1995	ALLIANCE	43-15034	/	/
10	30	1995-1996	ALLIANCE	43-15034	/	/
11	31	1996-1997	ALLIANCE	43-15034	/	/
12	32	1997-1998	ALLIANCE	43-15034	/	/
13	33	1998-1999	ALLIANCE	43-15034	/	/
14	34	1999-2000	ALLIANCE	43-15034	/	/
15	35	2000-2001	ALLIANCE	43-15034	/	/
16	36	2001-2002	ALLIANCE	43-15034	/	/
17	37	2002-2003	ALLIANCE	43-15034	/	/
18	38	2003-2004	ALLIANCE	43-15034	/	/
19	39	2004-2005	ALLIANCE	43-15034	/	/
20	40	2005-2006	ALLIANCE	43-15034	/	/
21	41	2006-2007	ALLIANCE	43-15034	/	/
22	42	2007-2008	ALLIANCE	43-15034	/	/
23	43	2008-2009	ALLIANCE	43-15034	/	/
24	44	2009-2010	ALLIANCE	43-15034	/	/
25	45	2010-2011	ALLIANCE	43-15034	/	/
26	46	2011-2012	ALLIANCE	43-15034	/	/
27	47	2012-2013	ALLIANCE	43-15034	/	/
28	48	2013-2014	ALLIANCE	43-15034	/	/
29	49	2014-2015	ALLIANCE	43-15034	/	/
30	50	2015-2016	ALLIANCE	43-15034	/	/
31	51	2016-2017	ALLIANCE	43-15034	/	/
32	52	2017-2018	ALLIANCE	43-15034	/	/
33	53	2018-2019	ALLIANCE	43-15034	/	/
34	54	2019-2020	ALLIANCE	43-15034	/	/
35	55	2020-2021	ALLIANCE	43-15034	/	/
36	56	2021-2022	ALLIANCE	43-15034	/	/
37	57	2022-2023	ALLIANCE	43-15034	/	/
38	58	2023-2024	ALLIANCE	43-15034	/	/
39	59	2024-2025	ALLIANCE	43-15034	/	/
40	60	2025-2026	ALLIANCE	43-15034	/	/
41	61	2026-2027	ALLIANCE	43-15034	/	/
42	62	2027-2028	ALLIANCE	43-15034	/	/
43	63	2028-2029	ALLIANCE	43-15034	/	/
44	64	2029-2030	ALLIANCE	43-15034	/	/
45	65	2030-2031	ALLIANCE	43-15034	/	/
46	66	2031-2032	ALLIANCE	43-15034	/	/
47	67	2032-2033	ALLIANCE	43-15034	/	/
48	68	2033-2034	ALLIANCE	43-15034	/	/
49	69	2034-2035	ALLIANCE	43-15034	/	/
50	70	2035-2036	ALLIANCE	43-15034	/	/
51	71	2036-2037	ALLIANCE	43-15034	/	/
52	72	2037-2038	ALLIANCE	43-15034	/	/
53	73	2038-2039	ALLIANCE	43-15034	/	/
54	74	2039-2040	ALLIANCE	43-15034	/	/
55	75	2040-2041	ALLIANCE	43-15034	/	/
56	76	2041-2042	ALLIANCE	43-15034	/	/
57						

[illegible]

ARE INDICATED IN OTHER THAN INDICATED ABOVE. YES () NO ()
IF YES, BE SPECIFIC: ✓

	SE	NW	SW	NE	Center
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75	75				

C. FILED 6447 6078-02

DATE 10-02-1976

FIELD
EXTENSION
SERVICE

RESUMEN

Results

Found only 408 acres of irrigation water. L. Buehler's field maps, ASCS photos, NAPP photos, and templates for measuring. Section E, E, or G indicate which split gets which acres. POA split by canal.

See attached online analysis + maps in this file.

DECLARATION

$$\left. \begin{array}{l} E = 130 \\ F = 251 \\ G = 27 \end{array} \right\} 408$$

11-15-19

RECEIVED BY: S. H. Kern

DATE: 11-23-93

A. AD CLAIMED 1903

A35-02157C RELOCATION

PERMIT DAY
FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/NUMBER CLAIMED

DIVERSION QUANTITY
5.760 CFS
5.750 CFS

B. WR REQUIRED 1903

PERMIT DAY
FROM 04-01 TO 11-01
TOTAL DIVERSION RATE/NUMBER CLAIMED

DIVERSION QUANTITY
12.660 CFS
12.660 CFS
1.500 CFS

PERMIT DAY 1903

C. FIELD CLAIM 1903

DATE TO DATE 1903 1903 1903 1903
DATE TO DATE 1903 1903 1903 1903
DATE TO DATE 1903 1903 1903 1903
DATE TO DATE 1903 1903 1903 1903

D. PERMIT OF 1903

1903 AND AS CLAIMED
1903 AND TO WR 1903 AND 1903

Y() N()
Y() N() EXPLAIN IN REMARKS, BELOW.

REMARKS:

IDWR standard for irrigation in this area is 4-1 to 10-31.

A. DOES DIVERSION RATE EXCEEDS AGREED WITH EXISTING RECORDS?

AD TOTAL CLAIMED DIVERSION RATE: 5.750 CFS
AD NOT CLAIMED DIVERSION RATE: 4.500 CFS

IF NO OR IF DIVERSION RATE IS LESS THAN FLOW MEASUREMENT REQUIRED, SEE DIVISION RATE IS 5.750 CFS
IF AN ADJUDICATED RATE IS REQUIRED, EXPLAIN IN REMARKS.

FIELD MEASUREMENT REQUIRED?

SEE TO STATE OR DIVERSION RATE DISCREPANCY (Y/N)

FIELD DATA EXAMINER

Measurements made by L. Baker 7-1-91

diversion = 12.66 cfs
- 5.76 is a portion of the diversion rate.
- 5.76 cfs is being recommended for the true portion of the claim is being split into. See the split analysis in this file for an explanation.

2.53
E = 1.82 cfs
F = 3.52 cfs
G = 0.34 cfs

B.

FIELD MEASUREMENT

MEASUREMENT REQUIRED?

SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS SUBJECT TO (Y) OR (N) IF YES COMPLETE OVERFLOW RIGHTS.

DIVISION RIGHTS CLAIMED IN CLAIM A35-02157C

LIST ALL RIGHTS WITH A SAME JOB AND PROPORTION USAGE:

CLAIM	JOBS	NAME	DIV.	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-02157C	SCHEIDT, KATHERINE	5.750	0.012				
A35-12733	SCHEIDT, KATHERINE	3.560	0.007				
A01-0003641	LARGE CLAIM	9999.990	0.420				
A01-0023741	LARGE CLAIM	9999.990	0.420				
A35-0253641	LARGE CLAIM	9999.990	0.420				
A35-0433641	LARGE CLAIM	9999.990	0.420				
A01-0203641	LARGE CLAIM	9999.990	0.420				
A01-0203641	LARGE CLAIM	9999.990	0.420				

LIST ALL RIGHTS WITH SAME JOB BUT NOT USED FOR PROPORTION:

CLAIM NO.	PROPERTY	NAME	MONTH/DAY	RATE	VOLUME
A35-11301	ST. KATHARINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.050 CFS	
A35-11301	SCHEIDT, KATHERINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.040 CFS	
A35-11301	ST. KATHARINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.050 CFS	
A35-11301	SCHEIDT, KATHERINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.040 CFS	
A35-11301	ST. KATHARINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.090 CFS	
A35-11301	SCHEIDT, KATHERINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.040 CFS	
A35-11301	ST. KATHARINE	SCHEIDT, KATHERINE ?	FR34 01-01 TO 12-31	0.050 CFS	

The overlapping beneficial use claim is being disallowed because it is for the same land, not more land, and for more water, and the claimant has not shown that it began

11.

2011/03/14E CALCULATIONS: (IRRIGATION)

1B. CALCULATIONS

1A. IRRIGATION RATE
 ACREAGE 408 X 1.02 CFS/ACRE = 416 CFS
 (TRACT 100% P/O REVIEW)

DIST. GROUND COVERED PERIOD 0.02 CFS/ACRE? Y() N(✓)

ARE THERE ANY ADDITIONAL NOTES? USE FORM FIELD AND ATTACHED? Y() N() 200

2. IRRIGATION CONSUMPTIVE USE

CALCULATED CONSUMPTIVE USE = 1333.3 A/W

ACRES 408 X CONSUMPTIVE VOL. A/W FOR AREA 3

TOTAL CONSUMPTIVE USE 1224 A/W

3. IRRIGATION CIRCULATION VOLUME

CALCULATED CIRCULATION VOLUME = A/W

ACRES 408 X IRRIGATION VOL. A/W FOR AREA 4

TOTAL IRRIGATION VOLUME 1632 A/W

4. CALCULATION FOR GROSS OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(✓)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR CONTAINED RESULTS.)

	Div. Vol.	du Vol.	Acres
E	520	390	130
F	1004	753	251
G	108	81	27
	1632	1224	408

RECOMMENDATIONS:

REC. PERIOD
 10-11-93 TO 10-11-93

REC. DIA
 RATE CFS

REC. DIA
 VOL. AF/A

REC. CONS.
 USE

DATABASE EXAMINER

DATABASE EXAMINER

DATABASE EXAMINER

Irrigation

4-1 10-31

See pages 10-11 and the split analysis in this file.

TOTAL FOR THIS CASE:

S.W. Kan

DATE: 11-23-93

REVIEWED BY:

	E	F	G	
Presumption Flag:	N/A	N/A	N/A	
Condition Codes:	N/A	E02	N/A	
Remarks:	None	None	None	

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP
FORFEIT/A35000
ADDITIONAL DIV. AMOUNT

ACCEPTED
AS CLAIMED
()
()
()
()
NEEDS
REVIEW
()
()
()
()

B. SPLIT RATE? RIGHT REVIEW

RIGHT RATE RIGHT NUMBER: 35-02167
TOTAL DIVERSION RATE OF 3 SPLITS
DATABASE 1.500
EXAMINER
CF3

SPLITS:

OLD NO. 1 NUMBERS	CURRENT CLAIM NUMBER	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	HR RIGHT NUMBERS	DIVERSION RATE
-	A35-02167A	3.500	-	-	-	-
A35-02167	A35-02167B	1.500	-	-	35-02167	1.500
A35-02167	A35-02167C	5.750	-	-	35-02167	1.500
A35-02167	A35-02167D	1.000	-	-	35-02167	1.500
A35-02167	A35-13791	1.250	-	-	35-02167	1.500

TOTAL CF3 14.500
FIELD EXAMINER 1.500

DIVERSION RATE REVIEW

DO THE SUM OF THE RATES OF THE SPLITS EQUAL THE RIGHT RATE OF 3 SPLITS? (Y/N)
IF NO, IS THE SPLIT RATE SHEET ATTACHED? (Y/N)

DATABASE
FIELD
EXAMINER

REMARKS:

See the 3-Page split analysis in this file. Silken 11-23-93

NOTIFICATION

SIGNATURE:

Shelley Walter Keen

DATE: 11-23-93

NAME OF FIELD EXAMINEE:

Shelley Walter Keen

TITLE:

Sc. W.R. Agent

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump & booster to mainlines to wheelhouses -
 8 lines - Birds (4 w/ 25 + 1 w/ 28 + 2 w/ 29 + 1 w/ 34)
 Tot 220 Birds @ 6 gpm even flow (at present only 210 birds
 operating) - = 1260 gpm = 2.8 cfs = 210 birds x 6 gpm =

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Katherine's Well	GE	100	XEG433015	Cook	10" (13018)
Booster	magnetic Century Cl.	20	6-350750-01	Cornell-Su#2	(in) 56160

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	Ultra Sonic	PolySonic	TP-2	149743	8m	V-

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Sonic - 1330.5 gpm = 2.96 cfs ^{sw Keen} 11-26-93

2. Alternate Method for Checking Purposes:

Shen - 220 birds @ 6 gpm = 1320 gpm

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:				_____

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name Lyn Bushaw

Signature Lyn Bushaw

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



R35-~~42~~-12796

Kothwinis well

Photos taken by L-Bushaw on 7-2-91.
Well at SE1/4SW, 536, T6S, R30E
R35-02167E



RECEIVED

FEB 09 1999

Department of Water Resources

DIR
Rep



R35-02167E

KATHERINE SCHROEDER
PO BOX 17
ABERDEEN

ID 83210

SCHRO17 832103002 IN 03 02/03/99
RETURN TO SENDER

NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER

