

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-04221
Date Received: 3/21/1989
Receipt No: E006253
Received By: _____

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

AMENDED

1. Name: UNIVERSITY OF IDAHO
Address: REGENTS
BOX AA
ABERDEEN ID 83210
208-397-4181

2. Date of Priority: JUN 30, 1934

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	31E	27	SW	SE	SW		BINGHAM

5. Description of diverting works:
PUMP, PIPELINE AND SPRINKLER SYSTEM.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	10/31	1.060		

7. Total Quantity Appropriated is:
1.060 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	31E	27	SE	NW		IRR	1.5
			NE	SW		IRR	25.0
			SW	SW		IRR	14.0

A35-04221

Page 1

Date: 01/04/94

MICROFILMED

APR 15 1994

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	31E	27	SE	SW		IRR	39.0
Section Acres							79.5
Total Acres							79.5

11. Place of use in counties: BINGHAM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
35-13075 AND ABERDEEN-SPRINGFIELD CANAL WATER

14. Remarks:

RIGHT NO. 35-13075 IS ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE.

RIGHT NO. 35-13075 IS ANN EXPANSION OF THIS RIGHT PURSUANT TO IDAHO CODE 42-1416(2).

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 53 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

USE OF THIS RIGHT WITH RIGHT NO. 35-13075 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.06 CFS, A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 318 AF, A TOTAL COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 238.5 AF, AND TO THE IRRIGATION OF A COMBINED TOTAL OF 79.5 ACRES IN A SINGLE IRRIGATION SEASON.

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

MICROFILMED

For Organizations:

I do solemnly swear or affirm that I am Controller of
University of Idaho Title
Organization, that I have signed the foregoing
document in the space below as Authorized Representative of
University of Idaho Title
Organization and that the statements contained in the
foregoing document are true and correct. GR Reynolds
Signature of Authorized Agent
Controller, University of Idaho
Title and Organization
1-5-94
Date

State of Idaho)
County of LATAH) SS.

Subscribed and sworn (or affirmed) before me this 5th day
of JANUARY 19 94

Nancy McConach
Notary Public

Seal

Residing at Moscow

My Commission Expires 6-22-99

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-04221
Date Received: 2/07/1989
Receipt No: 6006253
Received By: ES

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: UNIVERSITY OF IDAHO
Address: REGENTS
BOX AA
ABERDEEN, ID 83210 208-397-4181

2. Date of Priority: JUN 30, 1934

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	31E	27	SE	SE	SW		BINGHAM

5. Description of diverting works:
SEE REMARKS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	1.160		

7. Total Quantity Appropriated is:
1.160 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 145.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:


Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	31E	27	SW	SW		IRR	18.0
			SE	SW		IRR	40.0

Section Acres 58.0

A35-04221

Page 1

Date: 02/07/89




MAR 20 1989

Department of Water Resources
Eastern District Office

MICROFILM
DEC 10 1992

A3504221



10. Place of Use: Continued

Total Acres 58.0

11. Place of use in counties: BINGHAM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
 ABERDEEN-SPRINGFIELD CANAL WATER

14. Remarks:
 DEEP WELL, 7.5 HP 1934 TO 1970 W/ SURFACE IRR.
 DEEP WELL, 10HP PLUS HORIZONTAL CENTRIFUGAL BOOSTER, 30HP
 1970 TO 1977, 1977 TO PRESENT 40HP W/O BOOSTER. SPRINKLER
 IRRIGATION SYSTEM.

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am Financial Vice President of University of Idaho, that I have signed the foregoing Organization document in the space below as Financial Vice President of University of Idaho and that the statements contained in the foregoing document are true and correct.

Joseph J. Geiger
Signature of Authorized Agent
Joseph J. Geiger

Financial Vice President
University of Idaho
3-10-89
Date


State of Idaho)
County of Latah) ss.

Subscribed and sworn (or affirmed) before me this 10th day
of March 19 89

Verlene Nelson
Notary Public

Seal

Residing at Moscow, Idaho
My Commission Expires 12-1-94



R31E

T5S

A35-07613

A35-04221

DEC 10 1992

17-Jun-1991

UNIVERSITY OF IDAHO
REGENTS
PO BOX AA
ABERDEEN ID 83210

RE: **Evidence of Priority**
NO. A35-04221

Dear Claimant:

The Notice of Claim identified with the number shown at the end of this letter has been filed in the Snake River Basin Adjudication (SRBA). The Notice indicates the water usage is based on "Beneficial Use" or a "Statutory Claim". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed, at or on the place of use identified on the Notice. The date the water was first put to use, known as the priority date, has not been confirmed by a License, Decree, or Permit. For this reason, proof must be provided supporting the priority date.

For your reference I have provided a printout of your Notice and the pamphlet entitled "**Evidence of Priority**". The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. While I encourage you to read all of the pamphlet, I direct your attention to the two sections entitled "**What Kind of Evidence is Required**" and "**Some Examples of Documents Which May Be Evidence of the Priority Date**".

It is our goal to recommend this historical water rights within the Snake River Basin as accurately as possible. Field exams to verify other items of the Notice have been or soon will be conducted by Department personnel. But, the Department will not recommend the Notice be decreed by the court if no evidence of a priority date is submitted.

Please submit the required evidence supporting the priority date by JULY 15, 1991, referencing all documents with the corresponding Notice number. If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

MICROFILMED
DEC 10 1992

UNIVERSITY OF IDAHO
REGENTS
A35-04221

page 2

All Notices required to submit this evidence are currently being reviewed for recommendation to the court. Hence, the need for expediency on your part or your agency. Every effort should be made to submit this information within 30 days of the date of this letter.

Respectfully submitted,

Eric Verner
Senior Water Agent

EV:rb

Enc. Brochure on "Evidence of Priority"
Proof Report

MICROFILMED
DEC 10 1992

December 18, 1991

A35-04221

UNIVERSITY OF IDAHO
REGENTS BOX AA
ABERDEEN ID 83210

FINAL REQUEST

RE: Evidence of Priority *RESPONSE DEADLINE*
JANUARY 20, 1992

Dear Sirs:

Our records indicate that your claim, listed above, is based upon either a "Statutory Claim" or "Beneficial Use" of the water. For water rights of this type, the claimed "Priority Date" must be substantiated with supporting evidence. We previously requested this supporting evidence be submitted by July 25, 1991, and to date we have not received the requested documentation.

Before the Department can make a recommendation to the Court to decree the claim, some evidence of the priority date must be submitted. We are enclosing a brochure outlining the types of evidence you may submit, and a printout of your claim for reference. We request that you submit your evidence of priority as soon as possible.

If we do not receive the requested documentation, the Department will recommend the claim be disallowed, due to lack of evidence supporting any priority date.

Please submit the required evidence supporting the priority date by January 20, 1992. Please reference the claim number on your correspondence. If you have questions or need other assistance, please contact this office.

Sincerely,

Eric Verner
Senior Water Rights Agent

EV:jt

Enclosure: Brochure/Proof Report

MICROFILMED
DEC 10 1992



University of Idaho

College of Agriculture
Research & Extension Center
P.O. Box AA
Aberdeen, Idaho 83210-0530
208-397-4181
FAX: 208-397-4311

December 19, 1991

Eric Verner
Idaho Department of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83402

RECEIVED

DEC 20 1991

RE: A35-04221

Your letter of December 18, 1991

Department of Water Resources
Eastern District Office

Dear Mr. Verner:

I am sorry we missed the date of July 25, 1991 to submit evidence of the statutory claim date. To my knowledge I did not receive the request.

The enclosed evidence is being submitted to establish the date of this claim. It is taken from the 1934 Annual Report of the Aberdeen Substation, now the Aberdeen Research and Extension Center. Some of the pages may be irrelevant but are included to show continuity. Pages of interest are 1) title page, 2) well log, 3) Idaho Power Co. brochure, and 4) power consumption.

Please let me know if further evidence is needed to complete this claim.

Sincerely,

Larry E. Sandvol
Superintendent

LES:pt-L19DVERN

Sharla, pls
attach to
35-04221
Int Jo

MICROFILMED

DEC 10 1992

RECEIVED

Annual Report DEC 20 1991

of the Department of Water Resources
Eastern District Office

Aberdeen Substation

Aberdeen, Idaho

John L. Toevs, Superintendent

AND

Harland Stevens, Agent

1934

DEC 10 1991

C O N T E N T S

Summary of work at Aberdeen Substation, 1934	1
Metereological data by months	5
Average monthly maximum and minimum temperatures	19
Annual, mean annual, and mean monthly precipitation	22
Average date of last killing frost	23
Alfalfa hay plots	24
Average yield of alfalfa hay plots 1933-34	26
Phosphate experiments	
Residual effect of phosphate on wheat	27
Residual effect of phosphate on alfalfa hay	29
Residual effect of phosphate on potatoes	31
Residual effect of phosphate on red clover	33
Red clover seed production	32
Red clover irrigation experiments	34
Potato experiments	
Date of planting tests with Rural potatoes	37
Summary of date of planting tests with Rural potatoes	39
Date of planting tests with Russet potatoes	40
Summary of date of planting tests with Russet potatoes	42
Date of harvesting potatoes	43
Garden peas. Variety tests	46
Bean Nursery	48
Garden beans	49
Great Northern Beans	50
Summary of the bean nursery 1931-34	51
Potato variety tests	52
Rotation plots	54
Summary of yields of crops in rotation experiment 1934	58
Sugar beet variety tests	59
Pest plots	62
Drilling and pumping of well	64
Log of well	66
Cost of well	67
Pumping record	68
Electrical power rates	70
Power consumption	72
Spring lamb production	73
New work and expenditures	75

MICROFILMED
DEC 10 1992

Drilling and Pumping of Well.

The water situation in the Snake River Valley was very unfavorable especially during the early part of the season. At that time it appeared that we would only have enough water to get one cutting of hay and perhaps one grain crop. It was during this time that studies were made along the lines of building wells and it was decided to build one on the Station Farm. The Aberdeen Substation well was one of the first irrigation wells to be contracted and was the fourth well to come into production in this section.

The estimated cost as sent in to the Administration was based on the logs of other wells that had been drilled in years past. In all of these wells a sufficient water supply was found at from 90 to 100 feet depth and, of course, these figures were used to arrive at an estimate for costs of the drilling.

In drilling the Station well difficulties were encountered at the 100 foot depth. Very little water was obtained out of the rock layer and this small amount was interfered with by several layers of sand. It was therefore necessary to case off the sand and what little water we had and go to a deeper strata. A very good water supply was reached at from 200 to 222 feet. In comparing the log of this well with that of the city well it seems as though our water comes from a strata slightly above the old river gravel formation which was formed ages ago.

Pumping of well. After considerable deliberation about the size of pump to be installed it was finally decided to install a Pomona Pump with a $7\frac{1}{2}$ h.p. motor with a capacity of delivering around 70 to 80 inches of water. Considering the time saved in irrigation and the advantage of

MICROFILMED

DEC 10 1992

having more than a hundred percent stream during periods of high evaporation it was well worth while to have a pump of this size.

Several contracts were available for service of electricity by the Idaho Power Company. The plan presented by the Idaho Power Company and which was no doubt most favorable to them was that by signing a five year contract to use a minimum amount of electricity each season they would pay the construction cost of the line and apply the new irrigation rate known as Number 3 B. It was not thought probable that we would have five consecutive years in which we would need additional water so it was decided to sign up for the old irrigation rate known as 8 A which is slightly higher than the new irrigation rate and to pay the cost of extending the line.

Data follows:

MICROFILMED

DEC 10 1992

ABIRDEEN SUBSTATION

Log of the Well

Drilling on the well commenced on May 19, 1934

The record of conditions encountered follows briefly:

Encountered	Depth	Comment
5 feet soil	3	
6 " hard pan	9	
5 1/2 " clay	14 1/2	
39 1/2 " rock	54	39 1/2 ft. hard rock except at the depth of 28 feet where there was an opening one foot large but no water. At 54 feet broke into a small water course
7 " somewhat burned lava mixed with clay	61	
31 " clay	92	
1 foot flour sand	93	
1 1/2 feet clay	94 1/2	
5 1/2 " lava rock	100	
4 " clay	104	
1 1/2 " sand	105 1/2	
1 1/2 " clay	107	
40 1/2 " blue clay	147 1/2	
1 foot lava rock	148 1/2	
14 1/2 feet blue clay	163	
12 " coarse lava rock	175	
5 " water course	180	When the depth of the well was 169 feet the water level was 23 ft.
6 " solid lava rock	186	There was a small water course from 175 to 180 feet. At this depth
7 " water course	193	was found a pocket in the lava of sand containing wood and other vegetable matter. When the depth of
11 " hard rock	204	the well was 193 feet the water level
3 " water course	207	was 17'6".
5 " hard rock	212	
10 " water course	222	
222 "		

The water level was 16 feet when the drilling was completed. After the final test the water level was 15 feet.

Drilling was completed on June 10, 1934. The test was completed June 12, 1934. The pump was installed and actual operation of the well began June 30, 1934.

MICROFILMED

DEC 10 1992

Total Cost of Well

Drilling Cost

14 ft. dirt @ \$3.25	15" hole	45.50
47 ft. rock @ 6.00	15" hole	282.00
39 ft. dirt under rock @ 5.00	12" hole	195.00
50 ft. @ 5.50	12" hole	275.00
50 ft. @ 6.00	12" hole	300.00
22 ft. @ 6.50	12" hole	<u>143.00</u>

\$1240.50

Casing

168' of 12" (second hand oil
well casing) @ ave. \$2.69

451.92

Testing Well

35.30

Power Line Extension

189.79

Pump - Pomona complete	\$697.00
Starter	49.00
6 ft. O.D. casing	<u>10.00</u>
	756.00
Less 25%	<u>189.00</u>
	567.00
Installation	<u>42.00</u>

609.00

Pump House

Lumber & paint	36.00
Labor	<u>16.00</u>



52.00

Total Cost

\$2578.51

MICROFILMED

DEC 10 1992



Test Pump delivering 900 G.P.M. or 100 miner's inches.

Pumping Record

Table 38

Hour	On	Day	Hour	Off	Day	Time out Storm or Repair	Pump not Needed	Station	Number Hours Used Station	Stone
		1934			1934					
6:00 P.M.	6/30		5:00 P.M.		7/4	1 hr.	42 hrs.	94 hrs.		
11 A.M.	7/6		10:30 P.M.		7/12	14 hrs.		141 1/2 "		
7:00 A.M.	7/13		4:00 P.M.		7/14		8 1/2 "	33 "		
7:15 A.M.	7/16		6:00 P.M.		7/21		39 1/2 "	130 3/4		
6:15 A.M.	7/22		2:30 P.M.		7/22		12 1/2 "		8 1/4 hrs.	
2:30 P.M.	7/22		11:00 P.M.		7/22		8 1/2 "	10 5/4		
7:15 A.M.	7/23		6:00 P.M.		7/23		8 1/4 "	14 1/2 hrs.		
7:00 A.M.	7/24		9:30 P.M.		7/24		13 "	39 "		
7:00 A.M.	7/26		10:00 P.M.		7/27		33 1/2 "		54 hrs.	
10:00 P.M.	7/27		4:00 A.M.		7/30			48 1/4 "		32 3/4 hr.
4:00 A.M.	7/30		4:15 A.M.		8/1			48 1/2 "		
4:15 A.M.	8/1		1:00 P.M.		8/2				44 1/4 "	
1:00 P.M.	8/2		1:30 P.M.		8/4			43 1/4 "		
1:30 P.M.	8/4		9:45 A.M.		8/6				26 1/4 "	
9:45 A.M.	8/6		5:00 A.M.		8/8			73 5/4		
5:00 A.M.	8/8		7:15 A.M.		8/9				48 "	
7:15 A.M.	8/9		9:00 A.M.		8/12					
9:00 A.M.	8/12		9:00 A.M.		8/14					

15 hrs. 156 3/4 hrs. 685 3/4 hr. 180 5/4 hrs. 52 5/4.

Total

MICROFILMED
DEC 10 1992

1015701 156619

Pumping Record

Table 38 continued

Hour	On	Day	Hour	Off	Day	Time our Storm or Repair	Pump Not Needed	Station	Number Hours Used Stratton Stone
8:00 A.M.	8/14	1934	8:00 P.M.	8/17	1934			83 hrs.	33 hrs.
8:00 P.M.	8/17		5:00 A.M.	8/19					
5:00 A.M.	8/19		7:30 A.M.	8/21				50½ hrs.	
7:30 A.M.	8/21		6:00 P.M.	8/24				82½ "	34½ "
6:00 P.M.	8/24		4:30 A.M.	8/26					
4:30 A.M.	8/26		7:30 A.M.	8/28				51 "	
7:30 A.M.	8/28		5:00 P.M.	8/30				57½ "	60 "
5:00 P.M.	8/30		5:00 A.M.	9/2					
6:00 A.M.	9/3		6:00 P.M.	9/3			25 hrs.	12 "	
7:30 A.M.	9/5		9:00 P.M.	9/6			37½ "	37½ "	
7:40 A.M.	9/8		8:00 P.M.	9/8			34 2/3	12 1/3	
7:30 A.M.	9/10		2:30 P.M.	9/13			35½ hrs.	79 hrs.	Slaugh 48 hrs.
5:00 P.M.	9/15		5:00 P.M.	9/15			2½ "		
5:50 P.M.	9/20		5:30 P.M.	9/26			120½ "	144 "	
9:30 A.M.	10/10		7:45 A.M.	10/12			528 "	46½ "	
4:30 P.M.	10/12		4:30 P.M.	10/13			8 3/4	24 "	
7:00 A.M.	10/16		6:00 P.M.	10/16			62½ hrs.	11 "	
					Brought Forward				
					15		654½	589	161½ 67½ 48
							156 3/4	685 3/4	180 3/4 32 3/4
Grand Total 2591 or 108 days					15		811 1/4	1274 3/4	342½ 100½ 48

MICROFILMED
DEC 10 1982

IDAHO POWER COMPANY

SCHEDULE No. 8-A IRRIGATION PUMPING—LIMITED SERVICE

APPLICATION OF SCHEDULE:

This schedule is applicable to alternating current service for the operation of irrigation pumps subject to limitation in accordance with the amount of power available for such purpose, and when available capacity has been sold this schedule shall be applicable for service to additional customers only when and if additional capacity may become available.

When during any season the power available for irrigation pumping and not required by service using power throughout the year shall be insufficient to supply all of the customers contracting for service under this schedule then customers using service under this schedule shall be required to rotate their service as the deficiency in capacity may require.

To the extent of the capacity available this schedule shall be applicable for service during the irrigation season from April 1 to October 1 of each year, but the service (not in excess of the irrigation demand) may be used by an irrigation customer throughout the balance of the twelve months for general farm power purposes at any point upon his farm, provided always that this service must be delivered at the same point of delivery and through the same equipment installed by the Company for use in furnishing the irrigation service, and provided that high voltage transformers shall not be kept energized for use on loads of less than 25% of the rated capacity of such transformers. Such interseason service shall be billed monthly at the interseason charge, with no service charge during this period.

NET RATE:

For 110, 220 or 440 volt service

Service Charge:

\$5.00 per month per contract HP for first 5 HP.
3.50 per month per contract HP for next 5 HP
3.00 per month per contract HP for next 10 HP.
1.50 per month per contract HP for all over 20 HP.

Energy Charge:

First 90 KWH per HP per month included in service charge.
Next 90 KWH per HP per month $1\frac{1}{2}$ c per KWH.
All excess KWH per month $\frac{1}{2}$ c per KWH.

Intorseason Charge:

First 180 KWH per HP per month $1\frac{1}{2}$ c per KWH.
All excess KWH per month $\frac{1}{2}$ c per KWH.

Minimum Charge:

The minimum charge for any month shall be the service charge for that month, provided that the total charge for the irrigation season of any year shall not be less than \$22.50 per HP of the highest contract HP during the season.

GROSS RATE:

The net rate, increased by 10 per cent on the first

\$100.00 of monthly bill and 2 per cent on the balance thereof, constitutes the gross rate.

PAYMENT:

The above net rate applies only when bills are paid on or before ten days from date of bill. When not so paid, the gross rate shall apply.

CONTRACT HORSEPOWER:

Contract horsepower for any month for installations of 25 horsepower connected load or over shall be the maximum demand occurring during such month established in accordance with Rule 55 of the General Rules and Regulations, but not less than 25 horsepower.

For installations of less than 25 horsepower connected load the contract horsepower shall be taken as the sum of the manufacturer's ratings of motors installed.

When the contract horsepower is in excess of an even horsepower by a fractional part it will be taken at the even horsepower below if the fraction does not exceed one-half horsepower, and at the even horsepower above if the fraction exceeds one-half horsepower, except that in the case of loads of less than 10 HP the contract HP will be taken at the nearest half horsepower.

VOLTAGE DISCOUNT:

A discount of 10 per cent will apply to the service charge and the minimum seasonal charge of this rate where service is delivered at 2300 volts or over and less than 22,000 volts, and 15 per cent where service is delivered at 22,000 volts or over.

Issued March 22, 1928.

Issued by W. R. Putnam, Vice President and General Manager,
Idaho Power Company, Boise, Idaho.

Special P. U. C. I authority A-754.

Effective March 23, 1928.

MICROFILME

DEC 10 1992

Sup. No. 29 to P.U.C.I. No. 2
Sup. No. 37 to P.U.C. OR. No. E-5

IDAHO POWER COMPANY

Schedule No. 8-B

Irrigation Pumping - Optional

(Cash Contract Rate)

Application:

This schedule is applicable to alternating current service for the operation of irrigation and/or drainage pumps. Single or 3 phase service will be supplied at Company's option.

Availability:

This schedule is available only to customers contracting for a period of five years or longer for service during the irrigation season from April 1 to October 1 of each year, and who comply with the payment requirements as set out below. Contracts shall be signed by both farm tenant and owner, and, upon expiration, shall be extended for a like period unless sixty days' written notice to the contrary is given by either the customer or the Company.

This schedule applies to each pumping operation, and when service is rendered at more than one point of delivery, such service at each point of delivery will be billed separately and individually.

Service not in excess of the irrigation demand may be used by an irrigation customer throughout the balance of the 12 months for general farm power purposes at any point upon his farm provided always that this service must be delivered at the point of delivery and through the same equipment installed by the Company for use in furnishing the irrigation service; and provided that high voltage transformers shall not be kept energized for use on loads of less than 25% of the rated capacity of such transformers. Such inter-season service shall be billed monthly at the inter-season charge with no service charge dur-

MICROFILMED

DEC 10 1992

SCHEDULE No. 8-B -
Irrigation Pumping - Optional - Page 2

that period.

Net Rate:

Low Voltage Service (110,220 or 440 volts)

Initial Charge:

- \$5.00 per month per contract HP for first 5 HP.
- 3.50 per month per contract HP for next 5 HP.
- 3.00 per month per contract HP for next 10 HP.
- 1.35 per month per contract HP for all over 20 HP.

Energy Charge:

- First 90 KWH per HP per month included in initial charge.
- Next 90 KWH per HP per month 1¢ per KWH.
- All excess KWH $\frac{1}{3}$ ¢ per KWH.

Minimum Charge:

- Per month, the initial charge.
- Per season, \$21.00 per HP of the highest contract HP during the season.

Medium Voltage Service (2300 to less than 22000 volts)

Ten percent discount will apply to the initial charge portion of the low voltage rate. The monthly minimum charge will be the initial charge applicable to medium voltage service; the seasonal minimum charge will be \$19.50 per HP of the highest contract HP during the season.

High voltage Service (22000 volts or over)

Twenty percent discount will apply to the initial charge portion of the low voltage rate.

MICROFILME

DEC 10 1982

71 3

SCHEDULE NO. 8-B -
Irrigation Pumping - Optional - Page 3.

The monthly minimum charge will be the initial charge applicable to high voltage service; the seasonal minimum charge will be \$17.00 per HP of the highest contract HP during the season.

Interseason Charge:

First 180 KWH per HP per month, 1¢ per KWH.

All excess KWH, $\frac{1}{2}$ ¢ per KWH.

Gross Rate:

With the exception of the seasonal minimum charge, the net rate increased by 5% on the first \$100.00 of monthly bill and 2% on the balance thereof, constitutes the gross rate.

Payment:

Bills will be rendered monthly under this schedule but payment by the customer may be made in two installments. All amounts due and payable on or prior to July 1 of each year shall be paid not later than July 15 of that year; the balance of the amounts due shall be paid on or before November 30 of that year. The above net rates apply only when payment is made on or before the dates specified above, the gross rates will apply when not so paid. Service for the subsequent season or seasons will not be furnished under this schedule to customers whose accounts are not paid in full within 120 days after the close of the previous irrigation season on October 1, and service under the contract for such subsequent season or seasons shall be furnished and taken under Schedule 8-A or such other schedule as may be applicable to such service.

Contract Horsepower:

Contract horsepower for any month for installations of 25 horsepower connected load or over shall be the maximum demand occurring during such month established in accordance with Rule 55 of the General Rules and Regulations, but not less than 25 horsepower.

For installations of less than 25 horsepower connected load the contract

DEC 10 1992

horsepower shall be taken as the sum of the manufacturer's ratings of motors installed.

When the contract horsepower is in excess of an even horsepower by a fractional part it will be taken at the even horsepower below if the fraction does not exceed one-half horsepower, and at the even horsepower above if the fraction exceeds one-half horsepower, except that in the case of loads of less than 10 HP the contract HP will be taken at the nearest half horsepower.

Issued March 26, 1934. Effective with all bills rendered after April 15, 1934.

Issued by K.M. Robinson, Vice President and General Manager, Idaho Power Company, Boise, Idaho, under special authority of the Public Utilities Commission of the State of Idaho. No. A-1085 of March 26, 1934.

Issued March 27, 1934. Effective with all bills rendered after April 15, 1934

Issued by K.M. Robinson, Vice President and General Manager, Idaho Power Company, Boise, Idaho, under special authority of the Public Utilities Commissioner of Oregon, Order No. 253 of March 27, 1934.

MICROFILMED

DEC 10 1992

Power Consumption and costs per Month for Pumping Well.

Table

Date of meter Reading	K.W.H.	Amount of Bill	Total
July 19, 1934	2307	\$36.30	
Aug. 18, 1934	4557	59.90	
Sept. 18, 1934	3957	56.90	
Oct. 1, 1934	1658	27.70	
	Total	\$180.80	\$180.80
Refund on electricity for irrigation			
		\$ 6.23	
Irrigation tax exemption			
		33.15	
Total Refund and Exemption			
		\$39.38	39.38
Net cost of operating			\$141.42

MICROFILME

DEC 10 1992

DATE: 11/14/98
PAGE: 1

Stage: BENEFICIAL USE

BINGHAM County

POU County: BINGHAM

Conditions of Approval:

- USE OF THIS RIGHT IS COMBINED WITH WATER FROM ABERDEEN SPRINGFIELD CANAL CO.
- RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO SECTION 42-1425, IDAHO CODE.
- THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
 - IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER RIGHTS IN BASIN 35:
 - WATER RIGHT NO. SOURCE
 - NONE NONE
 - THE FOLLOWING WATER RIGHTS FROM THE FOLLOWING SOURCES OF WATER
 - IN BASIN 35 SHALL BE ADMINISTERED SEPARATELY FROM ALL OTHER WATER RIGHTS IN THE SNAKE RIVER BASIN:
 - WATER RIGHT NO. SOURCE
 - NONE NONE
 - ALL WATER RIGHTS WITHIN BASIN 35 ARE FROM CONNECTED SOURCES
- OF WATER IN THE SNAKE RIVER BASIN AND SHALL BE ADMINISTERED CONJUNCTIVELY.

REMARKS: QNT USE OF THIS RIGHT WITH RIGHT NO. 35-13075 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.06 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 318 AF.

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 53 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.

11-11-93

AJ0749NP
No. R35-04221

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/14/98
PAGE: 2

Remarks:

USE OF THIS RIGHT WITH RIGHT NO. 35-13075 IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 79.5 ACRES IN A SINGLE
IRRIGATION SEASON.

EXP RIGHT NO. 35-13075 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.
RIGHT NO. 35-13075 IS AN ENLARGEMENT OF THIS RIGHT PURSUANT
TO SECTION 42-1426, IDAHO CODE.

Dates:

Exam Made Date: 05/13/1993

Verified Date:

Objection Filed Date:

Misc:

Water District Number:

Field Inspection Flag:
Presumption Flag: C

52.7

70.1

80.4

HEL
2

78.0

HEL
3

64.4

21 22
28 29

CLAIM NO(S). 35-04221
DATE: 8 NOV 93 T 5 S R 31 E
SOURCE OF DOC: ASCS AERIAL
SIGNATURE: Ernest Carlson

276.5

HEL

2
28.6

77.5

38.2

2921

28 27
33 34

14

39

Well

95.6

NO. OF CLAIMS IN POLYGON 2 TRANSFER NUMBER _____
 CLAIM NUMBERS 35-04221 DATE 9-10-98 OBJECTION FILED _____
35-13075 AGENT _____ TOTAL ACRES FROM RECOMMENDATION _____

GEOGRAPHIC INFO SYSTEM

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM																			
GIS	58	34E	27							1.7	25	.1	13	39					7E
RECOM																			
GIS																			
RECOM																			
GIS																			
RECOM																			
GIS																			

UPDATED

POLYGON #

UPDATED

B35-DBPOU.DBF _____

ATTRIBUTES OF B35-POU.SHP () _____

B35-DBPOD.DBF _____

ATTRIBUTES OF B35-POD.SHP () _____

Claimant: _____

	P.O.D./Source	#	G.W.	S.W.
	Township	, Range	, Sect.	
	1.			
	2.			
	3.			

Other Rights: _____

P/U CONFLICT yes () no ()

P/D CONFLICT yes () no ()

SENT FOR DECREE yes () no ()



STATE OF IDAHO

Department of Water Resources

Eastern Region

Water Right(s): 35-04221, 35-13075

Claimant: University of Idaho

Township 05 South, Range 31 East



LEGEND

-  Point of Diversion - T05S R31E S27 SWSESW
-  Place of Use
-  Section Line
-  Quarter-section line



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: E. Carlsen
Date: September 1998

Water Right Number - R35-04221

Prefix Translation: RESEARCH

Old (D) Number -

*** C - CURRENT OWNER ***
UNIVERSITY OF IDAHO

1 - REGENTS
2 - BOX AA
3 -

City- ABERDEEN
Phone - 208-397-4181

State- ID Zip- 83210

Priority Date - +
06/30/1934

Region - +
15 EASTERN

Stage - +
J - BENEFICIAL USE

Status - +

Source - +
GROUNDWATER

Tributary - +

Twn Rng Sec Tract Lot Rflg County Point of Diversion

Diversion Name

05S 31E 27 SW SE SW

(11) BINGHAM

Code Description

Period From Period To

Water Use

Diversion Rate

Diversion Volume

01 - IRRIGATION

04/01 10/31

1.060

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
1.060 0.0

Twn	Rng	Sec	Tract	Lot	Acres	Place of Use	Code	Description	County
05S	31E	27	SE NW	1.5	01	IRRIGATION	(11)	BINGHAM	
05S	31E	27	NE SW	25.0	01	IRRIGATION	(11)	BINGHAM	
05S	31E	27	SW SW	14.0	01	IRRIGATION	(11)	BINGHAM	
05S	31E	27	SE SW	39.0	01	IRRIGATION	(11)	BINGHAM	

Total Acres: 79.5

+ - - Diversion Means - 7.5 HP PARMA PUMP OPEN DISCHARGE

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - 35-13075, ABERDEEN SPRINGFIELD CANAL CO.

+ - - Remarks -

RIGHT NO. 35-13075 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.
RIGHT NO. 35-13075 IS ANN EXPANSION OF THIS RIGHT PURSUANT TO
IDAHO CODE 42-1416(2).
THIS RIGHT IS LIMITED TO THE IRRIGATION OF 53 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.
USE OF THIS RIGHT WITH RIGHT NO. 35-13075 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.06 CFS, A TOTAL COMBINED

OK 11/5
14 Nov 94.

Water right number - R35-04221

Prefix Translation: RESEARCH

Remarks - - - - -
ANNUAL DIVERSION VOLUME OF 318 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 238.5 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 79.5 ACRES IN A SINGLE IRRIGATION SEASON.

+ - - - - Old Water Right Numbers - - - - -
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - -
E02 - USE OF THIS RIGHT IS COMBINED WITH WATER FROM
- ABERDEEN SPRINGFIELD CANAL CO.

+ - - - - Decree Plaintiff - - - + - - - Decree Defendant - - - +
+ - Decree Date - +
00/00/0000

+ - - Audit Fields - 11/04/92 DCARLSON 11/08/93 CARLSEN 11/19/93 THOMPSON 01/21/94 CARLSEN 03/10/94 CARLSEN

+ - - - - Comments - - - - -
Date: 11/08/1993 User Id: CARLSEN Subject: COPIED FROM REMARKS
DEEP WELL, 7.5 HP 1934 TO 1970 W/ SURFACE IRR. DEEP WELL, 10HP PLUS HORIZONTAL CENTRIFUGAL BOOSTER, 30HP
1970 TO 1977, 1977 TO PRESENT 40HP W/O BOOSTER. SPRINKLER IRRIGATION SYSTEM.

+ - - - - Adjudication Rights Dates and Flags Area - - - - -

Court Report Filing	- 00/00/0000	Field Inspection Made	- 05/13/1993	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 03/21/1989	Last Amended Date	- 00/00/0000	Temporary Right	- P
Proof Due Date	- 00/00/0000	Proof Made Date	- 00/00/0000	Water District	-
Licensed Date	- 00/00/0000	Receipt Number	- E006253	Federal/State Indicator	- S
Claims Tape Error Flag	-	POU Ownership Flag	- Y	Presumption Flag	- E
Fee Exempt Flag	-	Name Connector	-	Notice of Error Flag	-

LAST: UNIVERSITY OF IDAHO
ADDRESS: REGENTS

FIRST:

CITY: BOX AA
ABERDEEN
PHONE NUMBER: 209-397-4131

STATE: ID ZIP: 83210

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

DATABASE
Y

FIELD
EXAMINER

CLAIM REMARKS: DEEP WELL, 7.5 HP 1934 TO 1970 W/ SURFACE IRR.
DEEP WELL, 10HP PLUS HORIZONTAL CENTRIFUGAL BOOSTER, 30HP
1970 TO 1977, 1977 TO PRESENT 40HP W/O BOOSTER. SPRINKLER
IRRIGATION SYSTEM.

FIELD EXAMINATION INFORMATION

CONTACT PERSON:

DATE OF FIELD EXAM: 13 May 93.

APPOINTMENT MADE: Y (✓) N ()

ACCOMPANIED BY: Robert Buffe, Farm Supervisor.

PHONE NUMBER: () - - -
TIME: - : - A (A) P ()
PHONE NUMBER: () - - -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY: REMARKS:

12 May 93 To Robert Buffe - will be available to meet with me tomorrow.

- Need to check for measurement data on 35-08592.

A. AJ CLAIM: # A35-04221

PRIORITY DATE: 06-30-1934

STAGE: 5

B. HR RECORD: # 35-04221

PRIORITY DATE: 06-30-1934

STAGE: 5

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
NFIELD
EXAMINERARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

REMARKS:

Excerpts from 1934 Annual Report of the Aberdeen Substation reveal
drilling was completed on June 10, 1934 and irrigation pumping started 6:00 P.M.
on June 30, 1934.

RECOMMENDED PRIORITY DATE:

06-30-1934

REVIEWED BY

EMC

DATE 8 NOV 93

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A35-04221	055	31E	27	~~SE~~ SW	SE	SW		BINGHAM

OTHER AJ CLAIMS WITH SAME AJ POD

MR RECORDS IN SAME 40 ACRE TRACT

A PREFIX R PREFIX
NONE

NONE

SOURCE: GROUNDWATER

TRIB:

B. MR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-04221	055	31E	27		SE	SW		BINGHAM

OTHER MR RECORDS WITH SAME MR POD

AJ CLAIMS IN SAME 40 ACRE TRACT

A PREFIX R PREFIX

NONE

NONE

NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

Y

N

DATABASE

FIELD
EXAMINER

REMARKS:

40 Hp. High Thrust U.S. motor on verti line turbine pump, 8" diameter mainline

-AGCS Aerial photo shows the well is in the SW SE SW Sec 27. This represents a correction in the legal description, not a change in location for the well.

-Excerpts from 1934 annual report for Aberdeen Substation confirm the use of a 7 1/2 Hp. parva pump with open discharge. The static water level is recorded as 115' on the well log.

Pgs 35-13075

POINT OF DIVERSION REVIEW SHEET CONTINUED

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:
T.M.P. RGE. SEC.

SS 3E 21 SW SE SW

SOURCE: GROUNDWATER TRIB:

REVIEWED BY: ENC


DATE: 8/10/93

1/4

LOT

COUNTY

Bingham.



PRESUMPTION FLAG:

REMARKS:

Claim remarks indicate the diverting works were upgraded in 1977. Ditches appearing on the 1987 photo in the NE 1/4 S27 east of the railroad tracks suggest this land was still being flood irrigated.

RECOMMENDATIONS:

TOTAL ACRES:

53 AC. / 79.5

REVIEWED BY:

ELC

DATE:

8 NOV 93

REMARKS:

- K91 35-13675

K96 53 ac.

A. AS CLAIMED USES:

PURPOSES
A35-04221 IRRIGATIONMONTH/DAY
FROM 04-01 TO 11-01

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
1.160 CFS
1.160 CFS

B. HR RECORDED USES:

PURPOSES
35-04221 IRRIGATIONMONTH/DAY
FROM 04-01 TO 11-01

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
1.160 CFS
1.160 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	FIELD	EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u>AL</u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u>AL</u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u>AL</u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO HR STANDARD OR OTHER?

4-1 to 10-31

Y() N(☒)
Y(☒) N()

EXPLAIN IN REMARKS, BELOW.

REMARKS:

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? V(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 1.160 CFS
 MR ROOT RIGHT TOTAL DIVERSION RATE: 1.160 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
 ** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
 ** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

FIELD
 DATABASE EXAMINER

DOE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) Y

B. MEASUREMENT METHOD FLOW MEASUREMENT
 SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? V(☐) N(☐) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: ABERDEEN-SPRINGFIELD CANAL WATER

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-04221	GROUNDWATER	UNIVERSITY OF IDAHO	1.160	0.020		
A35-07643	GROUNDWATER	UNIVERSITY OF IDAHO	1.800	0.020		
A01-0029721	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		
A01-0002371	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		
A35-0254521	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		
A35-0424521	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		
A01-0205861	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		
A01-0205861	LARGE CLAIM	LARGE CLAIM	9999.990	0.420		

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE
ACRES 53 X 0.02 CFS/ACRE = 1.06 CFS
(TAKEN FROM P/U REVIEW)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(X) N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N(X) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 145.0 AF/A

ACRES 79.5 X CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 238.5 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 79.5 X DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 318 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

EPL 35-13075 1.06 cfs 318 AF 238.5 AF 79.5 ac

1B. CALCULATIONS

Theoretical

$$\frac{(7.5 \text{ H.P.}) (8.814) (.7)}{0 \text{ PSI} + (15 \times 2308)} = \frac{46.2}{34.62} = 1.33 \text{ cfs}$$

see remarks for diverting
pg 3
pg 134

- Original claim based on 0.02 cfs/ac;
recommend 53 ac x 0.02 = 1.06 cfs.

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	04-01 11-01	DATABASE EXAMINER ~~1.062180~~	DATABASE EXAMINER ~~145.0~~	DATABASE EXAMINER ~~145.0~~
TOTAL FOR THIS RIGHT		~~1.062180~~		~~145.0~~

REVIEWED BY: SNC

DATE: 8 NOV 93

14 Nov 94.

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____ACCEPTED
AS CLAIMED
()
NEEDS
REVIEW
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-04221

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
1.160

EXAMINER

CFS

SPLITS:

OLD RIGHT
NUMBERSCURRENT
CLAIM NUMBERSDIVERSION
RATECURRENT "R"
CLAIM NUM."R" DIV.
RATEWR RIGHT
NUMBERSDIVERSION
RATE

A35-04221

1.160

-

35-04221

1.160

TOTAL CFS

1.160

1.160

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)DATABASE
YFIELD
EXAMINER

REMARKS:

Right claimed in full.

AUTHENTICATION:

SIGNATURE: *Ernest Carlson*DATE: *8 Nov 93.*NAME OF FIELD EXAMINER: *Ernest Carlson*TITLE: *W.R. Supervisor*

MR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE		SENT 17 JUN 91						
POINT OF DIV	Y		EMC 13 May 93	Y	5 + 2	EMC 8 NOV 93	EMC 8 NOV 93	EMC 8 NOV 93
SOURCE			X	Y	5	EP5		
PLACE OF USE	Y		X	Y	5 + 2	EP1		
DIV. AMOUNT CFS/VOLUME						EP1		
CONSUMPTIVE USE								
PURPOSES								
PERIOD OF USE								
BASIS OF CLAIM								
REMARKS	Y			Y	6	Condition Code		

"VERIFIED BY" CODES

TOPG MAP/ORTHOC-PQ = 1
ASCS MAP = 2
MASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

EP2
PRESUMPTION FLAG E.

BAR Code.

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

RR 72 8 NOV 93.

Department of Water Resources

CLAIM TO A WATER RIGHT

(7) If you are claiming water as a member of an organization, list name of organization

B) Remarks

Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

NOTE:

~~The filing deadline has been extended~~
with a substantially increased fee
Date Claim Filed Fee
Until 6-30-1983 \$ 30
7-01-1983 thru 6-30-1984 \$100
7-01-1984 thru 6-30-1985 \$200

State of Idaho)
County of Bingham) ss.

County of Bingham)

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with the attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

Galen M. Martin, Supt.
(Claimant)

Sworn to before me this 24th day of June

19 83
Vera C. Hiebert
Notary Public
Residing at Aberdeen ID 83210

My commission expires 28 July 1983

Received by *BP* Date *6-2-83* Exception filed by
Prelim. check by *S.M.* Date *7-8-83*
\$30.00 fee received by *BP* Date *7-8-83*
Published in *Blackfoot News*
Dates *8/25 - 9/11/83*

Forwarded to
claimant by Date

November 20, 1998

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 18, 1998

Water right number: 35-04221

UNIVERSITY OF IDAHO
REGENTS
BOX AA
ABERDEEN ID 83210

Daytime Telephone Number:

Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12/16/98 SIGNATURE: Jeffrey C. Stark - Superintendent
Please print your name: Jeffrey C. Stark

IDWR Eastern Regional Office, 900 N. Skyline Drive, Suite A, Idaho Falls, ID 83402-1718, (208) 525-7161

RECEIVED

DEC 22 1998

Department of Water Resources

E

CLAIMANT	O WATER RIGHT C NUMBER	STG STA	PRIORITY DATE	SOURCES OF WATER	TRIBUTARIES OF
BOISE STATE UNIVERSITY	C A63-07091	L/	04/09/1968	BOISE RIVER	SNAKE RIVER
BOISE STATE UNIVERSITY	C A63-07287	L/	12/24/1969	BOISE RIVER	SNAKE RIVER
BOISE STATE UNIVERSITY	C A63-27213	J/	03/15/1950	GROUNDWATER	
BOISE STATE UNIVERSITY	C A63-27214	J/	03/15/1950	GROUNDWATER	
BOISE STATE UNIVERSITY	C A63-27216	J/	03/15/1950	GROUNDWATER	
BOISE STATE UNIVERSITY	C A63-27217	J/	03/15/1950	GROUNDWATER	
IDAHO STATE UNIVERSITY	C A29-07289	L/	09/22/1975	GROUNDWATER	
IDAHO STATE UNIVERSITY	C A29-10988	J/	03/15/1940	UNNAMED STREAM	
STATE OF IDAHO	C A37-10839	D/	02/22/1883	LITTLE WOOD RIVER	
UNIVERSITY OF IDAHO	C A22-07240	P/	06/01/1979	GROUNDWATER	
UNIVERSITY OF IDAHO	C A22-11432	J/	07/01/1954	GROUNDWATER	
UNIVERSITY OF IDAHO	C A35-04221	J/	06/30/1934	GROUNDWATER	
UNIVERSITY OF IDAHO	C A35-13075	J/	04/01/1978	GROUNDWATER	
UNIVERSITY OF IDAHO	C A47-08068	P/	07/23/1987	GROUNDWATER	
UNIVERSITY OF IDAHO	C A47-11324	J/	12/31/1920	GROUNDWATER	
UNIVERSITY OF IDAHO, REGENTS	C A35-07643A	L/	10/05/1976	GROUNDWATER	
UNIVERSITY OF IDAHO, REGENTS	C A35-07643B	L/	10/05/1976	GROUNDWATER	
UNIVERSITY OF IDAHO, REGENTS	C A77-02219	L/	03/06/1948	PIONEER CREEK RUSH CREEK CLIFF CREEK	
UNIVERSITY OF IDAHO REGENTS	C A63-02851	L/	03/12/1951	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-05359	S/	01/01/1963	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-05360	S/	01/01/1920	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-05361	S/	01/01/1909	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-05362	S/	01/01/1950	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-08305	L/	05/06/1976	GROUNDWATER	
UNIVERSITY OF IDAHO REGENTS	C A63-08633	L/	03/30/1977	GROUNDWATER	

COPIES OF THE
SIGNED AGAIN TO:

MIKE LARSON
STATE BOARD OF EDUC
Pm 307 LEV B JORDAN Bldg
BOISE HOUSE
BOISE ID 83720

8-25-95 - This print-out
came from the State Office.
I did not do anything.
Don't know if this was
done in Boise or not!

BIG CREEK
BIG CREEK
BIG CREEK

RECEIVED

AUG 16 1995

Department of Water Resources
Eastern District Office

Identification No. 35-04221

University of Idaho

QUALITY REVIEW CHECKLIST FOR REPORT READY SRBA CLAIMS

	N/A	YES	NO	*
1. Does the name and address meet the USPS and our data entry standards?		☒		
2. Does the CVR contain information as to how the priority date was determined?		☒		
If the claim is based on beneficial use, is there an analysis of the evidence of priority submitted?		☒		
Is the stage code correct?		☒		
Did the reviewer initial the recommendation of the priority date?		☒		
3. Does the CVR contain information as to how the point of diversion was determined?		☒		
Did the reviewer initial the recommendation of the point of diversion and the source and tributary?		☒		
Does the CVR contain a description of the system that includes information as to how the source and/or tributary were determined?		☒		
4. Does the CVR contain information as to how the place of use and number of acres (for irrigation rights) were determined?		☒		
Did the reviewer initial the recommendation of the place of use?		☒		
5. Does the CVR contain information as to how the nature of use and the season of use were determined?		☒		
Does the CVR contain information as to how the diversion rate was determined?		☒		
Does the CVR contain information as to how the diversion volume was determined?		☒		
Does the CVR contain information as to how the consumptive use volume was determined?		☒		
Did the reviewer initial the recommendation of the nature of use, the season of use, the rate of diversion, the diversion volume and the consumptive use volume?		☒		
6. If the claim is based on a right recorded with IDWR, was the total diversion rate claimed?		☒	☒	
If the total diversion rate was not claimed, is a review sheet attached?		☒	☒	☒
7. If the claim is based on a right that has conditions/remarks, have these conditions/remarks been considered in the recommendation?	☒			
Are all appropriate conditions/remarks included in the recommendation?		☒		
8. If remarks are included, are the remarks consistent with the "standard remarks" described in Adjudication Memo 32?		☒		
9. If this claim is not being recommended, is the status code correct?	☒			
10. Did the reviewer sign the CVR?		☒		
11. Has the "quicklook" page been completed?		☒		
12. If additional documents were used in the investigation of this right, are copies of those documents included in the file, or is there a reference to the identity and location of the documents?		☒		
13. Does the file contain a copy of the recommended right?		☒		

* See attachment for additional information or explanation.

6. Claim was amended to reflect theoretical Q.

Quality control review by 9 date 11-15-94 Data entry changes by _____ date _____