

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 51-07127A

2001 APR -2 AM 8:36

DISTRICT COURT-SRBA
TWIN FALLS CO., IDAHO
FILED

NAME AND ADDRESS: GEORGE W ANTHONY
PO BOX 230
FILER, ID 83328

SOURCE: GROUNDWATER

QUANTITY: 0.80 CFS
320.00 AFY

USE OF THIS RIGHT WITH RIGHT NO. 51-02256, 51-02257, 51-07120
AND 51-07127A IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF
11.10 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF
3608 AF.

PRIORITY DATE: 11/20/1969

POINT OF DIVERSION:	T09S R12E S27	SENE	Within Twin Falls County
	S34	NENW	Within Owyhee County
	S35	NESE	Within Twin Falls County
		SWNW	

TWO (2) POINTS OF DIVERSION LOCATED IN T09S, R12E, S34, NESE.

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	Irrigation	03-15 TO 11-15	0.80 CFS 320.00 AFY

PLACE OF USE:	Irrigation	Within Owyhee County
	T09S R12E S34	NENE 40.0
	S35	SWNW 40.0
	80.0 Acres Total	

USE OF THIS RIGHT WITH RIGHT NO. 51-02256, 51-02257, 51-07120
AND 51-07127A IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL
OF 902 ACRES IN A SINGLE IRRIGATION SEASON

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

AFTER SPECIFIC NOTIFICATION BY THE DEPARTMENT, THE RIGHT
HOLDER SHALL INSTALL A SUITABLE MEASURING DEVICE OR SHALL ENTER
INTO AN AGREEMENT WITH THE DEPARTMENT TO DETERMINE THE AMOUNT
OF WATER DIVERTED FROM POWER RECORDS AND SHALL ANNUALLY REPORT
THE INFORMATION TO THE DEPARTMENT

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.



Roger Burdick
Presiding Judge of the
Snake River Basin Adjudication

08/16/2000

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 51-7127A

NAME AND ADDRESS: GEORGE W ANTHONY
PO BOX 230
FILER, ID 83328

SOURCE: GROUND WATER

QUANTITY: 0.8 CFS

USE OF THIS RIGHT WITH RIGHT NO. 51-2256, 51-2257, 51-7120,
AND 51-7127A IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF
11.10 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF
3608 AF.

PRIORITY DATE: 11/20/1969

POINT OF DIVERSION: T09S R12E S27 SENE Within TWIN FALLS County

TWO (2) POINTS OF DIVERSION LOCATED IN T09S, R12E, S34,
NESE.

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03-15 11-15	0.8 CFS 320 AFY

PLACE OF USE:

<u>IRRIGATION Within OWYHEE County</u>			
T09S R12E S34	NENE	40	T09S R12E S35
80 ACRES TOTAL			SWNW 40

USE OF THIS RIGHT WITH RIGHT NO. 51-2256, 51-2257, 51-7120,
and 51-71227A IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL
OF 902 ACRES IN A SINGLE IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE
EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE
ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER
THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6),
IDAHO CODE.

After specific notification by the department, the right
holder shall install a suitable measuring device or shall
enter into an agreement with the department to determine the

*Must
revise*

amount of water diverted from power records and shall annually report the information to the department.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

RIGHT NO. 51-2256, 51-2257 AND 51-7120 ARE ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE.

State of Idaho
Department of Water Resources
Water Right License

RECEIVED

AUG 09 2000

WATER RESOURCES
WESTERN REGION

WATER RIGHT NO. 51-07127A

Priority: November 20, 1969

Maximum Diversion Rate:

0.80 CFS

Maximum Diversion Volume:

320.0 AF

This is to certify, that GEORGE W ANTHONY

PO BOX 230

FILER ID 83328

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 20, 1969; and has submitted Proof of Beneficial Use on January 30, 1980. An examination indicates that the works have a diversion capacity of 15.830 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.80 CFS	320.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 27, Township 09S, Range 12E
TWIN FALLS County
NENW , Sec. 34, Township 09S, Range 12E
OWYHEE County
NESE , Sec. 34, Township 09S, Range 12E
SWNW , Sec. 35, Township 09S, Range 12E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	12E	34	NENE	40		40
		35	SWNW	40		40

Total number of acres irrigated: 80


CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
2. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
3. Two points of diversion are located within NESE, S34, T9S, R12E.
4. Rights 51-02256, 51-02257, 51-07120 and 51-07127A when combined shall not exceed a total diversion rate of 11.10 cfs, a total annual maximum diversion volume of 3608.0 af at the field headgate, and the irrigation of 902 acres.
5. Rights 51-02256, 51-02257 and 51-07120 are also diverted through the points of diversion described above.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 51-07127A

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 7TH day of AUGUST, 2000.


KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT	)	ORDER GRANTING PETITION
NO. 51-07127A IN THE NAME OF	)	TO REMOVE MEASURING
GEORGE W. ANTHONY	)	DEVICE REQUIREMENT
_____	)	

This matter having come before the Department of Water Resources (Department) as a petition to remove a measuring device requirement, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On February 5, 1970, the Department issued Permit 51-07127A (permit) to George W. Anthony (permit holder) with a condition of approval requiring the installation of a measuring device as part of the diverting works.
2. On July 18, 2000, the Department received a petition to remove the measuring device requirement from the permit holder's attorney.
3. Installation of a measuring device is not necessary at this time because the Department does not actively measure water in this area.

CONCLUSIONS OF LAW


1. Beneficial Use Examination Rule 35.02.d. (IDAPA 37.03.02.35.02.d.) provides for the waiver of a measuring device requirement by the Department.

ORDER

The condition of approval requiring the installation of a measuring device as part of the diversion works for the permit is **MODIFIED** as follows:

After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

Dated this 27th day of July, 2000.



L. GLEN SAXTON
Chief, Water Allocation Bureau

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A51-07127A

Date Received: 1/10/1989

Receipt No: MOO 2506

Received By: gre

JAN 23 1989

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

Department of Water Resources

1. Name: GEORGE W. ANTHONY
Address: P.O. BOX 632
BUHL, ID

208-326-4785

83316

2. Date of Priority: NOV 20, 1969

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
09S	12E	27	NE	SE	NE		OWYHEE
		34	SE	NE	NW		OWYHEE
			NE	NE	SE		OWYHEE
			SE	NE	SE		OWYHEE
		35	SE	SW	NW		OWYHEE

5. Description of diverting works:
WELL, PUMP & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	10/31	0.800		

7. Total Quantity Appropriated is:
0.800 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is 960.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A51-07127A

Page 1

Date: 01/10/89

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
09S	12E	34	NE		NE		IRR	40.0
			NW		NE		IRR	40.0
			SW		NE		IRR	40.0
			SE		NE		IRR	40.0
			NE		NW		IRR	40.0
			SW		NW		IRR	40.0
			SE		NW		IRR	40.0
							Section Acres	280.0
		35	SW		NW		IRR	40.0
							Section Acres	40.0
							Total Acres	320.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
51-2257.

14. Remarks:

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): George H. Anthony Date: 1/10/89

Date: _____

State of Idaho)
County of Twy Telle) SS.

Subscribed and sworn (or affirmed) before me this 10 day


of Jan 19 89

John Doherty
Notary Public

Seal

Residing at Boise Id

My Commission Expires 6/2/94



③

under rights plotted 6-8-2
Rm Moffet

RECEIVED

COPY

AUG 15 2000

WATER RESOURCES
WESTERN REGION

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Subcase No. 51-07127A

Case No. 39576

NOTICE OF COMPLETED
ADMINISTRATIVE PROCEEDING


IDWR has completed the following Administrative proceeding: **LICENSE ISSUED**

Name of Claimant: George W Anthony

IDWR certifies that it has completed its investigation into the changes to the elements of the water rights listed above as set forth in the attached *Amended Director's Reports* for said water rights. No other changes have been made to the elements of these water rights except as set forth above.

IDWR has served copies of the *Notice of Completed Administrative Proceeding* and *Amended Director's Report(s)* on the claimant(s) and all parties in the subcases affected, if any, as reflected on the attached certificate of mailing.


Dated: 8/11/00


Signature of IDWR Representative

CERTIFICATE OF MAILING

I certify that on 8-11, 2000, I mailed the original and copies of this form to the following persons, postage prepaid and addressed as follows:

1. Original to:
Clerk of the District Court
Snake River Basin Adjudication
253 Third Avenue North
PO Box 2707
Twin Falls ID 83303-2707
2. One Copy to:
Claimant or attorney of record:
George W Anthony
PO Box 230
Filer ID 83328
3. One Copy to:
Chief Natural Resources Division
Office of the Attorney General
PO Box 44449
Boise ID 83711-4449
4. One Copy to:
United States Dept of Justice
Environment & Natural Resource Div
550 West Fort Street MSC 033
Boise ID 83724



Signature of person or attorney mailing the form

IDAHO DEPARTMENT OF WATER RESOURCES
AMENDED DIRECTOR'S REPORT OF WATER RIGHTS ACQUIRED UNDER STATE LAW

08/10/2000

RIGHT NUMBER: 51-7127A

NAME AND ADDRESS: GEORGE W ANTHONY
~~PO BOX 632~~
PO BOX 230
~~BUHL ID 83316~~
FILER, ID 83328

QUANTITY: 0.8 CFS
320 AFY

USE OF THIS RIGHT WITH RIGHT NO. 51-2256, 51-2257, 51-7120,
AND 51-7127A IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF
11.10 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF
3608 AF.

PRIORITY DATE: 11/20/1969

POINT OF DIVERSION: T09S R12E S27 SENE ~~NENE~~ ~~NESW~~ Within TWIN FALLS County
~~T09S R12E S28 NWSE SESE Within OWYHEE County~~
T09S R12E S34 NENW ~~SWNW~~ Within OWYHEE County
T09S R12E S34 NESE Within TWIN FALLS County
T09S R12E S35 SWNW Within TWIN FALLS County
~~T10S R12E S02 NENW Within OWYHEE County~~

TWO (2) POINTS OF DIVERSION LOCATED IN T09S, R12E, S34,
NESE.

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03-15 11-15	0.8 CFS
	~~04-01 10-31~~	~~320 AFY~~

PLACE OF USE:

IRRIGATION Within OWYHEE County
T09S R12E S34 NENE 40 T09S R12E S35 SWNW 40
80 ~~320~~ ACRES TOTAL

USE OF THIS RIGHT WITH RIGHT NO. 51-2256, 51-2257, 51-7120,
and 51-71227A IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL
OF 902 ACRES IN A SINGLE IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO
CODE.

AFTER SPECIFIC NOTIFICATION BY THE DEPARTMENT, THE RIGHT
HOLDER SHALL INSTALL A SUITABLE MEASURING DEVICE OR SHALL ENTER
INTO AN AGREEMENT WITH THE DEPARTMENT TO DETERMINE THE AMOUNT
OF WATER DIVERTED FROM POWER RECORDS AND SHALL ANNUALLY REPORT
THE INFORMATION TO THE DEPARTMENT.

EXPLANATORY MATERIAL: BASIS OF CLAIM - ~~Permit~~-License

RIGHT NO. 51-2256, 51-2257 AND 51-7120 ARE ALSO DIVERTED
THROUGH POINT OF DIVERSION DESCRIBED ABOVE.

Job	Start Time	Usage	Phone Number or ID	Type	Pages	Mode	Status
438	8/11 12:07PM	0'58"	12087362121	Send.....	4/ 4	EC144	Completed.....
Total		0'58"	Pages Sent: 4		Pages Printed: 0		

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA	)	Subcase No. 51-07127A
	)	
Case No. 39576	)	
	)	NOTICE OF COMPLETED
	)	ADMINISTRATIVE PROCEEDING


IDWR has completed the following Administrative proceeding: LICENSE ISSUED

Name of Claimant: George W Anthony

IDWR certifies that it has completed its investigation into the changes to the elements of the water rights listed above as set forth in the attached *Amended Director's Reports* for said water rights. No other changes have been made to the elements of these water rights except as set forth above.

IDWR has served copies of the *Notice of Completed Administrative Proceeding* and *Amended Director's Report(s)* on the claimant(s) and all parties in the subcases affected, if any, as reflected on the attached certificate of mailing.

Dated: 8/11/00


Signature of IDWR Representative

NOTICE OF COMPLETED
ADMINISTRATIVE PROCEEDING
5/11/96

RECEIVED

APR 01 1999

Department of Water Resources

RECEIVED

APR 06 1999

WATER RESOURCES
WESTERN REGION

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Case No. 39576

A. Subcase 51-07127A

(Insert water right number)

STANDARD FORM 1
OBJECTION

Please fill in the following information:

B. NAME AND ADDRESS OF PERSON OBJECTING

Name: United States of America acting through the Department of Interior,
Bureau of Land Management, Idaho State Office

Address: 1387 South Vinnell Way
Boise, Idaho 83709-1657

Daytime Phone: see below

Name & Address of Attorney, if any:

Larry A. Brown 208 387-0835; R. Lee Leininger, 202 305-0242; Paul F. Holleman, 202 305-0494

United States Department of Justice; Environment and Natural Resource Division; General Litigation Section
550 West Fort Street, MSC 033; Boise, Idaho 83724

C. CLAIMANT OF WATER RIGHT AS LISTED IN DIRECTOR'S REPORT

Name: George W. Anthony

Address: P.O. Box 632 Buhl, ID. 83316

Name:

Address:

Name:

Address:

Name:

Address:

F.

VERIFICATION (Must be Completed)

State of Idaho)

) ss.

County of Ada)

Fredric W. Price, Water Rights Specialist, duly sworn, upon oath, deposes and says:

(Name of person filing objection)

That I am the party/claimant filing this objection, as defined by I.C. §§ 42-1401A(1) and (6) or that I am the attorney for the party/claimant objecting and that I have read this objection, know its contents and believe that the statements are true to the best of my knowledge.

Fredric W. Price
(Signature of person filing objection)

Kary C. Brown
(Attorney signing in representative capacity)


Subscribed and sworn to before me on: Jan. 29, 1999

John W. Thornburgh

Notary Public for Idaho

Residing at: Boise

My Commission Expires: 05-16-2003



AJ5856NP

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-20-1998
PAGE: A-614

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 51-07127A

NAME & ADDRESS: GEORGE W ANTHONY
PO BOX 632
BUHL ID 83316

SOURCE: GROUNDWATER

QUANTITY: 0.8 CFS

PRIORITY DATE: 11/20/1969

POINT OF DIVERSION: T09S R12E S27 Within Owyhee County

S28

S34

S35

T10S R12E S03

NWNE

SENE

NESW

NWSW

NWSE

SESE

NENW

SWNW

NESE

SWNW

NENW

BLM

BLM

BLM

BLM

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE
IRRIGATION

PERIOD OF USE
04-01 10-31

QUANTITY
0.8 CFS

PLACE OF USE:

IRRIGATION
T09S R12E S34

Within Owyhee County

NENE 40

NENW 40

SWNW 40

NWNE 40

SWNW 40

SWNE 40

SENE 40

SENE 40

S35

320 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION
IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION
OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS
SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL
BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY
IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.

EXPLANATORY MATERIAL: BASIS OF CLAIM - PERMIT



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

5/18/2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GEORGE W. ANTHONY
PO BOX 632
BUHL, IDAHO 83316

COPY

RE: BENEFICIAL USE EXAM FOR PERMIT 51-07127A

Dear Mr. Anthony:

On 5/18/2000 I telephoned you to schedule a time to perform a Beneficial Use Exam for permit 51-07127A. This letter is to confirm the time and place for that meeting. I will meet you at 10:00 am on Tuesday 6/6/2000 at the well using the following directions:

Take Highway 93 to 3700 N Road and turn right. Stay on this road until I pass Balanced Rock to the first fork in the road and take the left fork. Continue on this road until I reach E 0100 Road and turn right on E 0100 Road. Go approximately 3 miles to a road and turn west up the hill to the pump located $\frac{3}{4}$ of mile up the hill.

I have sent a copy of this letter to your attorney, Jason Miciak, and the attorney for the Bureau of Land Management (BLM), Larry Brown. Your attorney requested to accompany us on this Beneficial Use Exam. The BLM attorney may also request to accompany us on this exam. I am comfortable performing the field exam with the attorneys present and will let you and your attorney work out the details if necessary.

If you have any questions or concerns please contact me at the above address.

Respectfully,

Daniel A. Nelson
Sr. Water Right Agent

Cc Jason Miciak
Larry Brown - BLM

MEMORANDUM

TO: SUSAN HAMLIN-NYGARD
FROM: DANIEL A NELSON – WESTERN REGION
DATE: 5/19/2000
SUBJECT: GEORGE ANTHONY BENIFICIAL USE EXAM (51-07127A)

I have set the appointment to do the Beneficial Use Field Exam for Tuesday 6/6/2000. I have sent this letter to George Anthony, Jason Miciak, Larry Brown, and you. Please put a copy of this letter in adjudication and/or attorney files. I believe that Roxanne Brown still has the files. Thank you for all of your help on this matter.

WR5808NP
(OD-26)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROOF READING REPORT

05/11/00 09:31:25
Page 1

Water Right Number - 51-07127A

Prefix Translation: WATER RIGHT

Old (D) Number -

*** C - CURRENT OWNER ***
ANTHONY

GEORGE W.

1 - P.O. BOX 632
2 -
3 -

City- BUHL
Phone -

State- ID Zip- 83316

Priority Date - 11/20/1969

Region - 14. WESTERN

Stage - P - PERMIT

Status -

Source - GROUNDWATER

Tributary -

Twn	Rng	Sec	Tract	Lot	Rflg	County	Point of Diversion	Diversion Name	Diversion Rate	Diversion No.
-----	-----	-----	-------	-----	------	--------	--------------------	----------------	----------------	---------------

09S	12E	27	NW NE	(73)	OWYHEE					
			SE NE	(73)	OWYHEE					
			NE SW	(73)	OWYHEE					
			NW SW	(73)	OWYHEE					
			NW SE	(73)	OWYHEE					
			SE SE	(73)	OWYHEE					
			NE NW	(73)	OWYHEE					
			SW NW	(73)	OWYHEE					
			NE SE	(73)	OWYHEE					
			SW NW	(73)	OWYHEE					
			NE NW	(73)	OWYHEE					

10S	12E	3	NE NW	(73)	OWYHEE					
-----	-----	---	-------	------	--------	--	--	--	--	--

01	IRRIGATION	04/01	10/31	0.800						
----	------------	-------	-------	-------	--	--	--	--	--	--

01	IRRIGATION	04/01	10/31	0.800						
----	------------	-------	-------	-------	--	--	--	--	--	--

01	IRRIGATION	04/01	10/31	0.800						
----	------------	-------	-------	-------	--	--	--	--	--	--

01	IRRIGATION	04/01	10/31	0.800						
----	------------	-------	-------	-------	--	--	--	--	--	--

09S	12E	34	NE NE	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	NW NE	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	SW NE	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	SE NE	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	NE NW	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	SW NW	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	34	SE NW	40.0	01	IRRIGATION	(73)	OWYHEE		
09S	12E	35	SW NW	40.0	01	IRRIGATION	(73)	OWYHEE		

Total Acres: 320.0

- - - Diversion Means -

Prefix Translation: WATER RIGHT

+ + + + +

Remarks

+ + + + +

+-----+
+-----+ Old Water Right Numbers +-----+

No Old Water Right Numbers found.

Conditions of Approval

- WORKS.

003 - Use of water under this right is supplemental to all existing

[illegible]

00/00/0000

-----Comments-----

No Comments Found

+	-	-	-	Audit Fields -	12/24/87	04/30/88	CONVERT	11/02/94	SLESTER	02/08/98	CLEARFLD	11/29/99	SKEEN
---	---	---	---	----------------	----------	----------	---------	----------	---------	----------	----------	----------	-------

```
+-----+
| Water Rights Dates and Flags Area |
```

Proof Due Date	- 02/01/1980	Field Exam Made	- 05/12/1992	Field Exam Fee	- R
Approved/Denied	- 02/05/1970	Tested Date	- 00/00/0000	Swan Falls	- Z
Proof Made Date	- 01/30/1980	Hearing Date	- 00/00/0000	Temporary Right	- P
Exam to S.O. Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Darey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 00/00/0000	Appl Received	- 11/20/1969	Transfer/Amended	- A
Presumption Flag	-	Name Connector	-	POU Ownership Flag	- Y
RRBA Decreed Flag	-				



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 27, 1992

George W. Anthony
Box 632
Buhl, ID 83316

Re: Permit and/or Adjudication Claim No(s): A51-02256, A51-02257, A51-07120, A51-07127A, A51-07128A

Dear Mr. Anthony,

The Department of Water Resources will be conducting field examinations in your area from May 11 through May 15, 1992. After these examinations are complete, your water rights will be recommended for licensing by the Department or decree by Judge Hurlbutt in the Snake River Basin Adjudication. The recommendations will be based on our findings in the field.

Information on your permit or claim that may need to be verified includes: the source of water used, water uses and amounts of use, legal descriptions of the point of diversion and place of water use and, in some cases, the claimed date of priority.

It is not mandatory that you accompany the field agent during the examination. However, it would be most helpful for yourself, or a knowledgeable representative, to be available should questions arise.

If you have questions, or wish to schedule the examination, please call (208)327-7925 and speak to Roxanne McCarthy or Helen Thornton.

Sincerely,

Roxanne McCarthy
Sr. Water Resource Agent
Adjudication Bureau

RM:rm:rm

RECEIVED
AUG 14 2000
Department of Water Resources

277 AUG 11 AM 10:52
DISTRICT COURT-SR3A
TWIN FALLS CO IDAHO
FILED

Names of Parties Filing Document:

UNITED STATES OF AMERICA

Attorneys' Names and Addresses:

LOIS J. SCHIFFER
Assistant Attorney General
Environment and Natural
Resources Division

LARRY A. BROWN
Special Attorney, U.S. Dept. of Justice
General Litigation Section
Environment and Natural Resources Division
550 West Fort Street, MSC 033
Boise, Idaho 83724
Ph.: (208) 331-5941 FAX: (208) 387-0842

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS**

In Re SRBA	) Subcase No. 51-07127A
	)
Case No. 39576	) ORDER GRANTING MOTION TO
_____	) VACATE TRIAL

On August 3, 2000, the United States of America filed an ex parte Motion to Vacate Trial
in Subcase Number 51-07127A. The Motion states:

On June 6, 2000, the Idaho Department of Water Resources performed a Beneficial Use Exam for Water Right Number 51-07127A (copy attached) in apparent anticipation of completing the license procedure for a permit. An administrative proceeding may have been initiated, even though a Notice of Administrative Proceeding has not been filed in the above-captioned subcase, as required by the Special Master's Order dated December 13, 1999. Because there may be a pending administrative proceeding that would resolve United States Department of the Interior, Bureau of Land

Management objections to the above-captioned subcase, a trial is an unnecessary waste of scarce judicial resources.

Based upon the Motion of the United States, the Beneficial Use Exam attached to the United States' Motion, and the record herein, and there appearing to be good cause, it is

ORDERED that the trial is vacated and the subcase is stayed pending completion of administrative proceedings.

DATED this 10 day of August, 2000.



Terrance A. Dolan
Special Master
Snake River Basin Adjudication

CERTIFICATE OF SERVICE


I certify that on August 11, 2000, I served a true and correct copy of the foregoing **ORDER GRANTING MOTION TO VACATE TRIAL** by placing the document in the United States Mail in Boise, Idaho, postage paid, and addressed as follows:

U.S. Department of Justice
General Litigation Section
Environment and Natural Resources Division
550 West Fort Street, MSC 033
Boise, ID 83724

Chief, Natural Resources Division
Office of the Attorney General
State of Idaho
P.O. Box 44449
Boise, ID 83720-0098

IDWR Document Depository
P.O. Box 83720
Boise, ID 83720-0098

Mr. Jason R. Miciak
Attorney at Law
Rolig & Peterson, LLP
P.O. Box 2749
Twin Falls, ID 83303-2749


Deputy Clerk

RECEIVED

AUG 18 2000

Department of Water Resources

2000 AUG 16 PM 3:32

DISTRICT COURT-SRBA
TWIN FALLS CO. IDAHO

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

) Subcase 51-07127A

Case No. 39576

) ORDER SETTING DEADLINES

On August 11, 2000, IDWR filed a *Notice of Completed Administrative Proceeding* stating: "license issued." The *Amended Director's Report* attached to the *Notice* listed changes in the claimant's address, quantity, point of diversion, period of use and place of use. Those changes being recommended, notice by the Docket Sheet is warranted.

THEREFORE, IT IS ORDERED that:

1. Objections to the *Amended Director's Report* shall be filed no later than **Monday, October 2, 2000**; and
2. Responses shall be filed no later than **Friday, October 27, 2000**.

Dated August 16, 2000.


TERRENCE A. DOLAN
Special Master
Snake River Basin Adjudication


CERTIFICATE OF MAILING

I certify that a true and correct copy of the **ORDER SETTING DEADLINES** was mailed August 16, 2000, with sufficient first-class postage prepaid as follows:


Director of IDWR
Box 83720
Boise, Idaho 83720-0098

United States Department of Justice
Environment and Natural Resources Div.
550 West Fort Street, MSC 033
Boise, Idaho 83724

Jason R. Miciak
Box 2749
Twin Falls, Idaho 83303-2749


Deputy Clerk

Permitted POU for 51-07127




2000 0 2000 4000 Feet



T09S R12E S27, S34 & S35

Map prepared by: Carter Fritschle
Date prepared: 05/10/2000
1987-1988 NAPP photography
Idaho Department of Water Resources




P. 2/4

NO. 379

TOWNSHIP 10 SOUTH RANGE 12 EAST OF THE BOISE MERIDIAN, IDAHO

BOISE DISTRICT SEC 3




Sec 27:1
Sec 29:
Sec 31:
Sec 32:
Sec 33:
Sec 34:
Sec 35:

FOR ORDERS
UNIDENTIFIED
MISCELLANEOUS

CLARK
MAY

USE PLATS:
OG

Lat. 42° 35' 36.46" N
Long 114° 58' 59.5" W



THE NOTATION SHOWN ON WITHDRAWALS REFLECTS
ACTION TAKEN BUT MAY NOT BE THE EFFECT
THE HISTORICAL INDEX FOR THE DATE OF THE

WARNING STATEMENT
This plat is the Bureau's Record of Title, and should be used only as a graphic display of the township survey data. Recorders herein do not reflect title changes which may have been referred to the Bureau.

SCALE in Chains
0 10 20 30 40 50 60

TOWNSHIP 9 SOUTH RANGE 12 EAST OF THE BOISE MERIDIAN, IDAHO


BOISE DISTRICT M.C. 3

STATUS OF PUBLIC DOMAIN
LAND AND MINERAL TITLES

8 S-12 E

TWIN FALLS COUNTY OBS

OWAYEE COUNTY 073



MT PLAT

P. 3/4

NO. 379

MAY. 11. 2000 11:29AM

INDEX TO SEGREGATED TRACTS			
TRACT NO.	T	R	SEC.
1	8	12	1
2	8	12	2
3	8	12	3
4	8	12	4
5	8	12	5
6	8	12	6
7	8	12	7
8	8	12	8
9	8	12	9
10	8	12	10
11	8	12	11
12	8	12	12
13	8	12	13
14	8	12	14
15	8	12	15
16	8	12	16
17	8	12	17
18	8	12	18
19	8	12	19
20	8	12	20
21	8	12	21
22	8	12	22
23	8	12	23
24	8	12	24
25	8	12	25
26	8	12	26
27	8	12	27
28	8	12	28
29	8	12	29
30	8	12	30
31	8	12	31
32	8	12	32
33	8	12	33
34	8	12	34
35	8	12	35
36	8	12	36

1 12640 SHAW AC 12/25/1976
SEC 2 1/4 3
SEC 4 1/4 3
SEC 5 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 6 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 7 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 8 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 9 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 10 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 11 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 12 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 13 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 14 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 15 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 16 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 17 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 18 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 19 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 20 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 21 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 22 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 23 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 24 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 25 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 26 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 27 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 28 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 29 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 30 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 31 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 32 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 33 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 34 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 35 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12
SEC 36 1/4 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

FOR ORDERS EFFECTING DISPOSAL OR USE OF
UNIDENTIFIED LANDS REFER TO INDEX OF
ACCOLATIONS DOCUMENTS

CURRENT TO	CURRENT TO
MT. 8. 2003	

117.425355 ACN
Long. 117.355555 W

THE NOTATION SHOWN ON WITHIN LINES REPRESENT THE LAST
ACTION TAKEN BUT MAY NOT BE THE EFFECTIVE DATE. SEE
THE HISTORICAL INDEX FOR THE DATE OF THE ORIGINAL WITH-

SCALE 1/4 INCH
1/2 3/4 1 1 1/2 2 3 4



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

RECEIVED

AUG 04 2000


Department of Water Resources

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

6/20/2000

LARRY BROWN
UNITED STATES DEPARTMENT OF JUSTICE
ENVIRONMENT AND NATURAL RESOURCES DIVISION
555 WEST FORT STREET, MSC 033
BOISE ID 83724



**RE: BENEFICIAL USE EXAM PERFORMED FOR 51-07127A OWNED BY
GEORGE ANTHONY**

Dear Mr. Brown:

Enclosed is a copy of the Beneficial Use Exam Report that I sent to the State Office, of the Idaho Dept. of Water Resources on 6/20/2000. Kay Walker will do the final review of this report. If you have any concerns, you may contact her at 327-7900 or at 1301 N. Orchard, Boise, ID 83706.

I am also available if you have concerns about this report.

Respectfully,

Daniel A. Nelson
Sr. Water Right Agent

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/pipe i.d. as applicable.

size/c

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL # 2	US MOTORS	150 Hp	EHTH1413514	VERILINE	10JKXHHMOD
WELL # 3	GENERAL ELCTRIC	150 Hp	CEJ312152	VERTILINE	023827
WELL # 4	IDEAL ELCTRIC	500 HP	287520	VERTILINE	D30628
WELL # 5	GENERAL ELCTRIC	400 Hp	BMJ204012	VERTILINE	37670286
WELL # 6	NOT KNOWN	NOT KNOWN	NOT KNOWN	NOT KNOWN	NOT KNOWN

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: There was not enough exposed main line to attach our measurement equipment to the pipe, so a theoretical calculation is the only way to determine the diversion rate of this system without excavating pipe.

E. NARRATIVE/REMARKS/COMMENTS

On 6/6/2000 Richard Hansen, temporary field agent, and I performed the field exam for this permit. This system is comprised of 5 wells that divert into an underground mainline system that feeds 8 pivots. This mainline also supplies water to handlines that irrigate the corners of all of the pivots and one 40-acre field in the SWNW Section 35 Township 09S Range 12E. The owner was unsure of exactly how the mainline was laid out. The mainline has been replaced by the Harder Farms, who has leased the property since it was taken out of CRP 2 years ago. The wells are numbered starting with well # 2 to well # 6. The legal descriptions for each well is described above. The 2 main wells are well # 4 and well # 5. Well # 4 has a 500 Hp motor and well # 5 has a 400 Hp motor. Well # 3 and well # 2 both have 150 Hp motors. Well # 6 is currently not connected to power, but was used in the beginning. Well # 6 is a submersible pump and no information could be attained on this pump. This well is available for backup purposes if one of the other wells should have problems, but it is not being used at this time, so I did not include this well in the system capacity calculations. Well # 3 has collapsed under the cement pump pad. I have spoken with Rob Whitney and Mr. Anthony's attorney, Jason Miciak, about this issue. Our field exam also revealed that no measurement devices had been installed on any of the wells. I also informed Mr. Miciak about this and told him that he would need to either install the measurement devices or seek a waiver from the department. On 6/13/2000, I sent Mr. Miciak a sample letter requesting a waiver on the wells. There is also a natural drainage that collects runoff and wastewater from these fields. This drainage begins and ends on Mr. Anthony's property. The water from this drainage fills a pond and is put back into the mainline. Since the waste water does not leave the property this water does not need a water right. Any runoff water from the fields would be minimal at best and would not qualify this drainage as an unnamed stream.

902 acres owned by Mr. Anthony are currently being irrigated under this system. An additional 120 acres of Bureau of Land Management (BLM) lands was irrigated prior to Mr. Anthony putting his farm in CRP. The irrigation use on the BLM land has not been resumed, but Mr. Anthony is still pursuing a desert land entry permit for these lands. The system is also tied into the neighbor's (Harder Farms) irrigation system at pump # 2. The Harders are currently leasing the Anthony farm with the option to buy and have begun to tie the two farms irrigation systems together. There is currently no transfer or water right that ties these two farms together. I have informed Mr. Anthony and Jason Miciak that they will need to deal with this issue.

The 902 acres owned by Mr. Anthony are covered by 3 licensed water rights and this permit. The 3 licenses covering these lands are 51-02256, 51-02257, and 51-07120. These licenses cover all but 80 acres of the 902 acre farm. These water rights are also drawn from the same wells used by this permit. Even though this is a common system, each right describes separate acres and are not in a permissible place of use. Therefore, this permit should only be associated with the 80-acres not covered by the other licensed rights. Permit 51-07127B covers the 120 acres of BLM land that was originally irrigated. None of the Harder Farms lands or wells are licensed or permitted for these lands or wells and should not be counted in this permit without the Harders filing an application for transfer.

Mr. Anthony original application for permit was for 640 acres at a diversion rate of 4.00 cfs. A portion of the original permit was assigned to Lynn Anthony on 6/29/1977. In this assignment, 51-07127 was split into 51-07127A and 51-07127B. The portion for 51-07127A is for 320 acres at a diversion rate of 0.80 cfs. The portion for 51-07127B is for 320 acres at a diversion rate of 3.20 cfs. Proof of beneficial use has been filed on 51-07127A and this report is the result of the field exam performed on this permit. 51-07127B is associated with a desert land entry that was applied for by Lynn Anthony. Lynn Anthony requested an extension of time to avoid forfeiture. At the same time Lynn Anthony's desert land entry was denied because he was not a resident of the State of Idaho. The permit was then assigned to Jay Sudweeks on 6/29/1990. Mr. Sudweeks filed for the same desert land entry and that application is still pending. It looks as though 51-07127B is being held by IDWR until the desert land entry issue has been resolved. Once that issue is resolved then the department will readdress the request for an extension of time filed on this water right. Other than the 120 acres of BLM ground that was irrigated, there has been no development of permit 51-07127B.

RECOMMENDATIONS:

1.) I recommend that this permit be licensed for 80 acres of irrigation (40 acres in NENW Sec 34 and 40 acres in SWNW Sec 35 Township 09S Range 12E).

2.) I recommend that this permit be licensed for a diversion rate of 0.80 cfs and an annual volume of 320 afa.

3.) I recommend that when combined with all other rights that this permit be limited to .02 cfs and 4.0 afa per acre. When all rights are combined the system capacity should be limited to a diversion rate of 11.10 cfs (10.3 cfs previous capacity + 0.80 cfs this permit = 11.10 cfs allowable system capacity) and an annual volume of 3608 afa (902 acres X 4.0 afa/acre = 3608 afa).

4.) I recommend that the current irrigation season of 3/15 to 11/15 be used instead of the older standard used during permit approval.

5.) I recommend that this permit not be licensed until a measurement device is install on each well or an approve waiver has been received.

6.) I recommend that the supplemental condition be removed from this right since this permit is the only water right covering the lands being recommended.

7.) I recommend that this permit not be licensed until well # 3 has been repaired and has been brought back into well construction standards.

Have conditions of permit approval been met? yes X no *

- * Measurement devices were not installed on any of the pumps. I contacted the owners attorney Jason Miciak and let him know that Mr. Anthony would need to install measurement devices or request a waiver of this condition. Condition 003 states this right would be supplemental to all existing rights. Since there are no existing rights on the lands being recommended for licensing this is condition is no longer necessary.

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

WELL # 2 = 2.17 CFS (see attached theoretical calculation sheet)
WELL # 3 = 2.06 CFS (see attached theoretical calculation sheet)
WELL # 4 = 6.21 CFS (see attached theoretical calculation sheet)
WELL # 5 = 5.39 CFS (see attached theoretical calculation sheet)
WELL # 6 = 0.00 CFS (see attached theoretical calculation sheet)
TOTAL = 15.83 CFS SYSTEM CAPACITY

Permit limits diversion rate to 0.80 cfs. When combined with other rights from these wells the combined diversion rate should be limited to 11.10 cfs (Previous limitation of 10.3 cfs + 0.80 cfs this permit = 11.10 cfs combined diversion rate).

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 80 \text{ acres} \times 4.0 = 320 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .80 \text{ cfs} \times 246 \times 1.9835 = 390 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 320 \text{ afa}$$

B

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>IRRIGATION</u>	<u>03/15</u>	<u>11/15</u>	<u>0.80 CFS</u>	<u>320 AFA</u>

Totals: 0.80 CFS 320 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


DANIEL A. NELSON – SENIOR AGENT


Field Examiner's Name Daniel A. Nelson Date 6-19-00


Reviewer _____ Date _____

SEAL

R-123







R-12E

22 23

27 26

T32365 HEL
4679

T32365 HEL
4679

BLM

NWNE S-27

36 acres

2

29.4

SWNE S-27

36 acres

SENE S-27

34 acres

NESE S-27

40 acres

SESE S-27

40 acres

NWNE S-34
40 acres

NE NE S-34
40 acres

5

4.0

SWNW S-26
11 acres

9 SE NW S-26

1 acre

NESW S-26

26 acres

NWSW S-26

40 acres


SEE C-10

T32365 HEL

4679

27 26

34 35



SEE C-10

T32365 HE

3048

Well #4
BLM

This is a map of
TOTAL acres being
Irrigated. There
are 80 acres bei-
Licensed under the
Permit. They are
The SWNW S-35 and
NE NW S-34 and are
marked with 
There are 120
acres of BLM
that was irrigated

That was irrigated
prior to the owner
putting his land
in CRP. These
lands are associated
with 51-071278 and
are marked as 


Section 30

NEW

11207



There are 8 Pivots
and 4 wells that
irrigate this system
Well #6 used to be
used but is no
longer connected
to power. The owner
plans to use this well
as a back up well
if needed. All of the
corners are irrigated with
handlines. The entire system is connected
together.



Please Note:
Well #1 was not
developed.

The mainlines are
all buried and applicant
was unsure of the
placement of the main-
lines. DAN

TOWNSHIP 9S RANGE 12E SECTION 26

RIGHT NUMBER	N E			N W			S W			S E			Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
ACRES IRRIGATED 51-07120							11	1	36		10		78
ALLOWABLE ACRES FOR PERMIT							10		10		10		120
							0	0	0				0

51-07120 THIS LAND IS ON P/U AND FROM SAME SOURCE (CAN'T COVER WITH PERMIT)

THIS ACRE IS A CORNER OF A PIVOT AND IS ACTUALLY PART OF THE SWNW ACRES. THEREFORE, IT WILL GO WITH THE SNAKE RIVER BASIN ADJUDICATION RECOMMENDATION AND NOT ALLOW ADDITIONAL IRRIGATION FOR THIS 1/4 SECTION.

TOWNSHIP 9S RANGE 12E SECTION 27

RIGHT NUMBER	N E			N W			S W			S E			Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
ACRES IRRIGATED 51-07120		36	36	34									356
ALLOWABLE ACRES FOR PERMIT		40	40	40					10				160
									10				80

51-07120 THIS LAND IS ON P/U AND FROM SAME SOURCE (CAN'T COVER WITH PERMIT)
HIGHLIGHTED ACRES ARE LANDS OWNED BY BUREAU OF LAND MANAGEMENT, BUT WERE IRRIGATED BY THE OWNER AT THE TIME BENEFICIAL USE WAS FILED AND IS COVERED UNDER PERMIT 51-07127B.

TOWNSHIP 9S RANGE 12E SECTION 34

RIGHT NUMBER	N E			N W			S W			S E			Totals	
	NE	NW	SW	NE	NW	SW	NE	NW	SW	NE	NW	SW		SE
ACRES IRRIGATED	40	40	40	40	40	40	40	40	40	40	38	40		557
ALLOW ABT ACRES FOR PERMIT	40						40	40		40		40		300

51-07256 FIRST ADOPTED PROTESTED SOURCE (DEADMAN CREEK) IS COVERED WITH PERMIT
HIGHLIGHTED ACRES ARE LANDS OWNED BY BUREAU OF LAND MANAGEMENT, BUT WERE
IRRIGATED BY THE OWNER AT THE TIME BENEFICIAL USE WAS FILED AND IS COVERED UNDER
PERMIT 51-07127B.

TOWNSHIP 9S RANGE 12E SECTION 35

RIGHT NUMBER	N E				N W				S W				S E				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
ACRES IRRIGATED							40									40	
ALLOW ABT ACRES FOR PERMIT	40	40	40	40			40									160	

51-07165 COVERS THE ACRES, BUT IS FROM A SEPARATE SOURCE (DEADMAN CREEK). THIS
RIGHT IS A PROTESTED APPLICATION FOR PERMIT.

TOWNSHIP 10S RANGE 12E SECTION 3

RIGHT NUMBER	N E			N W			S W			S E			Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
ACRES													
IRRIGATED													
ALLOWABLE													
ACRES TOP													
PERMIT													

51-07256 THIS LAND IS OUTSTANDING UNDER PERMIT 51-07256 (SEE PERMIT 51-07256)

PLEASE NOTE: THE TOTALS FOR EACH SECTION ARE THE TOTALS FOR THE SECTION AND NOT THE TOTALS FOR THE TOWNSHIP OR RANGE. THE TOTALS FOR THE TOWNSHIP OR RANGE ARE THE TOTALS FOR THE TOWNSHIP OR RANGE AND NOT THE TOTALS FOR THE SECTION.

Permit 51-07127A requested 320 acres of irrigation. All of the lands under this permit are irrigated from groundwater at .02 cfs per acre, except for the lands under 51-07120. 51-07120 is irrigated at .0125 cfs per acre, but is allocated at the full annual volume of 4.0 afa per acres. Therefore, the diversion rate for these acres should not be increased by this permit. This maximum allowable irrigation rate for these acres. The applicant uses sprinklers to irrigate this land, which generally require much less than .02 cfs per acre to operate. Therefore, I can only recommend the acres not covered by previous licenses. There are 80 acres of ground owned by the applicant that are currently being irrigated with this system. At the time that beneficial use was filed 120 acres of Bureau of Land Management (BLM) ground was being irrigated. These lands are associated with permit 51-07127B. This permit is currently being held pending approval of the Desert Land Entry by the Bureau of Land Management.

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 51-67,057

DATE: 4-12-2005

BY: _____

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (\text{HP}) \times (\text{EFF.}))}{\text{TDH}}$

Q = CFS
HP = Total Brake Horsepower of pumping plant (including booster)
Eff. = Pumping plant efficiency (assume 70% or 0.70)
TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = Depth to water in FEET from land surface to pumping water level
PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (1.52) \times (0.70)}{1} = 9.28$$

$$[(1.72) + (55 \times 2.31)] = 127.17$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement ()	Measurement ()	Motor Make. Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate ()	Pump Make. Serial or ID. rating
Well Logs ()	Owner Gage ()	
	Booster (Y) (N)	

REMARKS: The patient is a 45-year-old male, who has been suffering from a chronic cough and sputum production for the past 10 years. The cough is worse in the morning and at night. The sputum is thick and yellowish. The patient has also experienced weight loss and fatigue. The physical examination shows hyperinflation of the lungs, decreased breath sounds, and a prolonged expiration. The chest X-ray shows hyperinflation of the lungs and a flattened diaphragm. The patient is currently on a long-term treatment with inhaled corticosteroids and long-acting beta-agonists. The treatment has been effective in controlling the symptoms, but the patient still experiences occasional exacerbations. The patient is advised to avoid smoking and exposure to irritants, and to continue with the prescribed treatment. The patient is also advised to get vaccinated against influenza and pneumococcal pneumonia. The patient is scheduled for a follow-up visit in 6 months.

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 51-071274

DATE: 6-10-2005

BY: James A. H.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (\text{HP}) \times (\text{EFF.}))}{\text{TDH}}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

$$\text{TDH} = \text{Total dynamic head} = [(\text{LIFT}) + (\text{PSI} \times 2.31)]$$

LIFT = Depth to water in FEET from land surface to pumping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume (0))

$$Q = \frac{(8.8) \times (1.50) \times (0.70)}{1} = 9.24$$
$$[(333) + (55 \times 2.31)] = 779.65$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement ()	Measurement ()	Motor Make. Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate ()	Pump Make. Serial or ID, rating
Well Logs ()	Owner Gage ()	
Booster (Y) (N)		

REMARKS: THE DITCH WAS DREDGED AND
REMOVED WITH THE PLANE AND THE
WATER WAS PUMPED OUT. THE
WATER WAS PUMPED OUT AND
THE DITCH WAS DREDGED AND
REMOVED WITH THE PLANE AND
THE WATER WAS PUMPED OUT.

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 51-0712-14

PUMP #4

DATE: 6-12-2000

BY: Carroll A. Wilson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

- Q = CFS
 HP = Total Brake Horsepower of pumping plant (including booster)
 Eff. = Pumping plant efficiency (assume 70% or 0.70)
 TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]
 LIFT = Depth to water in FEET from land surface to pumping water level
 PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (500 \text{ HP}) \times (0.70)}{360} = 30 \text{ CFS}$$

$$[(360) + (55 \times 2.31)] = 170$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
Measurement ()	Measurement ()	Motor Make, Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate ()	Pump Make, Serial or ID, rating
Well Logs (X)	Owner Gage (X)	
Booster (Y) (N)		

REMARKS: Static water level was used for
this calculation and the pump test
was used. Tests to factors should show
the accuracy of this calculation. However
each time the test is repeated
circumstances, including pump performance, etc.
There was an 8 inch pipe from
the pump to the test. Adequate measurement
was taken. There were 1 inch pipe measurement
and the test was not measured without
the test.

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 5-1-10-11

Well # 5

DATE: 6-12-2005

BY: J. A. H. H. H.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

- Q = CFS
 HP = Total Brake Horsepower of pumping plant (including booster)
 Eff. = Pumping plant efficiency (assume 70% or 0.70)
 TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]
 LIFT = Depth to water in FEET from land surface to pumping water level
 PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (400 \text{ HP}) \times (0.70)}{[(330) + (55 \times 2.31)]} = \frac{2464}{457.15} = 5.39 \text{ CFS}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement ()	Measurement ()	Motor Make. Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate ()	Pump Make. Serial or ID. rating
Well Logs (X)	Owner Gage (X)	
Booster (Y) (N)		

REMARKS: Static water level measured for this
location. The pump is a 400 HP unit. The
flow is estimated to be 5.39 CFS. The
static water level is 330 feet. The
dynamic water level is 385 feet. The
drawdown is 55 feet. The pump is a
400 HP unit. The flow is estimated to be
5.39 CFS. The static water level is 330
feet. The dynamic water level is 385 feet.
The drawdown is 55 feet. The pump is a
400 HP unit. The flow is estimated to be
5.39 CFS. The static water level is 330
feet. The dynamic water level is 385 feet.

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 51-071²⁷ A

DATE: 6-11-2000

BY: L. J. J. J. J.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

- Q = CFS
- HP = Total Brake Horsepower of pumping plant (including booster)
- Eff. = Pumping plant efficiency (assume 70% or 0.70)
- TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]
- LIFT = Depth to water in FEET from land surface to puijping water level
- PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (\quad - \quad - \quad) \times (0.70)}{[(\quad - \quad - \quad) + (\quad - \quad - \quad \times 2.31)]}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement ()	Measurement ()	Motor Make, Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate ()	Pump Make, Serial or ID, rating
Well Logs ()	Owner Gage ()	
Booster (Y) (N)		

REMARKS: This well was not installed
for water supply not for irrigation
for total irrigation rate.

IDAHO DEPARTMENT OF WATER RESOURCES

Well #2

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 47-3360 OTHER APPLICABLE NO: 51-07127A
2. OWNER: George Anthony Phone: (308) 326-485 ⁴⁷⁸⁵
Address: P.O. Box 230, Filer, ID, 83328
3. WELL LOCATION: Twp 09S, Rge. 12E, Sec. 35, SW 1/4 NW 1/4
County TWIN FALLS (Provide sketch map and photo on reverse.)
4. DRILLER: See well log ^(ELsing Drilling) Lic. No. 51
When Drilled? 7-15-67 ^(per well log)
5. WELL CONSTRUCTION:
Casing Diameter NOT KNOWN inches Turbine Pump
Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Turbine Pump
Depth of Casing UNKNOWN ft. Method Drilled UNKNOWN
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe UNKNOWN
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of 0 ft. Evidence of Annular Seal ☐ Yes ☒ No Cement Pkg
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water UNKNOWN ft. Water Temperature UNKNOWN °F
Flowing Artesian ☐ Yes ☒ No Pressure: UNKNOWN (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: This well LOOKS TO be Fairly
well constructed

Donald H. Nelson - Senior Agent
Signature of Dept. Representative & Title

6-6-2000
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

See Field Exam For map
and photos.

IDAHO DEPARTMENT OF WATER RESOURCES

Well #3

WELL INSPECTION FORM

ORIGINAL SIGN
TO RECORD UNIT
- WESTERN
Region
Well Inspection
Date: 10-1-11

1. DRILLING PERMIT NO: P-30805 OTHER APPLICABLE NO: 51-07127H

2. OWNER: GEORGE ANTHONY Phone: 362-4785
Address: P.O. Box 230, Filer ID. 83328

3. WELL LOCATION: Twp 29S, Rge. 12E, Sec. 34, NE 1/4 SE 1/4
County TWIN FALLS (Provide sketch map and photo on reverse.)

4. DRILLER: ELsing well DRILLING (PA well 102) Lic. No. 31
When Drilled? 5-14-1969 Per well LOG.

5. WELL CONSTRUCTION:
Casing Diameter UNKNOWN inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe TURBINE PUMP
Depth of Casing UNKNOWN ft. Method Drilled UNKNOWN
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe UNKNOWN
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving FAIR
Auger to a depth of 4 ft. Evidence of Annular Seal ☐ Yes ☒ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water UNKNOWN ft. Water Temperature UNKNOWN °F
Flowing Artesian ☐ Yes ☒ No Pressure: UNKNOWN (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: THE GROUND AROUND THE WELL HAS
COLLAPSED. THERE IS AN APPROXIMATELY
30 TO 40 FT DEEP HOLE AROUND THE
WELL CASING. THIS WELL NEEDS REPAIR.


Daniel A. Nelson Senior Agent.
Signature of Dept. Representative & Title

6-6-2000
Inspection Date

PHOTOS. DRAWINGS. OTHER ATTACHMENTS:

A-123

11/11/11



56-07127 A

T-95 R 12E

D/O - S-34, S-35, S-27.

P4 5-34, 5-35, 5-26

5-27

ایضاً


TYPE Q-12 F-3.

Ad. 6-17-3000.




PHOTOGRAPHER AND DATE OF PHOTOS QNA N. P. S. 6-2-00

FILE NO. E-07125 A. (Bridge & Station)



HOLE under
well pad
~~the~~
East side



HOLE under pad
East side.




PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON 10-2-50

FILE NO. SI-27127A GEORGE ANTHONY



Hole
South
side of
well



Close up
of hole on
West side
of well



PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON

FILE NO. 51-27127 H (George - Anthony)



Pictures of
well's hole
on west
side of
well.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Well #4

1. DRILLING PERMIT NO: G-30805 OTHER APPLICABLE NO: 51-07127A

2. OWNER: George Anthony Phone: 362-4785
Address: P.O. Box 230, Filer, ID, 83328

3. WELL LOCATION: Twp 09S, Rge. 12E, Sec. 34, NE 1/4 SE 1/4
County Twin Falls (Provide sketch map and photo on reverse.)

4. DRILLER: Ehsing Drilling (per well log) Lic. No. 31
When Drilled? 8-20-69 (per well log)

5. WELL CONSTRUCTION:

Casing Diameter unknown inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Turbine Pump
Depth of Casing unknown ft. Method Drilled unknown
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe unknown
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of -C- ft. Evidence of Annular Seal ☐ Yes ☒ No Cement Pad
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water unknown ft. Water Temperature unknown °F
Flowing Artesian ☐ Yes ☒ No Pressure: unknown (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☒ Yes ☐ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: THIS well seems to be constructed

PROPERLY.

Daniel A. Nelson - Senior Agent

Signature of Dept. Representative & Title

6-6-00

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES

Well #5

WELL INSPECTION FORM

1. DRILLING PERMIT NO: unknown OTHER APPLICABLE NO: 51-07127A
2. OWNER: George Anthony Phone: (208) 326-4785
Address: P.O. Box - 230, Filer, ID, 83328
3. WELL LOCATION: Twp 09S, Rge. 12E, Sec. 34, NE 1/4 NW 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: ROB DRILLING (per well log) Lic. No. 171
When Drilled? 11-12-1975 (per well log)
5. WELL CONSTRUCTION:
Casing Diameter unknown inches Turbine Pump
Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe Turbine Pump
Depth of Casing unknown ft. Method Drilled unknown
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe unknown
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving GOOD
Auger to a depth of 0 ft. Evidence of Annular Seal ☐ Yes ☒ No Cement Pad
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water unknown ft. Water Temperature unknown °F
Flowing Artesian ☐ Yes ☒ No Pressure: unknown (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? [] Yes ☒ No

If yes, is there a check-valve present? ☒ Yes [] No

Is there a possible source of contamination nearby? [] Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: This looks to be a well constructed
well.

David A. Nelson - Senior Agent
Signature of Dept. Representative & Title

6-6-2000
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

See FIELD Exam

IDAHO DEPARTMENT OF WATER RESOURCES

Well #6

WELL INSPECTION FORM

Original
given to
Katie
D.H.
5-19-05

1. DRILLING PERMIT NO: UNKNOWN OTHER APPLICABLE NO: 51-07127A

2. OWNER: George Anthony Phone: (208) 326-4785
Address: P.O. Box 230, Filer, ID 83328

3. WELL LOCATION: Twp 09S, Rge. 12E, Sec. 27, SE 1/4 NE 1/4
County Twin Falls (Provide sketch map and photo on reverse.)

4. DRILLER: ELsing Well Drilling (per well log) Lic. No. 31
When Drilled? 5-24-74 (per well log)

5. WELL CONSTRUCTION:
Casing Diameter UNKNOWN inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 8" above 4" cement pad.
Depth of Casing UNKNOWN ft. Method Drilled UNKNOWN
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe rusty BUT no holes.
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving POOR There is a split in the piping.
Auger to a depth of 10 ft. Evidence of Annular Seal ☐ Yes ☒ No cement pad
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water UNKNOWN ft. Water Temperature UNKNOWN °F
Flowing Artesian ☐ Yes ☒ No Pressure: UNKNOWN (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No


Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

The Pipe Exiting the well has
a crack in it and the Access Port Does
NOT have a water Tight seal.


Signature of Dept. Representative & Title

6-6-2000
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



PHOTOGRAPHER AND DATE OF PHOTOS

Don Miller 6-6-2000

FILE NO. AND LEGAL DESCR.

51-07137A

These are pictures of well # 6.

It was not operating at the time of


the exam. It is located in the

SENE: S27 T9S R12E. There

is no measurement device in

this well. This well was not connected to


power at the time of exam and is not being used.



IDAHO
7.5 MINUTE SERIES (TOPOGRAPHIC)
SE/4 CROWS NEST 15' QUADRANGLE

3688 M. M.
(YAHOO CREEK)

R-125



PERMIT
51-07127A
T-95 R12E
P10-S-34, S-35, S-27.
PU S-34, S-35, S-26,
S-27
and
T10S R-12E S-3.
DAN 6-13-2000.





PHOTOGRAPHER AND DATE OF PHOTOS

Don Nelson 6-6-2000

FILE NO. AND LEGAL DESCR.

51-07127 H.




These are more pictures of well # 4
It was operating at the time of
the exam. Located in the
NESE S34 T9S R12E. There
is no measurement device on
this well.




PHOTOGRAPHER AND DATE OF PHOTOS Ron Mason 6-12-2000

FILE NO. 51-07127A




These are photos of well = 4.
It was operating at the time
of the exam. It is located in
the NESE S34 T9S R12E.
There is no measurement
device on this well.





PHOTOGRAPHER AND DATE OF PHOTOS CARL NELSON 6-6-2000

FILE NO. 51-07127 H



These are photos of well # 2.
It was operating at the time
of the exam. It is located in
the SWNW S35 T9S R12E.
There is no measurement
device on this well.






PHOTOGRAPHER AND DATE OF PHOTOS


Don Miller 6-6-2000

FILE NO.

51-07127A



These are photos of well = 5.
It was operating at the time
of the exam. It is located in
the NENW S34 T9S R12E.
There is no measurement
device on this well.






PHOTOGRAPHER AND DATE OF PHOTOS


David Wilson 6-6-2000

FILE NO.

51-0 7127H



These are pictures of well # 2. It was operating at the time of the exam. It is located in the NESE S34 T9S R12E. There is no measurement device on this well.






PHOTOGRAPHER AND DATE OF PHOTOS Ken Hulse 6-6-2000

FILE NO. AND LEGAL DESCR. 51-07 127A

These are pictures of well # 6.
It was not operating at the time of
the exam. It is located in the
SENE S27 T9S R12E. There
is no measurement elev. on
this well. This well was not connected to
power at the time of exam and is not being used.






PHOTOGRAPHER AND DATE OF PHOTOS _____

FILE NO. _____




These are photos of a sump pump that collects runoff and waste water and pumps it back into the mainline. This pump is known as the Deadmans Creek Diversion. It looks as though it is a natural drain that flows into Deadmans Creek. It was not operating at the time of the exam. It looks like it only drains water from the fields and does not collect water from outside the property. It is located in the NENW S34 T9S R12E. There is no measurement device on this well.






PHOTOGRAPHER AND DATE OF PHOTOS Don Nelson 6-6-2002
FILE NO. AND LEGAL DESCR. SI-07127A

These photos are of the place of use taken from pump # 5 looking West to South.




6 6'00



6 6'00



6 6'00



6 6'00

Continued on next page





PHOTOGRAPHER AND DATE OF PHOTOS
FILE NO. AND LEGAL DESCR.

Don Allen 6-6-50cc
51-071277

These photos are of the place of use taken from pump # 5 looking East to North.

Continued
From last page



Continued
to next
page.





PHOTOGRAPHER AND DATE OF PHOTOS Van Nukun 6-6-2000
FILE NO. AND LEGAL DESCR. 51-07127A.

These photos are of the place of use taken from pump # 5 looking North to West. This land shows the Bl.M ground that was irrigated under 51-07127B.



CONTINUED
FROM
PREVIOUS
Page.






PHOTOGRAPHER AND DATE OF PHOTOS

Don Miller 6-6-2000

FILE NO. AND LEGAL DESCR.

51-C-7127A

These photos are of the place of use taken from the Northwest corner of the farm looking South to East.






PHOTOGRAPHER AND DATE OF PHOTOS

Don Miller 6-6-50

FILE NO. AND LEGAL DESCR.

51-07127A

These photos are of the place of use taken from the Northwest corner of the farm looking West to South.



*Continued
From
Previous Page.*



PHOTOGRAPHER AND DATE OF PHOTOS

Walter Nelson

6-6-2000

FILE NO. AND LEGAL DESCR.

51-871274

These photos are of the place of use taken from the Northeast corner of the farm on 100 South road looking East to South and then to the West.

