



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 10, 2013

Mr. Herman Fritz
14795 S Renner LN
Harrison, ID 83833

Re: Coeur d'Alene-Spokane River Basin Adjudication Claim (CSRBA) Claim No. 95-13179

Dear Mr. Fritz:


Idaho Department of Water Resources (IDWR) has completed initial review of a CSRBA Claim for a well (Ground Water) on Kootenai County parcel 48N03W-04-3500. County records indicate you are the current owner of this property. A map, well records, and copy of the Claim are enclosed.

Please complete and mail the enclosed no-fee Change of Ownership form, with an attached conveyance document (deed), to IDWR at the address shown above. This information is required before IDWR can make an accurate recommendation to the Court concerning the Claim.

Please contact me concerning the enclosed well records. It is unclear from the Claim if one or both of the wells were placed into service to supply parcel 48N03W-04-3500.

My telephone number at the IDWR Northern Region Office is (208) 762.2800 / 2816.

Respectfully,



Shaun M. Maxey
Senior Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures

Copy of CSRBA Claim 95-13179
KCWebMap
Change of Ownership form / instructions
Driller Reports 95-83-N-70 & D0053888

SCANNED
DEC - 9 2013

Kootenai County
Terms of Use

Map Layers

Search/Find

150909

Find

Search By

AIN Number

70213

51959

MH

150909

LAST_NAME

FIRST_NAME

OLD_ADD

OLD_SUB

OLD_DIR

OLD_ROAD

OLD_RDTYPE

OLD_CITY

OLD_ZIP

Structure Point

OBJECTID	70213
STRUCT_ID	51959
STRUC_TYPE	MH
SERIAL	150909
LAST_NAME	
FIRST_NAME	
OLD_ADD	14700
OLD_SUB	
OLD_DIR	S
OLD_ROAD	RENNER
OLD_RDTYPE	LN
OLD_CITY	HARRISON
OLD_ZIP	83833

Owner

Additional

AIN: 150909

LRSN: 64339

Parcel Number: 48N03W-04-3500

Appr Dist: 6

TRS: 483W04

Incorporation: NONE

Owner Information:

FRITZ, HERMAN

14795 S RENNER LN

HARRISON, ID 83833

Site Address:

14795 S RENNER LN

HARRISON

Legal Description: BKPG:

S. 330' -W. 660' OF LT 4, N. 330' -W.

660' OF S2-NW

Acres: 10

SCANNED

DEC - 9 2013

WELL DRILLER'S REPORT

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat:	:	Long:	:

1. WELL TAG NO. D0053888

Drilling Permit No: 849563

Other IDWR No.

2. OWNER

Well Number:

Name JONES, DALE


1338

Address 1700 S. RENNER RD.

City HARRISON State ID Zip 83833

3. LOCATION OF WELL by legal description

sketch map location must agree with written location



Twp. 48N ☒ North or ☐ South

Rge. 03W ☐ East or ☒ West

Sec. 04 1/4 NW 1/4 NW 1/4

Gov't Lot County KOOTENAI

Latitude: Longitude:

Address of Well Site SAME

City HARRISON

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation

☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement, etc.)

☐ New Well ☒ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To		
			Sacks or Pounds	

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)

Was drive shoe seal tested? ☐ Y ☒ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
4	25	245	.200	PVC	☐	☒	☐	☐
4	255	265	.200	PVC	☐	☐	☒	☐

Length of Headpipe Length of Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations Method

☒ Screens Screen Type PVC

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
245	255	.10	1	4	PVC	☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

140 ft. below ground Artesian pressure lb.

Depth flow encountered 215 ft. Describe access port or control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
15			1 HR

Water Temp. COLD Bottom Hole Temp COLD

Water Quality test or comments: GOOD

Depth first Water encountered 215

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

				Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
6	200	225	Clean out Sand	☒	☐
6	225	265	Hard Black Basalt	☐	☒
RECEIVED AUG 31 2007 IDWR/North					
Completed Depth 265 (Measurable)					
Date: Started 8/2/2007 Completed 8/3/2007					

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name T20 WellService, Inc. Firm No. 448

Firm Official Mike Halterma Date 8-27-07

Supervisor or Operator Mike Halterma Date 8/6/07


MIKE HALTERMA

(Sign Once If Firm Official and Operator)

DEC - 9 2013

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Dale R. & Charlotte Jones</u> Address <u>11115 East 37th Ave.</u> <u>Spokane, Wa. 99206</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>175</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																													
2. NATURE OF WORK <u>95-83-N-70</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other <u>Air</u> Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____ Est; 100 unestablished at time of drilling _____																																																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6"</td><td>0</td><td>.5</td><td>Top Soil</td><td></td><td></td></tr><tr><td></td><td>.5</td><td>26</td><td>Basalt</td><td></td><td></td></tr><tr><td></td><td>26</td><td>32</td><td>Basalt, but softer</td><td></td><td></td></tr><tr><td></td><td>32</td><td>86</td><td>Basalt, hard</td><td></td><td></td></tr><tr><td></td><td>86</td><td>105</td><td>Mud, light gray</td><td></td><td></td></tr><tr><td></td><td>105</td><td>178</td><td>Clay, brown</td><td></td><td></td></tr><tr><td></td><td>178</td><td>202</td><td>Clay, choc brown</td><td></td><td></td></tr><tr><td></td><td>202</td><td>225</td><td>Basalt</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td>Water at</td><td>210 ft</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td>215 ft</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td>218 ft</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	6"	0	.5	Top Soil				.5	26	Basalt				26	32	Basalt, but softer				32	86	Basalt, hard				86	105	Mud, light gray				105	178	Clay, brown				178	202	Clay, choc brown				202	225	Basalt						Water at	210 ft						215 ft						218 ft	
Hole Diam.	Depth		Material		Water																																																																										
	From	To		Yes	No																																																																										
6"	0	.5	Top Soil																																																																												
	.5	26	Basalt																																																																												
	26	32	Basalt, but softer																																																																												
	32	86	Basalt, hard																																																																												
	86	105	Mud, light gray																																																																												
	105	178	Clay, brown																																																																												
	178	202	Clay, choc brown																																																																												
	202	225	Basalt																																																																												
			Water at	210 ft																																																																											
				215 ft																																																																											
				218 ft																																																																											
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other _____		RECEIVED AUG 19 1983 Department of Water Resources Northern District Office																																																																													
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>225</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>.250</u> inches Diameter <u>6</u> inches From <u>1.5</u> feet To <u>202</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overbore to seal depth _____																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. <u>4</u> Block No. _____ County <u>Kootenai</u> _____ % NW % Sec. <u>4</u> T. <u>48</u> N. R. <u>3</u> NW				10. Work started <u>Aug 19, 83</u> finished <u>Aug 20, 83</u>																																																																											
11. DRILLERS CERTIFICATION Firm Name <u>Fisher Supply Co.</u> Firm No. <u>221</u> East <u>2915 Lincoln Rd</u> Address <u>Spokane, Wash 99207</u> Date <u>Aug 22</u> Signed by (Firm Official) <u>Richard Fisher</u> owner _____ Operator _____				SCANNED DEC - 9 2013																																																																											