



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

December 10, 2013

GARY SPACKMAN
Director

Clint Barnes OR Judy Barnes
14205 W Winch AVE
Rathdrum, ID 83858

Re: Coeur d'Alene-Spokane River Basin Adjudication Claim (CSRBA) Claim No. 95-13095

Dear Claimants:

Idaho Department of Water Resources (IDWR) is reviewing CSRBA claims in your area. Initial review of your \$25 Claim (95-13095) indicates you are claiming wells (Ground Water) for Domestic and Stockwater use and surface water for Stockwater on Kootenai County parcel 51N05W-04-6970. In order to claim uses from different sources, separate claims must be filed. A copy of your Claim, 1988 Well Driller's Report, and map are enclosed.

Please be advised that IDWR has data-entered the ground water portion of Claim 95-13095 for one well year-round Domestic (.04 CFS) and Stockwater(.02 CFS) use. Please contact me if you wish to amend this information.

Please contact me about the surface water use referred to in your Claim. Additional information is required before IDWR can assist you in preparing an additional CSRBA claim for surface water or a water right permit application. .

My telephone number at the IDWR Northern Region Office is (208) 762.2800 / 2816.

Respectfully,

Shaun M. Maxey
Senior Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures

Copy of CSRBA Claim 95-13095
KCWebMap
Driller Reports 95-88-N-88

SCANNED
DEC 10 2013

SEP 19 1988^S

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL OWNER Department of Water Resources Name <u>Clinton Barnes</u> Address <u>5895 N. Birch Rd.</u> <u>Rothlumi, Idaho</u> Owner's Permit No. <u>96-88-N-88</u> 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) 3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width: 100%;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>6 inches</td> <td>+ 1 1/2 feet</td> <td>3 1/2 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table style="width: 100%;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>PUMP 3121</u> 6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>NE 1/4 SW 1/4 Sec. 4, T. 51 N., R. 5 E.</u>	Thickness	Diameter	From	To	250 inches	6 inches	+ 1 1/2 feet	3 1/2 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>14</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below. 8. WELL TEST DATA <table style="width: 100%;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>3</u></td> <td><u>147</u></td> <td><u>4</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> 9. LITHOLOGIC LOG <table style="width: 100%;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From To</th> <th>Material</th> <th>Water Yes No</th> </tr> </thead> <tbody> <tr> <td><u>10</u></td> <td><u>0</u> <u>3</u></td> <td><u>Topsoil Brown Loam</u></td> <td><u>/</u></td> </tr> <tr> <td><u>7</u></td> <td><u>14</u> <u>14</u></td> <td><u>Red Dark Brown</u></td> <td><u>/</u></td> </tr> <tr> <td><u>14</u></td> <td><u>30</u> <u>30</u></td> <td><u>Granite Decomposed Brown</u></td> <td><u>/</u></td> </tr> <tr> <td><u>30</u></td> <td><u>39</u> <u>39</u></td> <td><u>Granite Blackish gray hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>39</u></td> <td><u>56</u> <u>56</u></td> <td><u>Granite decomposed</u></td> <td><u>/</u></td> </tr> <tr> <td><u>56</u></td> <td><u>61</u> <u>61</u></td> <td><u>Granite white hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>61</u></td> <td><u>72</u> <u>72</u></td> <td><u>Granite blackish gray hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>72</u></td> <td><u>78</u> <u>78</u></td> <td><u>Granite bluish-gray hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>78</u></td> <td><u>123</u> <u>123</u></td> <td><u>Granite gray hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>123</u></td> <td><u>136</u> <u>136</u></td> <td><u>Granite white hard</u></td> <td><u>/</u></td> </tr> <tr> <td><u>136</u></td> <td><u>160</u> <u>160</u></td> <td><u>Granite gray dark hard</u></td> <td><u>/</u></td> </tr> </tbody> </table> RECEIVED AUG 4 1988 Department of Water Resources Northern District Office 10. Work started <u>MAY 23-88</u> finished <u>JULY 23-88</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Ethel Hahn Drilling Co.</u> Firm No. <u>105</u> Address <u>601 Stines Rd</u> Date <u>Jul 14/88</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>3</u>	<u>147</u>	<u>4</u>							Bore Diam.	Depth From To	Material	Water Yes No	<u>10</u>	<u>0</u> <u>3</u>	<u>Topsoil Brown Loam</u>	<u>/</u>	<u>7</u>	<u>14</u> <u>14</u>	<u>Red Dark Brown</u>	<u>/</u>	<u>14</u>	<u>30</u> <u>30</u>	<u>Granite Decomposed Brown</u>	<u>/</u>	<u>30</u>	<u>39</u> <u>39</u>	<u>Granite Blackish gray hard</u>	<u>/</u>	<u>39</u>	<u>56</u> <u>56</u>	<u>Granite decomposed</u>	<u>/</u>	<u>56</u>	<u>61</u> <u>61</u>	<u>Granite white hard</u>	<u>/</u>	<u>61</u>	<u>72</u> <u>72</u>	<u>Granite blackish gray hard</u>	<u>/</u>	<u>72</u>	<u>78</u> <u>78</u>	<u>Granite bluish-gray hard</u>	<u>/</u>	<u>78</u>	<u>123</u> <u>123</u>	<u>Granite gray hard</u>	<u>/</u>	<u>123</u>	<u>136</u> <u>136</u>	<u>Granite white hard</u>	<u>/</u>	<u>136</u>	<u>160</u> <u>160</u>	<u>Granite gray dark hard</u>	<u>/</u>
Thickness	Diameter	From	To																																																																																										
250 inches	6 inches	+ 1 1/2 feet	3 1/2 feet																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																										
_____ inches	_____ inches	_____ feet	_____ feet																																																																																										
Number	From	To																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																											
_____ perforations	_____ feet	_____ feet																																																																																											
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																											
<u>3</u>	<u>147</u>	<u>4</u>																																																																																											
Bore Diam.	Depth From To	Material	Water Yes No																																																																																										
<u>10</u>	<u>0</u> <u>3</u>	<u>Topsoil Brown Loam</u>	<u>/</u>																																																																																										
<u>7</u>	<u>14</u> <u>14</u>	<u>Red Dark Brown</u>	<u>/</u>																																																																																										
<u>14</u>	<u>30</u> <u>30</u>	<u>Granite Decomposed Brown</u>	<u>/</u>																																																																																										
<u>30</u>	<u>39</u> <u>39</u>	<u>Granite Blackish gray hard</u>	<u>/</u>																																																																																										
<u>39</u>	<u>56</u> <u>56</u>	<u>Granite decomposed</u>	<u>/</u>																																																																																										
<u>56</u>	<u>61</u> <u>61</u>	<u>Granite white hard</u>	<u>/</u>																																																																																										
<u>61</u>	<u>72</u> <u>72</u>	<u>Granite blackish gray hard</u>	<u>/</u>																																																																																										
<u>72</u>	<u>78</u> <u>78</u>	<u>Granite bluish-gray hard</u>	<u>/</u>																																																																																										
<u>78</u>	<u>123</u> <u>123</u>	<u>Granite gray hard</u>	<u>/</u>																																																																																										
<u>123</u>	<u>136</u> <u>136</u>	<u>Granite white hard</u>	<u>/</u>																																																																																										
<u>136</u>	<u>160</u> <u>160</u>	<u>Granite gray dark hard</u>	<u>/</u>																																																																																										

SCANNED
DEC 10 2013

Koolenai County

Terms of Use

Background Maps

BAARNES (Structure Point)

OBJECTID	7579
STRUCT_ID	17898
STRUC_TYPE	HS
SERIAL	115903
LAST_NAME	BAARNES
FIRST_NAME	CLINTON
OLD_ADD	13885
OLD_SUB	
OLD_DIR	W
OLD_ROAD	WINCH
OLD_RDTYPE	AVE
OLD_CITY	RATHDRUM
OLD_ZIP	83858
HOUSE_NUM	14205

Parcel Number

51N05W-04-6970

Find

Search By

Parcel Number

Parcel ID	Owner Name
51N05W-04-6970	BAARNES, CLINTON

Owner

Additional

AIN: 115903 **LSN:** 16074
Parcel Number: 51N05W-04-6970
Appr Dist: 2 **TRS:** 51SW04
Incorporation: NONE

Owner Information:
 BAARNES, CLINTON
 14205 W WINCH AVE
 RATHDRUM, ID 83858

Site Address:
 14205 W WINCH AVE
 RATHDRUM

Legal Description: BKPg:
 W2-SE-SW EX. W. 10'

Acres: 19.697

SCANNED
DEC 10 2013