




SCANNED
AUG 15 2012

92-10570 & 92-10842 1985 LINDSTROM PK QUAD PHOTO YR 1985



IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Well ID No.			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat:	:	Long:	:

1. WELL TAG NO. D D0051991
 DRILLING PERMIT NO. 847723
 Water Right or Injection Well No. _____



12. WELL TESTS:

☐ Pump	☐ Bailer	☒ Air	☐ Flowing Artesian
Yield gal./min.	Drawdown	Pumping Level	Time
70 gpm	Airlift	from	122'

Water Temp. 48° Bottom hole temp. _____
 Water Quality test or comments: Clear no odor

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water	Y	N
8	0	12	Clay - Tan w/ Basalt			
	12	26	Basalt - Broken			
	26	56	Basalt - Gray			
	56	70	Basalt - Hard - Gray			
	70	73	Basalt - w/ water			
			5 gpm			
	73	95	Basalt Gray			
	95	122	Gray Basalt fractured w/ water 70 gpm total			

RECEIVED

SEP 11 2007

IDWR/North

Completed Depth 122 (Measurable)
 Date: Started 7-9-07 Completed 7-10-07

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Action Drilling Inc Firm No. 618

Principal Driller Alvin Carris Date 8-01-07

Driller or Operator II _____ Date _____

Operator I Alvin Carris Date 8-01-07

Principal Driller and Rig Operator Required.
 Operator I must have signature of Driller/Operator II.

2. OWNER:

Name Eugene Moore
 Address 30834 Hwy 6
 City St. Maries State ID Zip 83861

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 44 North ☒ or South ☐
 Rge. 2 East ☐ or West ☒
 Sec. 22 1/4 S/E 1/4 S/E 1/4
 Gov't Lot _____ County Benewah

Lat: _____ Long: _____
 Address of Well Site 30732 Hwy 6
 City St. Maries

(Time at least name of road - Distance to Road or Landmark)
 Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
Bentonite	0	12	5X	Pour Around Pipe

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 118

Was drive shoe seal tested? ☒ Y ☐ N How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+2	-118	250	Steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____
 Packer ☒ Y ☐ N Type formation Packer @ 40' on 6"

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method torch
 Screen Type & Method of Installation _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
28	118	16'x14	12	6"	Steel	☒	☐

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
none				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

50' ft. below ground Artesian pressure _____ lb.
 Depth flow encountered 20 ft. Describe access port or control devices: well cap

44N 2W 22

FORWARD WHITE COPY TO WATER RESOURCES