

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A72-04075
Date Received: 12/04/1989
Receipt No: M005286
Received By: JCC

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CITY OF CLAYTON
Address: P.O. BOX 22
CLAYTON, ID 83227
208-838-2325

2. Date of Priority: JAN 01, 1922

3. Source: KINNIKINIC CREEK Trib. to: SALMON RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
11N	17E	24	SW		SE		CUSTER

5. Description of diverting works:
PIPE AT THE EDGE OF CREEK.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
MUNICIPAL	01/01	12/31	0.500		

7. Total Quantity Appropriated is:
0.500 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
M/FIRE PROTECTION & IRRIGATION

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
11N	17E	25	NW	NE		MUNI	
			NE	NW		MUNI	

11. Place of use in counties: CUSTER

A72-04075

Page 1

Date: 12/04/89

MICROFILMED
MAR 18 1993

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
P/U IS WITHIN CITY LIMITS OF CLAYTON, IDAHO.

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am Mayor of
City of Clayton Title
Organization, that I have signed the foregoing
document in the space below as Mayor of
City of Clayton Title
Organization and that the statements contained in the
foregoing document are true and correct.

Robert S. Campbell
Signature of Authorized Agent
Mayor City of Clayton
Title and Organization
Dec 4 - 1989
Date

State of Idaho)
County of Custer) SS.

Subscribed and sworn (or affirmed) before me this 4th day
of December 19 89 Steve [Signature]
Notary Public

Seal

Residing at Twin Falls
My Commission Expires Dec 7 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

March 2, 1992

R. KEITH HIGGINSON
Director

A72-04075
CITY OF CLAYTON
P.O. BOX 22

CLAYTON

ID 83227

RE: Evidence of Priority

RESPONSE DEADLINE
MAY 1, 1992

Dear Claimant:

The Notice(s) of Claim identified with the number shown above your name on the mailing label has been filed in the Snake River Basin Adjudication (SRBA). The Notice(s) indicate your water usage is based on "Beneficial Use" or a "Statutory Claim". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed. The date of first use, known as the priority date, has not been confirmed by a License, Decree or Permit. The Department will soon conduct reviews &/or field exams for the claims in your area. Since the priority date of a beneficial use water right can not be confirmed by field examination, proof must be provided supporting the priority date you have claimed.

The Department will not recommend the Notice(s) be decreed by the court as claimed if no evidence of a priority date is submitted.

Please find enclosed a computer printout of your Notice(s) and the pamphlet entitled "Evidence of Priority". The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. I direct your attention to the two sections entitled "What Kind of Evidence is Required" and "Some Examples of Documents Which May Be Evidence of the Priority Date".

Please submit the required evidence supporting the priority date(s) by May 1, 1992, referencing all documents with the corresponding Notice number(s). If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

Respectfully submitted,

Allen Merritt, P.E.
Water Rights Supervisor

Enclosures

MICROFILMED

MAR 18 1993

A72-04075

P.O. Box 26
Clayton, Idaho 83227
April 13, 1992

State of Idaho
Department of Water Resources
222 Shoshone St. East
Twin Falls, Idaho 83301

Dear Sirs;

Enclosed please find three notarized letters from reputable references, as you suggested we need for evidence of priority for water usage from Kinnikinic Creek for the City of Clayton, Idaho. I hope this will prove to be satisfactory. Thank you.

Yours truly,

Evelyn Bradshaw

City of Clayton
P.O. Box 26
Clayton Idaho 83227
Evelyn Bradshaw, clerk

RECEIVED

APR 15 1992

Department of Water Resources
Southern Region Office

MICROFILMED

MAR 18 1993

Clayton, Idaho 83227
April 13, 1992

A72-04075

TO WHOM IT MAY CONCERN:

I, John Rovetto know for sure that the town of Clayton, Idaho was using water from Kinnikinic Creek as early as 1933, or earlier. I lived on Kinnikinic Creek in 1933 and there was a pipe line running down from said Creek to supply different businesses and homes at that time.

Yours truly,

John Rovetto
P.O. Box 24
Clayton, Idaho 83227

RECEIVED

APR 15 1992

Department of Water Resources
Southern Region Office

John Rovetto

*Notary expires
June 1992*

*Gloria J. Coleman
Notary Lend-Le Co
Date 4-13-92*

MICROFILMED

MAR 18 1993

RECEIVED

A72-04075

APR 15 1992

Department of Water Resources
Southern Region Office

CLAYTON, IDAHO
17 MARCH 1992

TO WHOM IT MAY CONCERN:

I, RAYMOND R. CRAWFORD, KNOW AND DECLARE, THAT THE TOWN OF CLAYTON IDAHO DID HAVE AND USE A FOUR INCH PIPE LINE RUNNING FROM A SPRING LOCATED APPROXIMATELY THREE HUNDRED FIFTY FEET NORTH OF THE CLAYTON SCHOOL HOUSE. THIS PIPELINE CROSSED OVER KINNIKINNICK CREEK NEAR THE SCHOOL HOUSE AND CONTINUED IN A SOUTHERLY DIRECTION PAST THE OLD COMPANY STORE, WHERE A VALVE AND DRAIN WAS LOCATED. THIS VALVE WAS USED TO DRAIN THE PIPELINE SO THAT IT WOULDN'T FREEZE IN THE WINTER TIME. FROM THE VALVE A TWO INCH PIPELINE RUN IN AN EASTERLY DIRECTION SUPPLYING WATER TO ROBERT CAMPBELL'S SALOON J. G. WEBB & BROTHER'S STORE AND HOME, MRS. WILLIAMS POSTOFFICE, OLD FASHIONED SALOON AND DANCE HALL, ED FITZGERALD'S HOME, THE PEDRINI, HOTEL, DAVE IRVIN'S LIVERY STABLE, LEW FROST'S STORE, SAM WAH'S LAUNDRY, TONY CAPELLI'S HOME, COMMINOTTI AND PEDRINI HOMES, FRANK MARKER AND CHARLIE KOPP HOMES.

THIS PIPELINE FROM KINNIKINNICK CREEK WAS IN USE IN JUNE OF 1921 WHEN OUR FAMILY MOVED TO CLAYTON. IT WAS REPAIRED MANY TIMES AND LATER IN 1941 REPLACED WITH A FOUR INCH SOLID PIPE WHICH IS STILL IN USE TODAY.

I KNOW FOR A CERTAINTY THAT THE TOWN OF CLAYTON HAS USED WATER FROM KINNIKINNICK CREEK SINCE 1921. 1921 RRB.

THANK YOU,

Raymond R. Crawford
Raymond R. Crawford

MICROFILMED

MAR 18 1993

THANK YOU,
RAYMOND R. CRAWFORD
FROM KINIKINICK CREEK SINCE 1851. 1992
I KNOW FOR A CERTAINITY THAT THE TOWN OF CLAYTON HAS USED WATER
PIPE TODAY.
LATER IN 1941 REPLACED WITH A FOUR INCH SOLID PIPE WHICH IS STILL IN
USE. OUR FAMILY MOVED TO CLAYTON. IT WAS REPAIRED MANY TIMES AND
THIS PIPELINE FROM KINIKINICK CREEK WAS IN USE IN JUNE OF 1951
BRANK MARKER AND CHARLIE KORB HOMES.
WAS LAUNDRY, TONY CAMPBELL'S HOME, COMMINGOTTI AND PEDRINI HOMES,
PEDRINI, HOTEL, DAVE IRVIN'S LIVERY STABLE, LEW FROST'S STORE, SAM
OLD FASHIONED SALOON AND DANCE HALL, ED FITZGERALD'S HOME, THE
J. G. WEBB & BROTHERS STORE AND HOME, MRS. WILLIAMS POSTOFFICE,
EASTERLY DIRECTION SUPPLYING WATER TO ROBERT CAMPBELL'S SALOON
IN THE WINTER TIME. FROM THE VALVE A TWO INCH PIPELINE RUN IN AN
THIS VALVE WAS USED TO DRAIN THE PIPELINE SO THAT IT WOULDN'T FREEZE
PAST THE OLD COMPANY STORE, WHERE A VALVE AND DRAIN WAS LOCATED.
CREEK NEAR THE SCHOOL HOUSE. THIS PIPELINE CROSSED OVER KINIKINICK
OF THE CLAYTON SCHOOL HOUSE. THIS PIPELINE CROSSED OVER KINIKINICK
A SPRING LOCATED APPROXIMATELY THREE HUNDRED FEET NORTH
CLAYTON IDAHO DID HAVE AND USE A FOUR INCH PIPE LINE RUNNING FROM
I, RAYMOND R. CRAWFORD, KNOW AND DECLARE, THAT THE TOWN OF
TO WHOM IT MAY CONCERN.

13 MARCH 1995
CLAYTON, IDAHO

475-0402E

INDIVIDUAL ACKNOWLEDGMENT


State of CALIFORNIA }
County of LOS ANGELES } ss.

On this the 23 day of MARCH, 1992, before me,
MARIE T MAGANA

the undersigned Notary Public, personally appeared

RAYMOND R CRAWFORD

☐ personally known to me
☒ proved to me on the basis of satisfactory evidence
to be the person(s) whose name(s) IS subscribed to the
within instrument, and acknowledged that HE executed it.
WITNESS my hand and official seal.



Notary's Signature

ATTENTION NOTARY: Although the information requested below is **OPTIONAL**, it could prevent fraudulent attachment of this certificate to another document.

THIS CERTIFICATE
MUST BE ATTACHED
TO THE DOCUMENT
DESCRIBED AT RIGHT:

Title or Type of Document WATER RIGHTS
Number of Pages 1 Date of Document 3/17/92
Signer(s) Other Than Named Above NONE

MAR 18 1993

RECEIVED

A72-04075

APR 15 1992

Department of Water Resources
Southern Region Office

4-1992

To Whom It May Concern
I Fletcher D. Fisher used water
out of The Kinnickinnick Creek
piped to our house across from
The Clayton school and then the pipe
went on down and supplied the town
of Clayton. we moved to Clayton
from our ranch on state to go to
school in 1929

Fletcher D Fisher

Sign notarized
this April 13, 1992
Notary Gloria J. Coleman
Expires June 1992

MICROFILMED

MAR 18 1993

R PROOF

CVR

MAPS

PHOTOS

MISC

MICROFILMED

NOV 8 1964

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

THESE

3

Water Source:	KINNIKINIC CREEK	Tributary to:	SALMON RIVER	Stage:	BENEFICIAL USE
Point(s) of Diversion:	T11N R17E S13	SENMW		CUSTER County	

POU County: CUSTER

Non-Irrigation Uses: MUNICIPAL, FIRE PROTECTION & IRRIGATION

Other Rights: NONE

RIGHT NOS. 72-02068 & 72-04116 ARE ALSO DIVERTED THROUGH POINT
OF DIVERSION DESCRIBED ABOVE.
PLACE OF USE IS LANDS WITHIN CITY LIMITS OF CLAYTON.

Dates: **Exam Made Date:** 05/04/1993 **Verified Date:** 12/14/1993

Misc:	Water District Number:	Field Inspection Flag:
		Presumption Flag:

Comments: User-ID: CLELLAND Subject: COPIED FROM REMARKS
Date: 12/06/1993
P/U IS WITHIN CITY LIMITS OF CLAYTON, IDAHO.

Date: 12/06/1993 User-ID: CLELLAND Subject: POINT OF DIVERSION CLAIM WAS FOR LOCATION AT THE POWER PLANT UNDER 72-02068, BUT IT IS PART OF THE SAME DIVERSION SYSTEM FOR THE PENNSCO AND SO THE SAME POD DESCRIPTION WAS USED FOR BOTH RIGHTS.
EXAM ON 12-08-93 BY SCC CONFIRMED THE CITY'S PIPELINE DIVERTS WATER FROM THE POWER PLANT AREA AND NOT THE CREEK AT THE POD

MICROFILMED
NOV 01 1994

AJ0749NP
No. R72-04075

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/14/93
PAGE: 2

Comments: Date: 12/06/1993 User-ID: CLELLAND Subject: POINT OF DIVERSION
AS CLAIMED. CREEK WATERS ARE DIVERTED BY THREE RIGHTS AT THE TOP
OF THE PENSTOCK.

Audit: 12/14/93 CLELLAND

MICROFILMED
NOV 0 1 1994

POOR ORIGINAL

CITY OF CLAYTON
POD SE NWSW

13

PIPELINE

24

- KINNICKINIC
CREEK

- POWER SITE (REDIVERSION)

POU
CITY OF CLAYTON

LOT
3

T
11
N

See
12-6-93

R17E

R188E

MICROFILMED

NOV 01 1994

473

7-24-74

CLAYTON, IDAHO



QUADRANGLE LOCATION:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

03:33:18
06/04/92

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A72-04075

LAST: CITY OF CLAYTON
ADDRESS: P.O. BOX 22
CITY: CLAYTON
PHONE NUMBER: 208-838-2325

FIRST:
STATE: ID ZIP: 83227

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
Y
FIELD
EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: P/U IS WITHIN CITY LIMITS OF CLAYTON, IDAHO.

FIELD EXAMINATION INFORMATION

CONTACT PERSON:

PHONE NUMBER: () -

DATE OF FIELD EXAM: 5/4/93

APPOINTMENT MADE: Y () N (X)

TIME: : A () P ()

ACCOMPANIED BY: ROBERT ROBERTO

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY / REMARKS:

12-8-93 I made an afternoon trip to confirm the POD is at the top of the pipeline and not at the power plant site. Found the City pipe picks up water in the Tail of the power plant before it returns to the Creek. No pipes were found for the city in the Creek itself. Also per confirmed to be all lying east of D Kinnickinnic Creek in lot 3.

MICROFILMED
NOV 01 1994

MICROFILMED
NOV 01 1994

A. AJ CLAIM: # A72-04075 PRIORITY DATE: 01-01-1922 STAGE: S
B. WR RECORD: # 72-04075 PRIORITY DATE: 01-01-1922 STAGE: S

(5)

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N FIELD EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? YES (X) NO ()
IF YES EXPLAIN.

REMARKS: Affidavit by Raymond Crawford is supportive of 1921.

OK ✓
RECOMMENDED PRIORITY DATE: 1922 as claimed
01-01-1922 ~~1921~~

REVIEWED BY: GE DATE: 12-6-93

MICROFILMED
NOV 0 1 1994

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A72-04075	11N	17E	24	1/4	1/4	1/4	SW	CUSTER

OTHER AJ CLAIMS WITH SAME AJ POINT

A PREFIX
A72-11738
NONE

WR RECORDS IN SAME 40 ACRE TRACT

72-04213

From Paul location

SOURCE: KINNIKINIC CREEK

TRIB: SALMON RIVER

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
72-04075	11N	17E	24				SW	CUSTER

OTHER WR RECORDS WITH SAME WR POINT

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX
R PREFIX

72-04213

A72-11738
NONE

SOURCE: KINNIKINIC CREEK

TRIB: SALMON RIVER

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY?	(Y/N)	DUE TO SOURCE DISCREPANCY?	(Y/N)	FIELD EXAMINER
	Y		N	<i>Y</i>

REMARKS:

Confirmed by field exam, APP U73, Gait lot Map, License Exam 72-2068

MICROFILMED

NOV 01 1994

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:		1/4		LOT	COUNTY
TWP.	RGE.	SEC.			
<u>11N</u>	<u>17E</u>	<u>13</u>	<u>SE</u>	<u>NW</u>	<u>SW</u>
SOURCE: KINNIKINIC CREEK		TRIB: SALMON RIVER			
REVIEWED BY: <u>Sen</u>		DATE: <u>12-6-93</u>			

MICROFILMED
1993

A. ROOT WATER RIGHT NUMBERS: A72-04075

B. POU LISTING

TWP RNS SEC 1/4 1/4 LOT NAME

AJ
#/ACRES

WR
#/ACRES

LANDSAT
DATA

FIELD
EXAM.

RECOMM.
ACRES

TIN 17E 25 NE NE CITY OF CLAYTON
NW NE BARRETT, R. M.
NW NE SMITHERS, ALLEN
NW NE CANYON GROCERY
NW NE BRADSHAW, DONALD
NW NE ROVETTO, ROLAND
NW NE KINGSBURY, H. B.
NW NE ROVETTO, JOHN

A72-04075 /
A72-10278 /
A72-10292 /
A72-10293 /
A72-10283 /
A72-11737 /

-
-
-
-
-
72-02075 /
72-07464 / 1.0

TIN 17E 25 NE NE CITY OF CLAYTON

A72-04075 /

TOTAL ACRES A72-04075

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y () N (X)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

POU COUNTY: CUSTER

PRESUMPTION FLAG:

REMARKS:

*Estimated acres = 2.5 acres within city
base on irrigation and fire protection
irrigation & fire hydrant lowest stream.*

RECOMMENDATIONS:

TOTAL ACRES:

Municipal

REVIEWED BY:

su

DATE:

12-6-93

MICROFILMED
NOV 01 1994

A. AJ CLAIMED USES:

PURPOSES
A72-04075 MUNICIPAL

MONTH/DAY
FROM 01-01 TO 12-31

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
.500 CFS
.500 CFS

B. WR RECORDED USES:

PURPOSES
72-04075 MUNICIPAL

MONTH/DAY
FROM 01-01 TO 12-31

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
.500 CFS
.500 CFS

ESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY?	(Y/N)
DUE TO DIVERSION RATE DISCREPANCY?	(Y/N)
DUE TO PERIOD FROM/TO DISCREPANCY?	(Y/N)

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

REMARKS:

Y(☒) N(☐)
Y(☐) N(☒)

Explain in remarks, below.

UNRECORDED

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(X) N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.500 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.500 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y X FIELD DATABASE EXAMINER

B. MEASUREMENT METHOD polysonic, FLOW MEASUREMENT SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(X) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A72-10278	DOMESTIC	BARRETT, R. M.	FROM 01-01 TO 12-31	.040 CFS	

MICROFILMED
NOV 01 1994

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE $\times 0.02$ CFS/ACRE = CFS
ACRES (Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE
CLAIMED CONSUMPTIVE USE = AE/A

ACRES 2.5 $\times$ CONSUMPTIVE VOL. AE/A FOR AREA 2.5 =
TOTAL CONSUMPTIVE USE 6.25 AE/A 6.3

3. IRRIGATION DIVERSION VOLUME
CLAIMED DIVERSION VOLUME = AE/A
ACRES 2.5 $\times$ DIVERSION VOL. AE/A FOR AREA 2.5 =
TOTAL DIVERSION VOLUME 6.25 AE/A 6.3

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:
SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

1b. CALCULATIONS

3 acres $\times 0.03$ cfs = 0.09 cfs
needed for use found.
0.10 cfs measured @
Time was in operation.

Recommended 0.15 cfs
(round up of highest meas.
policy since in 5-5-93)
based on measurement of
System at capacity Division.

MICROFILMED
NOV 6 1994

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV RATE CFS		REC. DIV VOL. AF/A		REC. CONG. USE	
	FROM	TO						
MUNICIPAL	01-01	12-31	0.500	0.15	0.500	N/A	0.0	6.3
TOTAL FOR THIS RIGHT								

REVIEWED BY: *Sm*

DATE: 12-6-93

F05 ~ 72-2068
SP3 = city of Dayton

MICROFILMED
NOV 01 1994

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP
FORFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

ACCEPTED
AS CLAIMED
()
()
()
NEEDS
REVIEW
()
()
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 72-04075

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
0.500

EXAMINER

CFS

SPLITS:

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

- A72-04075

0.500

-

72-04075

0.500

TOTAL CFS

0.500

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:
SIGNATURE: 

DATE: 12-6-93
TITLE:

NAME OF FIELD EXAMINER:

MAILED
NOV 11 1993

MR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM
PRIORITY DATE	Y	MAILED AFFIDAVIT 4-15-92	5-4-93 5-5-93 9-9-93 See 12-8-93 See	N	6. off.	See 12-6-93	See 12-6-93	See 12-6-93
POINT OF DIV	Y			Y	156			
SOURCE				N				
PLACE OF USE	Y			Y	154			
DIV. AMOUNT CES/VOLUME				Y	6. max.			
CONSUMPTIVE USE	-			Y	6.			
PURPOSES				N				
PERIOD OF USE				N				
BASIS OF CLAIM				Y	6. STDs			
REMARKS	Y			Y	6.			

See 3-23-93

- *VERIFIED BY* CODES
- TOPO MAP/ORTHO-PQ = 1
 - ASCS MAP = 2
 - WATERMASTER RECORDS = 3
 - NAPP PHOTOS = 4
 - FIELD EXAM = 5
 - OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
NOV 6 1 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

04:32:42
06/04/92

PAGE: 12
PROFILE REPORT

CLAIM NUMBER: A72-04075

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF CLAYTON P.O. BOX 22 CLAYTON ID 83227 (208) 838-2325	01/01/1922	MUNICIPAL	01-01 12-31	0.50 CFS 0.15	Beneficial Use
TOTAL DIVERSION:						
Water Source: KINNICKINIC CREEK						
Tributary to: SALMON RIVER						
Point(s) of Diversion: T11N R17E S24 13 SE 5482						
Place of use Legal Description for: MUNICIPAL						
T	NENE NENE SENE NENE NENE SENE	:	:	:	:	:
R	S Lt Ac Lt Ac Lt Ac Lt Ac Lt Ac	:	:	:	:	:
11N 17E 25	:	3 M	:	M	:	:
POU County: CUSTER						
Non-Irrigation Uses: Municipal, M/FIRE PROTECTION & IRRIGATION						
Other Rights: NONE						
Non-Irrigation Use: M/FIRE PROTECTION & IRRIGATION						
Remarks: { P/U IS WITHIN CITY LIMITS OF CLAYTON, IDAHO. } → move FDS = 92-2065 & 92-4116						
Dates: Exam Made Date: 5-4-93 Verified Date: 01/28/1986						
Misc: Water District Number: Field Inspection Flag: Presumption Flag:						

MICROFILMED
NOV 1 1994

$$N = 1$$

R17E

you

A22-4075



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

POOR ORIGINAL

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

MODE SELECT
INPUT

OUTER DIAMETER
4.5756 IN

PIPE MATERIAL
? CS, SS

WALL THICKNESS
.23400 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
3.051 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO QPR

09-09 16:2100 *R
+482.114E-10PM

MODE SELECT
TO CHECK

0155.5 MMSEC
101.32 % T0

09-09 16:2200 *R
+001.60 % AI2

DAMPING SET
20 SEC

09-09 16:2300 *R
+457.810E-10PM

09-09 16:2400 *R
+463.357E-10PM

09-09 16:2500 *R
+468.641E-10PM

09-09 16:2500 *R
+476.833E-10PM

A72-4075

9-9-93 BY STEVE CLELLAND

CITY OF CLAYTON
PIPELINE

~~A72~~ A72-4075

CITY OF CLAYTON

POLYSONIC MEAS.

By STEVE CLELLAND
9-9-93

USES INCLUDED

PARK IRRIGATION

3 SPRINKLERS RUNNING.

$\bar{X} = 46.67 \text{ GPM}$

$= 0.104 \text{ cfs}$

MICROFILMED

NOV 01 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

POOR ORIGINAL

CECIL D. ANDRUS
Governor

ZERO OPR

MODE SELECT
INPUT

OUTER DIAMETER
4.5756 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2000 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
2.997 IN U

05-04 21:3000 *R
+376.973E 16PH

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

05-04 21:3300 *R
+001.50 % AI2

MODE SELECT
T0 CHECK

0161.7 MMSEC
103.65 % T0

MODE SELECT
INPUT

OUTER DIAMETER
4.5756 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2000 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1430 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
2.854 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

05-04 21:4700 *R
+001.60 % AI2

05-04 21:4700 *R
+670.468E-16PM

MODE SELECT
T0 CHECK

0156.8 MMSEC
097.73 % T0

05-04 21:4900 *R
+778.515E-16PM

05-04 21:5000 *R
+656.467E-16PM

05-04 21:5000 *R
+537.590E-16PM

05-04 21:5200 *R
+683.149E-16PM

R. KEITH HIGGINSON
Director

A72-04075

CITY OF
CLAYTON

IRRIGATION &
FIRE PROT.

5-5-93

DATE SET WRONG
ON PRINTOUT

STEVE CLELLAND
FRANK HITCHCOCK

WITH:
ROLAND ROUETTO

(see memo
of 5-4-93)

$\bar{X} = 66.39 \text{ GPM}$

$= 0.148 \text{ cfs}$

MICROFILMED

NOV 01 1994

CONVERSATION MEMORANDUM

EMPLOYEE: STEVE CLELLAND

FILE A72-04075

RE: MEASUREMENT OF USES FLOWING IN CLAYTON CITY

DATE 5-4-93

NAME OF PARTY

ROLAND ROVETTO

(present @ site on 5-4-93
actual meas. taken 5-5-93)

He said this pipeline is running full open with minimum pressure on it. Since no uses are being diverted the flow runs back into the Salmon River. The valve to this pipeline was wide open.

<IDWR NOTE> this measurement of condition should have given the maximum capacity of the pipeline system. The actual uses diverted from this system will increase the pressure in the pipe as the By Pass valve to the River is closed down, and flow will be decreased.

MICROFILMED

NOV 6 1993

POOR ORIGINAL


MICROFILMED
NOV 01 1994



TAILRACE OF
POWER GEN.

← CITY
OF
CLARK
PIPELINE
PIPELINE

A72-4075



↑ KINNICKINIC CREEK FLOWS UNDER POWER HOUSE



12-7-93

MICROFILMED

NOV 01 1994

PHOTOS

R72-4075

by sc

POOR ORIGINAL

CITY OF CLAYTON
A72-4075

5-4-93



DIVERSION SET UP FROM
POWER PLANT ON
KINNIKINIC CREEK.



← POLYSONIC METER
ON CITY'S
PIPELINE.



← MEASUREMENT SITE
BELOW BRIDGE TO
RAY CLAWFORD'S
PLACE

PHOTO: R72-1
JUN 1993
SEC

MICROFILMED
JUN 1 1994

Water Right Number - 72-04075

Prefix Translation:

WATER RIGHT

Old (D) Number -

Last Name -

First Name -

Address -

*** C - CURRENT OWNER ***
CITY OF CLAYTON

1 -
2 -
3 -
City- CLAYTON
State- ID Zip- 83227
Phone -

Priority Date - 01/01/1922

Region - 17 SOUTHERN

Stage - S - STATUTORY CLAIM

Status -

Source - KINNICKINIC CREEK

Tributary - SALMON RIVER

TwN Rng Sec Tract Lot RFlg County Point of Diversion Stream Index (Blank if no Index Code)

11N 17E 24 SW SE (37) CUSTER

Code Description Period from Period To Water Use Diversion Rate Diversion Volume

40 - MUNICIPAL

01/01 12/31

0.500

Total Div. Rate - 0.500 + Total Div. Volume - + Total Div. Capacity - +

TwN Rng Sec Tract Lot Acres Code Description County

- - - Diversion Means - PIPE

- - - Non-Irrigation Use - M/FIRE PROTECTION & IRRIGATION

- - - Other Rights for Same Use -

Remarks -
P/U IS WITHIN CITY LIMITS OF CLAYTON, IDAHO.

- - - Old Water Right Numbers found.
No Old Water Right Numbers found.

- - - Conditions of Approval -
No Conditions of Approval found.

- - - Decree Plaintiff - + - - - Decree Defendant - - - + - - - Decree Date - +
00/00/0000

MICROFILMED
NOV 01 1994

WATER RIGHT

No Comments Found

CONVERT

Water Rights Dates and Flags Area

Proof Due Date	-	00/00/0000	Field Exam Made	-	00/00/0000	Field Exam Fee	-
Approved/Denied	-	00/00/0000	Protested Date	-	00/00/0000	Swan Falls	-
Proof Made Date	-	00/00/0000	Hearing Date	-	00/00/0000	Temporary Right	-
Exam to S.O. Date	-	00/00/0000	Verified Date	-	01/28/1986	DLE/Carrey Act	-
Order Show Cause	-	00/00/0000	Receipt Number	-		Water District	-
Licensed Date	-	00/00/0000	Appl Received	-	00/00/0000	Transfer/Amended	-
Decree Date	-	00/00/0000	Presumption Flag	-			-

MICROFILMED
NOV 01 1994