

06/13/2014

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 12, 2014

Water right number: 92-10593

PAUL D SMITH
88 GARDEN TRACTS RD
SAINT MARIES ID 83861
Telephone Number: (208) 245-3878

COLLEEN J SMITH
88 GARDEN TRACTS RD
SAINT MARIES ID 83861
Telephone Number: (208) 245-3878

RECEIVED
JUL 30 2014
IDWR/NORTHERN

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7-30-2014 SIGNATURE: Colleen J Smith
Please print your name: _____

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800