

06/17/2014

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 12, 2014

RECEIVED

JUL 29 2014

IDWR/NORTHERN

Water right number: 92-10762

EDWARD A MOYA  
1271 ST MARIES RIVER ROAD  
SAINT MARIES ID 83861  
Telephone Number: (208) 245-2424

PATRICIA L MOYA  
1271 ST MARIES RIVER ROAD  
SAINT MARIES ID 83861  
Telephone Number: (208) 245-2424

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

29 July 2014

SIGNATURE:

Patricia L. Moya

Edward A. Moya

Please print your name:

PATRICIA L. MOYA

EDWARD A. MOYA

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800