

06/12/2014

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 12, 2014

Water right number: 92-7238

RONALD M KINYON
606 AIRWAY DR
LEWISTON ID 83501
Telephone Number: (208)743-1106

DONNA M KINYON
606 AIRWAY DR
LEWISTON ID 83501
Telephone Number: (208)743-1106

RECEIVED
AUG 11 2014
DEPARTMENT OF
WATER RESOURCES

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

___ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8/5/2014

SIGNATURE: Ronald M. Kinyon Donna M Kinyon

Please print your name: RONALD M KINYON DONNA M KINYON

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800