

RECEIVED

MAR 05 1997

Department of Water Resources

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO. IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number: **72-10902**

Date received _____

Receipt No: _____

AMENDED

NOTICE OF CLAIM TO A WATER RIGHT

AMENDED

FILED UNDER STATE LAW

1. Name of Claimant: UNITED STATES OF AMERICA on behalf of the U.S.D.A. Forest Service

Address: 550 W. Fort Street, Box 33
Boise, ID 83724

2. Date of Priority: 12/31/1900

3. Source of water: MILL CREEK

From: Stream

4. Location

Description of Diversion Works: None

Location of Point of Diversion Meridian BOISE

T: 11 N R: 16 E S: 26 SESW Fl: B T: 11 N R: 16 E S: 26 NWSE Fl: E

T: 11 N R: 16 E S: 26 SESW Fl:

Location of Point of Use

T: 11 N R: 16 E S: 26 NESW

T: 11 N R: 16 E S: 26 NWSE

5. Quantity claimed:

Period	Quantity	For
6/ 01 -- 6/ 30	0.02 CFS	Stockwater

6. Total Consumptive Use Claimed for Present and Future Use is:

De Minimus

7. Present and future uses to which the water is or will be used:

Stockwater

8. Attach the legal description of the reservation, and maps showing for each consumptive use the existing and proposed place of use and existing points of diversion.

Bound separately

9. Remarks.

State Basin: 72

National Forest: Sawtooth

Forest Service Record ID: 04 14 17060201 56 0025

10. Describe any other water rights used at the same place and for the same purposes as described above:

None

11. Counties within the reservation: Not available

Notice is hereby given that the United States Department of Justice will represent the Department of Agriculture, Forest Service, in all matters pertaining to the Snake River Basin Adjudication. All notices required by law to be mailed by the Director to the claimant should be mailed to the individuals at the address below:

Bruce Bernard
U.S. Department of Justice
Environment and Natural Resources Division
550 W. Fort Street, Box 33
Boise, ID 83724

This form is an attachment to a letter forwarding the claims of the U.S. Department of Agriculture, Forest Service. The signature and affirmation on such letter constitutes the signature of the authorized agent representing the United States of America required for each such claim.

DATE: 04/16/97
PAGE: 1

TOTAL DIVERSION: 0.02 CFS

Stage: BENEFICIAL USE

CUSTER County
CUSTER County

NE-

5

POU County: CUSTER

STOCKWATER, 465 CATTLE
FOREST SERVICE RECORD ID 04 14 17060201 56 0 0025

Objection Filed Date:

Field Inspection Flag:
Presumption Flag:

11-21-2020

RIGHTS FROM: SOURCE: MILL CREEK TRIBUTARY: SALMON RIVER
RIGHT NUMBER: 72-10902

NAME & ADDRESS: UNITED STATES OF AMERICA ACTING THROUGH
USDA FOREST SERVICE
550 W FORT STREET
PO BOX 33C
BOISE ID 83724

SOURCE: MILL CREEK TRIBUTARY: SALMON RIVER

QUANTITY: 0.02 CFS

PRIORITY DATE: 12/31/1900

POINT OF DIVERSION: T11N R16E S26 SESW (INSTREAM BEGINNING POINT) Within CUSTER County
NWSE (INSTREAM ENDING POINT)

PURPOSE AND PERIOD OF USE: PURPOSE OF USE STOCKWATER PERIOD OF USE 06-01 06-30 QUANTITY 0.02 CFS

PLACE OF USE: STOCKWATER T11N R16E S26 Within CUSTER County NWSE

EXPLANATORY MATERIAL: BASIS OF CLAIM - BENEFICIAL USE STOCKWATER, 465 CATTLE
FOREST SERVICE RECORD ID 04, 14, 17060201 56 0 0025

SESU

DATE: 04/08/97
PAGE: 19

TOTAL DIVERSION: 0.02 CFS

Stage: BENEFICIAL USE

CUSTER County
CUSTER County
CUSTER County

SE

C

OSTER

Cattle

7

Objection Filed Date:

Field Inspection Flag:
Presumption Flag:

03/19/97 AJCTR

#04 14 17060701 56 0035

11/13

OWNER
CODE

NAME & ADDRESS

PRIORITY
DATE

WATER USE

USE PERIOD
FROM TO

DIVERSION
RATE

DIVERSION
VOLUME

C

UNITED STATES OF AMERICA ACTING THROUGH
USDA FOREST SERVICE
324 25TH STREET
OGDEN UT 844012394
(801) 625-5360

06/01/1906

STOCKWATER

06-01 06-30

0.02 CFS

0.02 CFS

TOTAL DIVERSION:

0.02 CFS

WATER SOURCE: MILL CREEK

TRIBUTARY TO: SALMON RIVER

STAGE: BENEFICIAL USE

POINT(S) OF DIVERSION:

~~NWSE SWNW-B~~
NWSE-E

CUSTER COUNTY

PLACE OF USE LEGAL DESCRIPTION FOR: STOCKWATER									
NE									
		NW		SW		SE			
		NENE		NWSW		NWSE			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			
		LT AC		LT AC		LT AC			