

06/13/2014

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 12, 2014

Water right number: 92-10512

PHILIP M ROUNSEVEL
608 SANTA MARIE WOODS DR
SAINT MARIES ID 83861
Telephone Number: (208) 245-9069

CANDIS ROUNSEVEL
608 SANTA MARIE WOODS DR
SAINT MARIES ID 83861
Telephone Number: (208) 245-9069

RECEIVED
SEP 09 2014
DEPARTMENT OF
WATER RESOURCES

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The only change is the address is now 878 Santa Marie Wds Dr. The 608 number applies to the other residence on this property and is for Marie Rounsevel. It doesn't really make much difference

2. Describe the changes you wish to make in the proposed recommendation: *all the mail goes in the same box.*

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9-1-14 SIGNATURE: Phil Rounsevel

Please print your name: _____

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800