

RECEIVED

OCT 03 2014

IDWR / NORTH

09/08/2014

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 21, 2014

Water right number: 91-7483

JOHN DARDEN
5393 ST JOE RIVER RD
SAINT MARIES ID 83861
Telephone Number: (208) 245-3987

JEANNE DARDEN
5393 ST JOE RIVER RD
SAINT MARIES ID 83861
Telephone Number: (208) 245-3987

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

*stock water place of use is in Gov. Lot 7 and Gov lot 6
(see attached map) domestic place of use Gov lot 1*

2. Describe the changes you wish to make in the proposed recommendation:

change as indicated on #1

3. Give a brief explanation as to why you disagree with these portions:

recommendation as mailed to us is incorrect

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____

SIGNATURE: _____

Please print your name: _____

Jeanne Darden *John F Darden*
Jeanne Darden *John F. DARDEN*

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800

SCANNED

OCT 03 2014