

RECEIVED
09/08/2014
OCT 24 2014

NOTICE OF ERROR
REPLY

DEPT. OF WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 21, 2014

Water right number: 91-7570

JEFF SPOONER
2116 ST JOE RIVER RD
SAINT MARIES ID 83861-9133
Telephone Number: (208) 245-4070

PAULA SPOONER
2116 ST JOE RIVER RD
SAINT MARIES ID 83861-9133
Telephone Number: (208) 245-4070

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

POD + POU are shown on the wrong Parcel
91-7059 91-7570 + 91-7569 Supply the house

3. Give a brief explanation as to why you disagree with these portions:

should described on Parcel #
RP46N02W132S10R

☐ I AGREE with this proposed recommendation; no changes need to be made.

DATE: Oct 21-2014

SIGNATURE:

Paula K Spooner

Please print your name:

Paula K Spooner

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800