

09/05/2014

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 21, 2014

Water right number: 91-7271

DUANE L PIERCE SR.
65 GRANDMAS WAY
SAINT MARIES ID 83861
Telephone Number: (208) 245-3979

CATHERINE A PIERCE
65 GRANDMAS WAY
SAINT MARIES ID 83861
Telephone Number: (208) 245-3979

RECEIVED
NOV 17 2014
DEPARTMENT OF
WATER RESOURCES

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity should read 0.060 CFS

2. Describe the changes you wish to make in the proposed recommendation:

Correct Quantity

3. Give a brief explanation as to why you disagree with these portions:

Stockwater being used

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11/14/14 SIGNATURE: Catherine A. Pierce
Please print your name: Catherine A. Pierce

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800