

07/07/2015

NOTICE OF ERROR
REPLY

RECEIVED
JUL 24 2015
IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7900

THOMAS PLEMMONS
9423 NE 137 ST
KIRKLAND WA 98034
Telephone Number: (206) 351-2940

MARY PLEMMONS
9423 NE 137 ST
KIRKLAND WA 98034
Telephone Number: (206) 351-2940

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Spring source is claimed as well but is actually a spring. HAS been in use since 1950 when home was built. Ref to Tax Lot Data. Parcel # 47N02W086200.

2. Describe the changes you wish to make in the proposed recommendation:

Spring has been in use and currently being used and should be continued to be used.

3. Give a brief explanation as to why you disagree with these portions:

See Above

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

7-24-15

SIGNATURE:

Thomas Plemmons

Please print your name:

Thomas Plemmons

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800