

07/07/2015

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8239

RUSTY DAILEY
1107 W 13TH AVE
SPOKANE WA 99204
Telephone Number: (509) 455-6754

JENNIFER BRUMBLAY DAILEY
1107 W 13TH AVE
SPOKANE WA 99204
Telephone Number: (509) 455-6754

RECEIVED

JUL 30 2015

IDWR/NORTHERN

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

WE HAVE (2) WELLS ONE ON EACH LOT, #19 & #20

2. Describe the changes you wish to make in the proposed recommendation:

(2) DOMESTIC WELLS EACH AT 0.040 CFS
FOR HOME USE

3. Give a brief explanation as to why you disagree with these portions:

HOME CAN BE BUILT ON OTHER LOT.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/27/15

SIGNATURE:

Rusty W. Dailey
RUSTY W. DAILEY

Please print your name:

RUSTY W. DAILEY

J Bl-Dailey
Jennifer Brumblay-Dailey

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800