

07/07/2015
RECEIVED
JUL 31 2015

**NOTICE OF ERROR
REPLY**

DEPT. OF WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8335

BELLA HUSSEY
5551 OLD RIVER RD
KINGSTON ID 83839
Telephone Number: (208) 682-2839

FRED A HUSSEY
5551 OLD RIVER RD
KINGSTON ID 83839
Telephone Number: (208) 682-2839

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

YES I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7-23-15 SIGNATURE: Fred A. Hussey
Please print your name: Fred A Hussey

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800