

RECEIVED

AUG 04 2015

07/07/2015

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7966

ARCHIE L GLISSON
PO BOX 82
SMELTERVILLE ID 83868
Telephone Number: (208) 784-5871

FRANCIS L GLISSON
PO BOX 82
SMELTERVILLE ID 83868
Telephone Number: (208) 784-5871

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/27/15 SIGNATURE: Archie L Glisson
Please print your name: ARCHIE L. GLISSON

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800

Gentlemen & Ladies,

I agree with proposed recommendations as is at present, but I have a question? said Land can be subdivided one time. Does the water rights go with the Land? If the Land was to be subdivided would this change the water rights?

also I have a dirt pad on the land & sewer & water line buried beneath it. This puts the flood plain 1 ft above. my future plans are to put a different home on said dirt pad. Health Dept has agreed to sign off on their part for up to 4 Bdrk home. I think 13,000 Gal/DAY is sufficient.