

07/07/2015

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7485

VERA M KILLMAR

BOX 215

KAMIAH ID 83536

Telephone Number: (208)935-0207

RECEIVED

AUG - 6 2015

IDWR/NORTHERN

1. Describe the portion of the proposed recommendation with which you disagree (e.g., priority date, period of use, source):

Quantity

2. Describe the changes you wish to make in the proposed recommendation:

The quantity of water under this right shall not exceed 25,850 gallons per day.

3. Give a brief explanation as to why you disagree with these portions:

2040 CFS = 25,850 U.S. Gallons per day.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8/3/15

SIGNATURE:

Vera M. Killmar

Please print your name:

Vera M. Killmar

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800