

RECEIVED

AUG 07 2015 07/07/2015

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-4189

HECLA LTD
6500 N MINERAL DR STE 200
COEUR D'ALENE ID 83815-9408
Telephone Number: (208) 769-4100

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The point of diversion is listed in the wrong aliquot section - SWSE. Both IDWR's website + Hecla's submittal show this to be NESE.

2. Describe the changes you wish to make in the proposed recommendation:

Please change the POD to NESE, Sect. 18 T48N R5E.

3. Give a brief explanation as to why you disagree with these portions:

Incorrect POD

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8/3/15

SIGNATURE: Ann Robison

Please print your name: Ann Robison

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800