

RECEIVED

AUG 12 2015

IDWR / NORTH

07/07/2015

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7943

PHILIP N ACOSTA
28859 229TH SE
BLACK DIAMOND WA 98010
Telephone Number: (425) 432-6828

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

THE PROPOSE RECOMMENDATION DOES NOT
EXTEND TO LAKE SHORE

2. Describe the changes you wish to make in the proposed recommendation:

EXTEND PLACE OF USE TO SHORELINE

3. Give a brief explanation as to why you disagree with these portions:

DOES NOT COVER ALL AREA WHERE
WATER IS USED

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8/12/15

SIGNATURE:



Please print your name:

PHILIP N ACOSTA

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800