

07/07/2015 RECEIVED

NOTICE OF ERROR
REPLY

AUG 17 2015

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7901

SUSAN BLALACK
29717 E HARDY LOOP
CATALDO ID 83810
Telephone Number: (208) 682-3694

ARLISS BLALACK
29717 E HARDY LOOP
CATALDO ID 83810
Telephone Number: (208) 682-3694

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The amount of usage

2. Describe the changes you wish to make in the proposed recommendation:

It should be 26,000 gallons per day.

3. Give a brief explanation as to why you disagree with these portions:

Because it is for 2 homes the amount should be double the amount of a single home.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8-10-15 SIGNATURE: Susan Blalack / Arliss Blalack
Please print your name: Susan Blalack / ARLISS BLALACK

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800