

RECEIVED

AUG 03 2015

07/07/2015

IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-9322

TOM TURCOTT
39211 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 818-5930

CLARENCE BATES
40479 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 689-3293

DEANN TURCOTT
39211 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 818-5930

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Under "Quantity" it refers to 94-9322 and 94-9325 as a combined limit of 13,000 gallons/day. Being zoned large lands, each parcel should be separate thus 94-9325 should be removed from the body of this letter

2. Describe the changes you wish to make in the proposed recommendation:

Please remove 94-9325 from the body of the letter

3. Give a brief explanation as to why you disagree with these portions:

Each parcel should stand on its own

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8/3/15

SIGNATURE:

Deann C. Turcott

Please print your name:

Deann C. Turcott

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800