

RECEIVED

AUG 03 2015

07/07/2015

NOTICE OF ERROR  
REPLY

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-9325

TOM TURCOTT  
39211 S HWY 3  
SAINT MARIES ID 83861  
Telephone Number: (208) 818-5930

DEANN TURCOTT  
39211 S HWY 3  
SAINT MARIES ID 83861  
Telephone Number: (208) 818-5930

CLARENCE BATES  
40479 S HWY 3  
SAINT MARIES ID 83861  
Telephone Number: (208) 689-3293

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Under "Quantity", it refers to #94-9325 and 94-9322 as a combined limit of 13,000 gallons/day. Being zoned large lands, each parcel should be separate thus 94-9322 should be removed from the body of the letter.

2. Describe the changes you wish to make in the proposed recommendation:

Please remove 94-9322 from the body of the letter.

3. Give a brief explanation as to why you disagree with these portions:

Each parcel should stand on its own.

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8/3/15

SIGNATURE: Deann C Turcott

Please print your name: Deann C Turcott