

RECEIVED

AUG 03 2015

07/07/2015

NOTICE OF ERROR
REPLY

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-9328

TOM TURCOTT
39211 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 818-5930

DEANN TURCOTT
39211 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 818-5930

CLARENCE BATES
40479 S HWY 3
SAINT MARIES ID 83861
Telephone Number: (208) 689-3293

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

stockwater is used, but not added to the recommendation

2. Describe the changes you wish to make in the proposed recommendation:

Add stockwater as a usage @ 0.02 CSF > Total of 0.06 CSF
Please change Domestic to 0.04 CSF

3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8/3/15

SIGNATURE:

Deann C. Turcott

Please print your name:

Deann C. Turcott

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800