Saxton, Craig

From: Saxton, Craig
Sent: Monday, August 17, 2015 9:40 AM
To: 'Linda Benfit'
Subject: RE: Updated Recommendation 94-8586

Nope. You don't need to do anything. If all looks well, then no further action needs to be taken on your part. In the next mailing you get, your recommendation will look like what I sent you....short of the bolding and strike-through stuff ☺

Have a good day.

Craig

From: Linda Benfit [mailto:lindabenfit@gmail.com]
Sent: Monday, August 17, 2015 9:37 AM
To: Saxton, Craig
Subject: Re: Updated Recommendation 94-8586

Good morning Craig,
We have received your thorough email and appreciate your efforts on our behalf. Do we need to sign the updated preliminary recommendation?
Thanks again,
Robert and Linda

On Aug 17, 2015 6:55 AM, "Saxton, Craig" <Craig.Saxton@idwr.idaho.gov> wrote:

Linda and Robert,

Thanks for meeting with me last week and discussing your concerns with the preliminary recommendation of 94-8586. I think I have made all the changes we discussed and have attached a layout (map) showing the Place of Use boundary changes and the updated Point of Diversion location. I have also attached and "Updated" preliminary recommendation. I have attempted to show the changes that I have made by **Bolding and underlining** additions, and ~~striking through~~ items to be removed.

I had to make one change that we had not discussed. That was adding parcel number RP48N04E245400 to the explanatory condition. The change in the place of use boundary crossed over into that parcel.

Let me know if you have any questions.

Thanks,

c

Actually, could you drop me a quick e-mail reply when you get this just so I know you got it? Thanks.