

RECEIVED

AUG 12 2015

07/07/2015

IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-7676

~~RICHARD W COOK
3942 MAGNUSON ST
COEUR D'ALENE ID 83815
Telephone Number: (208) 765-1126~~

~~KAREN COOK
3942 MAGNUSON ST
COEUR D'ALENE ID 83815
Telephone Number: (208) 765-1126~~

Gregory B. Hart
4180 E. Evergreen Dr
Post Falls, ID 83854
208-773-2060

Starlene R. Hart
4180 E. Evergreen Dr
Post Falls, ID 83854
208-773-2060

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation, no changes need to be made.

DATE:

8-12-15

SIGNATURE:

Gregory B. Hart

8-12-15

Please print your name:

Gregory B. Hart

Starlene R. Hart

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800

SCANNED

AUG 21 2015