

Notice of Error
Reply

07/07/2015

RECEIVED

AUG 24 2015

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015


Water right number : 94-7551

East Side Highway District
6095 E Mullan Trail Rd
Coeur d Alene ID 83814
Telephone Number: (208) 765-4714

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source) : **QUANTITY (2500 GPD)**
2. Describe the changes you wish to make in the proposed recommendation:
INCREASE QUANTITY TO DOMESTIC USE 13,000 GPD
3. Give a brief explanation as to why you disagree with these portions:
2500 GPD WILL NOT FILL OUR WATER TRUCK ONCE, AND IT IS INSUFFICIENT FOR OPERATIONS.

____ I AGREE with this proposed recommendation: no change need be made.

DATE: **August 18, 2015**

SIGNATURE: 

Please print your name: **John Pankratz**

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene ID 83815, (208) 762-2800