

RECEIVED

AUG 25 2015

07/07/2015

NOTICE OF ERROR
REPLY

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8693

AURELIO GAYTON

PO BOX 125

CATALDO ID 83810

Telephone Number: (208) 682-2288

ESTHER GAYTON

PO BOX 125

CATALDO ID 83810

Telephone Number: (208) 682-2288

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

use of more water.

Add second well (not currently working pump.)

2. Describe the changes you wish to make in the proposed recommendation:

water for surrounding dry Aches

3. Give a brief explanation as to why you disagree with these portions:

my I AGREE with this proposed recommendation: no changes need to be made

DATE:

8-25-15

SIGNATURE:

Esther Gayton

Please print your name:

Esther Gayton

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800