

RECEIVED

AUG 12 2015

07/07/2015

DEPT. OF WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8996

JAMES A CLARK II

~~PO BOX 131~~

KINGSTON ID 83839

Telephone Number: ~~(208) 682-3080~~

KATHY J CLARK

~~PO BOX 131~~

KINGSTON ID 83839

Telephone Number: ~~(208) 682-3080~~

383 Reynolds Rd.
(208) 682-9032

383 Reynolds Rd.
(208) 682-9032

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 8-12-15

SIGNATURE:

James A. Clark II

Please print your name:

JAMES A. CLARK II

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800