

07/07/2015

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8634

CATHERINE A LININGER
2625 MONTGOMERY GULCH RD
KELLOGG ID 83837
Telephone Number: (208) 786-1911

TERRY F LININGER
2625 MONTGOMERY GULCH RD
KELLOGG ID 83837
Telephone Number: (208) 786-1911

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

9-21-15
~~Montgomery Creek Part of diversion is located AS follows Beginning at~~
~~NA Corner of same site past where southeasterly appear 310 feet~~
~~to 25~~

2. Describe the changes you wish to make in the proposed recommendation:

Point of Diversion

3. Give a brief explanation as to why you disagree with these portions:

*Diversion Point incorrect as water is directed From Spring
that Flows to Montgomery Creek*

I AGREE with this proposed recommendation: no changes need to be made.

DATE: *9-21-15*

SIGNATURE: *Catherine A. Lininger Terry F Lininger*

Please print your name: *Catherine A. Lininger Terry F Lininger*

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800