

NOTICE OF ERROR
REPLY

RECEIVED
SEP 29 2015 07/07/2015
IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2015

Water right number: 94-8012

ROBERT V GOODSON
8951 E SCHUERMAN CT
SAINT MARIES ID 83861
Telephone Number: (208) 689-3244

SUSAN F GOODSON
8951 E SCHUERMAN CT
SAINT MARIES ID 83861
Telephone Number: (208) 689-3244

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

9/28/15

SIGNATURE:

Robert V. Goodson

Please print your name:

Robert V. Goodson

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, (208) 762-2800