

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT


USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER <u>BEAUVY BAY</u> Name <u>Beauvy Bay</u> Address <u>Beauvy Bay, Idaho</u> Owner's Permit No. <u>1111111111</u>	7. WATER LEVEL Static water level <u>10</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature <u>Cold</u>°F. Quality <u>Excellent</u>																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>40+</u></td> <td><u>---</u></td> <td><u>1 hr.</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>40+</u>	<u>---</u>	<u>1 hr.</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>40+</u>	<u>---</u>	<u>1 hr.</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>8</u></td> <td><u>0</u></td> <td><u>30</u></td> <td><u>Gravel</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>30</u></td> <td><u>38</u></td> <td><u>Gravel</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>First water at 25'</u></td> <td></td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>8</u>	<u>0</u>	<u>30</u>	<u>Gravel</u>		☒	<u>6</u>	<u>30</u>	<u>38</u>	<u>Gravel</u>		☒				<u>First water at 25'</u>						
Hole Diam.	Depth		Material	Water																													
	From	To		Yes	No																												
<u>8</u>	<u>0</u>	<u>30</u>	<u>Gravel</u>		☒																												
<u>6</u>	<u>30</u>	<u>38</u>	<u>Gravel</u>		☒																												
			<u>First water at 25'</u>																														
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>2.50</u> inches</td> <td><u>6</u> inches</td> <td><u>3</u> feet</td> <td><u>30</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/4</u> inches by <u>8</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>10</u> perforations</td> <td><u>2.5</u> feet</td> <td><u>30</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>2.50</u> inches	<u>6</u> inches	<u>3</u> feet	<u>30</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>10</u> perforations	<u>2.5</u> feet	<u>30</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	
Thickness	Diameter	From	To																														
<u>2.50</u> inches	<u>6</u> inches	<u>3</u> feet	<u>30</u> feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
<u>10</u> perforations	<u>2.5</u> feet	<u>30</u> feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">W</td> <td style="text-align: center;">X</td> <td style="text-align: center;">E</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>NW 1/4 SE 1/4 Sec. 12 T. 52 N. R. 3 E. W.</u>	N			W	X	E				10. Work started <u>7/3/80</u> finished <u>7/3/80</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>Associated Well</u> Firm Name <u>Drillers Inc.</u> Firm No. <u>345</u> <u>Box 723</u> Address <u>C.O.R. Idaho</u> Date <u>7/3/80</u> Signed by (Firm Official) <u>K. L. L. L.</u> and (Operator) <u>Robert F. Dugan</u>																							
N																																	
W	X	E																															

SCANNED
JUN - 8 2010


Figure 1. USFS Beauty Creek Campground Delineation and Potential Contaminant Inventory.



PWS # 1280210
USFS Beauty Creek
Campground
Well

SCANNED
JUN - 8 2010

MERIDIAN, IDAHO



ST
LA
AN

MT F

IN
RESURVEY
TRACT NO

Dept of Agr
as part of C
Sec
Sec
Sec

IDI 08590 L
09/28/1969

IDI 010074
04/19/1962

Acq IDI 014
Sec

IDI 8283 P
Sec

IDI 28748 F
Sec

IDI 30610 F

SCANNED
JUN - 8 2010

