

Claim 95-12916

INVOICE

CARMAN DEVELOPMENT CO.

AIR ROTARY AND CABLE TOOL DRILLING

E. 6010 BROADWAY AVE. • SPOKANE, WASHINGTON 99206

Office: 509-535-0671 • Mobil: 208-667-7045

No 1366

SOLD TO

Mr. Chas. Rosenoff
4204 West Irving
Pasco, Washington

DATE: July 22nd, 1976

TERMS:

CUSTOMER'S ORDER NO.

JOB LOCATION: Coeur D'Alene Lake, Idaho

ITEM NO.	QUAN.	DESCRIPTION	UNIT PRICE	AMOUNT
100 Ft.		Drilling 6" Domestic well	9.00	900.00
30 Ft.		Furnish and Install 6" Steel Casing	13.33	400.00
1 Ea.		Surface Seal	35.00	35.00
1 Ea.		Drive Shoe	45.00	45.00
20 Ft.		Furnish and Install 4" PVC Liner	7.25	145.00
		3% Idaho Sales Tax		42.45
		TOTAL		1457.45

SCANNED
JAN - 4 2011

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

Claim 95-12916

RECEIVED

1. WELL OWNER Name <u>M. South D. Haddock</u> Address <u>125 McKimly Dr.</u> Owner's Permit No. <u>111008 J.H.</u>		7. WATER LEVEL Static water level <u>140</u> feet below land surface Flowing? ☐ Yes ☒ No Temperature <u>58</u> ° F. Quality <u>Good</u> Artesian closed-in pressure <u>0</u> p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																					
2. NATURE OF WORK <u>95-75-N-27</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Other Discharge G.P.M. <u>15</u> Draw Down <u>160</u> Hours Pumped <u>3 h</u>																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>31</td><td>Clay & Benton</td><td></td><td></td></tr><tr><td>10</td><td>31</td><td>27</td><td>Basalt Blue</td><td></td><td></td></tr><tr><td>6</td><td>27</td><td>128</td><td>Basalt Blue</td><td></td><td></td></tr><tr><td>6</td><td>128</td><td>80</td><td>Slate Tan</td><td></td><td></td></tr><tr><td>80</td><td>105</td><td>162</td><td>Basalt Brown</td><td></td><td></td></tr><tr><td>145</td><td>171</td><td>171</td><td>Slate Light Tan</td><td></td><td></td></tr><tr><td>171</td><td>180</td><td>180</td><td>Basalt Black Benton</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	10	0	31	Clay & Benton			10	31	27	Basalt Blue			6	27	128	Basalt Blue			6	128	80	Slate Tan			80	105	162	Basalt Brown			145	171	171	Slate Light Tan			171	180	180	Basalt Black Benton		
Hole Diam.	Depth		Material		Water																																																		
	From	To		Yes	No																																																		
10	0	31	Clay & Benton																																																				
10	31	27	Basalt Blue																																																				
6	27	128	Basalt Blue																																																				
6	128	80	Slate Tan																																																				
80	105	162	Basalt Brown																																																				
145	171	171	Slate Light Tan																																																				
171	180	180	Basalt Black Benton																																																				
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																																																							
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>180</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>550</u> inches <u>6</u> inches <u>1-6</u> feet <u>27</u> feet inches inches feet feet inches inches feet feet inches inches feet feet inches inches feet feet inches inches feet feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation inches by inches Number From To perforations feet feet feet perforations feet feet feet perforations feet feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter Slot size Set from feet to feet Diameter Slot size Set from feet to feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from feet to feet Surface seal depth <u>27</u> Material used in seal ☐ Cement/grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth																																																							
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>SW</u> 1/4 <u>SW</u> 1/4 Sec. <u>28</u> T. <u>50</u> N. <u>8</u> R. <u>3</u> E. <u>W</u>		10. Work started <u>APR 10 1975</u> finished <u>APR 14 1975</u>																																																					
		11. DRILLERS CERTIFICATION Firm Name <u>E.H. Halman Drilling Co.</u> Firm No. <u>105</u> Address <u>601 S. 1st St.</u> Date <u>APR 15 1975</u> Signed by (Firm Official) _____ and (Operator) _____																																																					

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED
JAN 4 2011

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

Claim 95-12916

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.


1. WELL OWNER Name <u>Mr. Keith D. Haddock</u> Address <u>125 N. 1st St. Kellogg, ID</u> Owner's Permit No. <u>95-75-N-27-1</u>		7. WATER LEVEL Department of Water Resources Static water level <u>95</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																					
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) <u>installing 6"-4" casing</u>		8. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Other Discharge G.P.M. <u>12</u> Draw Down <u>90</u> Hours Pumped <u>4</u>																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>31</td><td>CLAY & SANDY SILT</td><td></td><td></td></tr><tr><td>1</td><td>31</td><td>37</td><td>RED BROWN SAND</td><td></td><td></td></tr><tr><td>6</td><td>37</td><td>43</td><td>BROWN SILT</td><td></td><td></td></tr><tr><td>6</td><td>43</td><td>80</td><td>SHALE</td><td></td><td></td></tr><tr><td>6</td><td>80</td><td>105</td><td>SHALE</td><td></td><td></td></tr><tr><td>4</td><td>105</td><td>171</td><td>SHALE</td><td></td><td></td></tr><tr><td>1</td><td>171</td><td>180</td><td>BROWN SILT & SAND</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	10	0	31	CLAY & SANDY SILT			1	31	37	RED BROWN SAND			6	37	43	BROWN SILT			6	43	80	SHALE			6	80	105	SHALE			4	105	171	SHALE			1	171	180	BROWN SILT & SAND		
Hole Diam.	Depth		Material		Water																																																		
	From	To		Yes	No																																																		
10	0	31	CLAY & SANDY SILT																																																				
1	31	37	RED BROWN SAND																																																				
6	37	43	BROWN SILT																																																				
6	43	80	SHALE																																																				
6	80	105	SHALE																																																				
4	105	171	SHALE																																																				
1	171	180	BROWN SILT & SAND																																																				
4. METHOD DRILLED ☐ Cable ☐ Rotary ☐ Dug ☐ Other																																																							
5. WELL CONSTRUCTION Diameter of hole <u>4</u> inches Total depth <u>180</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>250</u> inches <u>4</u> inches <u>4</u> feet <u>91</u> feet <u>250</u> inches <u>4</u> inches <u>180</u> feet <u>180</u> feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/4</u> inches by <u>2</u> inches Number From To <u>40</u> perforations <u>105</u> feet <u>180</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>22</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Sherry pit ☒ Temporary surface casing ☐ Overbore to seal depth																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>SW 1/4 SW 1/4 Sec. 28 T. 50 N. R. 1 E. 1/4 NW</u>		10. Work started <u>May 1-1975</u> finished <u>June 6-1975</u>																																																					
		11. DRILLERS CERTIFICATION Firm Name <u>E. H. Helman Drilling Co.</u> Firm No. <u>105</u> Signed by (Firm Official) <u>E. H. Helman</u> and <u>E. F. Helman</u> Operator																																																					

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

SCANNED
JAN - 4 2011

Claim 95-12916




SCANNED
JAN - 4 2011


Claim 95-12916

RECORD OF SURVEY LOT LINE ADJUSTMENT TO TAX NUMBERS 5862, 5863 (49N03W30S450) & 3979 (49N03W30S460) LOCATED IN GOV'T LOT 3, IN THE SW 1/4 SECTION 30, T49N, R3W, B.M., KOOTENAI COUNTY, IDAHO

AUGUST 2002



BASIS OF BEARING
 REFERENCE RECORD OF SURVEY BOOK 30, PAGE 110



- LEGEND**
- CALC POINT (NOT SET)
 - (a) ROUND 1/2" PIN, PLS 3614 OR AS NOTED
 - (b) Record of Survey Book 30, PAGE 110
 - (c) DEED
 - (d) PLAT

SURVEYOR'S CERTIFICATION

I, EARL E. SANBORN, PLS 3614, HEREBY CERTIFY THAT I AM A LICENSED SURVEYOR IN THE STATE OF IDAHO AND THAT THIS MAP CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY DIRECT SUPERVISION AND THAT IT IS IN ACCORDANCE WITH THE LAWS OF THE STATE OF IDAHO.

EARL E. SANBORN, PLS 3614



AUDITOR

STATE OF IDAHO
 COUNTY OF KOOTENAI } SS
 THIS SURVEY FILED FOR RECORD THIS _____
 DAY OF _____, 20__ AT _____
 COUNTY OF _____, IDAHO
 BY _____
 CLERK

BY _____
 CLERK

FEE \$ _____

DURSCHI & ASSOC., INC.
 SURVEYING-PLANNING
 P.O. BOX 700
 8751 GOVERNMENT WAY, SUITE 5
 HAYDEN LAKE, ID 83835
 PHONE: (208) 772-2233
 FAX: (208) 772-8231
 E-MAIL: buddeev@aol.com

SCANNED
 1107 4 - NW

CLAIM 95-12916

Class 95-12916

SW 1/4 Sec. 30 Twp. 49 N. R. 3 W. B. M.

200 feet

~~Hayward~~

File

~~Rosemont house~~


Newell

Rosenoff

GOVT
LOT 3
22.30 Ac


SCANNED
JAN - 4 2011

Claim 95-12916



Claim 95-12916

COURDALENE LAKE



(OLD - circa 1973)

SCANNED
JAN - 4 2011