

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

JAN - 8 2004

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
1/4 1/4 1/4
Lat _____ Long _____

1. WELL TAG NO. D0017985

DRILLING PERMIT N

Other IDWR No

2. OWNER:

Name Jim Fleischacker

Address 15316 125th Ave. NE

City ARLINGTON

State WA

Zip 98223-79

3. LOCATION OF WELL by legal description:

N Twp 53N North ☒ or South
Rge 03W East or West ☒
Sec 07 1/4 SW 1/4 SW 1/4
Gov't Lot _____ County Kootenai
Lat _____ Long _____
Address of Well Site: (see next line)

2.8 on right from Athol

City Athol

Lot _____ Blk _____ Sub. Name: (see next line)

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	15	8 sacks	pour in

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) _____ Ring bit

Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
6"	2	538'	0.250	Steel	☒	☒	☒	☒

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations? Method air perforator
☐ Screens? Screen Type _____

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
518	538	1"	400		Steel	☒	☒

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

490 ft. below ground Artesian pressure _____ lb.
Depth flow encountered 490 ft. Describe access port or control devices: Steel cap welded

53N 3W 7

FORWARD WHITE COPY TO WATER RESOURCES

11. WELL TESTS:

Pump	Bailer	☒ Air	Flowing Artesian
Yield gal./min.	Drawdown	Pump Level	Time
60+	100%	535	1 HR.

Water Temp. COLD Bottom hole temp. COLD
Water Quality test or comments: (below) Depth first Water Encountered 490
slight color

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks Lithology, Water Quality and Temperature	Water	
				Y	N
8	0	1	Topsoil		☒
8	1	18	Sand & gravel - 3/4" minus		☒
6	18	120	Sand & gravel - 3/4" minus		☒
6	120	186	Sand & gravel - fine		☒
6	186	245	Sand & gravel - 1/2" minus		☒
6	245	255	Boulder		☒
6	255	410	Sand & gravel - 3/4" minus		☒
6	410	490	Sand & gravel - 1/2" minus		☒
6	490	510	Sand & gravel with clays - 3/4" minus	☒	
6	510	538	Sand & gravel - 3/4" minus	☒	

Completed Depth 538 (Measurable)
Date: Started 11/26/01 Completed 12/3/01

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc. Firm No 414
Name _____
Firm Official Timothy Valli Date 12/4/01
and _____
Supervisor or Operator Jason C. Beckham Date 12/4/01

Site Provided by...
governmentmax.com T1.12

Parcel

Parcel Number
1 of 1

Property Info**Parcel**

Print View

Parcel Map →

Parcel Number	AIN	Situs Address	Current Total Value
061100010010249229		1681 E HIGHWAY 54, ATHOL	\$416,467

Searches

Address

Parcel Number

Owner

AIN

Owner Information

Owner Name	FLEISCHACKER JAMES L ETAL
Owner Address	PO BOX 8 ATHOL ID 83801

Transfer Date

Functions

Home

Department Index

Assessor Home

Treasurer Home

Welcome Page

Login / Logout

Property Search

Printing Parcel Maps

Help

Contact Us

Subscriptions

Treasurer Search

Location / Description

Tax Authority Group	156000	Legal Desc.	PINE SISKIN ESTATES, LT 1 BLK 1 07 53N 03W
Situs Address	1681 E HIGHWAY 54, ATHOL		
Acreage	9.5650		

Parcel Type

Property Class Code	537- Imp res rural sub
Neighborhood Code	1254 PONDEROSA COUNTRY

Assessment Information

Appraisal Date	01-01-2008	Current Year - 2008	0	Prior Year - 2007	0
Market Value Land	\$174,237	Homeowners Eligible Amt Land	\$110,000	Homeowners Eligible Amt Land	\$110,000
Market Value Improvement	\$300,832	Homeowners Eligible Amt Imp	\$300,832	Homeowners Eligible Amt Imp	\$328,675
Total Market Value	\$475,069	Sum Homeowners Eligible Amt	\$410,832	Sum Homeowners Eligible Amt	\$438,675
		Homeowners Exemption	\$100,938	Homeowners Exemption	\$89,325

		Allowed		Allowed	
Acreage	9.5650	Total Market Value	\$475,069	Total Market Value	\$502,912
		Homeowners Exemption Allowed	\$100,938	Homeowners Exemption	\$89,325
		Ag/Timber Exemption	\$58,602	Ag/Timber Exemption	\$59,038
		Net Taxable Value	\$315,529	Net Taxable Value	\$354,549

[Print](#) | [Back to List](#) | << First < Previous Next > Last >>

[Disclaimer / Privacy](#)

Powered by
MANATRON