

Identify

Identify from:
Taxlots

Taxlots

SMITH, ERIK

Location:
2,283,747.355 1,833,711.917 Meter:

Field	Value
ID	7631637
UPDATED	10/12/2016
PIN	50N04W191050
OWNER	SMITH, ERIK
ADDRESS1	2835 S REYNOLDS RD
ADDRESS2	<null>
CITY	COEUR D ALENE
STATE	ID
ZIPCODE	83814
P_ADDRESS	2835 S REYNOLDS RD
P_ZIPCODE	<null>
SUB_NAME	
LEGAL1	TAX #15007 [IN W2-NE]
LEGAL2	<null>
LEGAL3	<null>
LEGAL4	<null>
LEGAL5	<null>
LEGAL6	<null>
ACRES	9.5
COUNTY	Kootenai
SOURCE	<null>
YEAR_BUILT	2002

Identified 1 feature

Table Of Contents
Identify

RECEIVED

JUL 24 2001

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

IDWR/North

1. WELL TAG NO. D0017527

DRILLING PERMIT N WELL #2

Other IDWR No

770083

2. OWNER:

Name Erik Smith

Address 607 Lakeside Avenue

City Coeur d'Alene

State ID

Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp	50N	North	☒ or	South	☐
Rge		04W	East	☐ or	West	☒	
Sec		19	1/4	SW	1/4	NE	1/4
Gov't Lot		County		Kootenai			
Lat		Long					

Address of Well Site: (see next line)

W. Clemetson to N. Reynolds rd first drive on left

City

Lot

Blk

Sub. Name (see next line)

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	19	4 sacks	dry pour

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s)

19

Drive Shoe Seal Tested? ☐ Y ☒ N How?

8. CASING/LINER

Diam	From	To	Gauge	Material	Casing	Liner	Weld	Thrded
6	1	19	0.250	Steel	☒	☐	☒	☐
4	10	220	0.165	PVC	☐	☒	☐	☐
					☐	☐	☐	☐

Length Headpipe

Length Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations? Method

☒ Screens? Screen Type PVC

From	To	Slot	Nmbr	Diam	Material	Casing	Liner
180	220	.040			PVC	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

60 ft. below ground. Artesian pressure lb.

Depth flow encountered 210 ft. Describe access port or

control devices: Steel cap welded

11. WELL TESTS:

- ☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
45	100%	215	1 hr.

Water Temp. cold

Bottom hole temp cold

Water Quality test or comments: (below) Depth first Water Encountered 56

clear, cold, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks	Water	
			Lithology, Water Quality and Temperature	Y	N
8	0	4	Clay - brown	☐	☒
8	4	19	Decomposed granite	☐	☒
6	19	56	Decomposed granite	☐	☒
8	56	59	Granite - broken (1 gpm)	☒	☐
6	59	75	Granite - green - soft	☐	☒
6	75	80	Granite - salt & pepper	☐	☒
6	80	89	Granite - green - soft	☐	☒
6	89	94	Granite - lavender - soft	☐	☒
6	94	95	Granite - broken	☐	☒
6	95	101	Quartz ..	☐	☒
6	101	103	Granite - broken	☐	☒
6	103	110	Granite - green - soft	☐	☒
6	110	126	Granite - salt & pepper	☐	☒
6	126	204	Granite - green - soft	☐	☒
6	204	205	Granite - broken (10 gpm)	☒	☐
6	205	210	Granite - green - soft	☐	☒
6	210	212	Granite - broken (35 gpm)	☒	☐
6	212	220	Granite - salt & pepper - medium	☐	☒

RECEIVED

SEP 14 2001

Department of Water Resources

Completed Depth 220 (Measurable)

Date: Started 7/19/01 Completed 7/19/01

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc. Firm No 414

Firm Official and Date 7/20/01

Supervisor or Operator Curtis S. Hammond Date 7/20/01

FORWARD WHITE COPY TO WATER RESOURCES

425

50N 4W 19

RECEIVED

Form 238-7
11/97

JUN 11 2001 IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

IDWR/North

1. WELL TAG NO. D0017184

DRILLING PERMIT N

76-778

Other IDWR No

2. OWNER:

Name Erik Smith

Address 607 Lakeside Avenue

City Coeur d'Alene

State ID

Zip 83814

3. LOCATION OF WELL by legal description:

N
Twp 50N North ☒ or South
Rge 04W East ☐ or West ☒
Sec 19 1/4 SW 1/4 NE 1/4
10 Ac 40 Ac 160 Ac
Gov't Lot County Kootenai
Lat Long
S
Address of Well Site: (see next line)

Clemelson to N Reynolds Rd, first drive on left

City

Lot

Blk

Sub. Name (see next line)

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	38	7 sacks	dry pour

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 38

Drive Shoe Seal Tested? ☐ Y ☒ N How?

8. CASING/LINER

Diam	From	To	Gauge	Material	Casing	Liner	Weld	Thrded
6	2	38	0.250	Steel	☒	☐	☒	☐
4	20	220	0.165	PVC	☐	☒	☐	☐
					☐	☐	☐	☐

Length Headpipe Length Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations? Method

☒ Screens? Screen Type PVC

From	To	Slot	Nmbr	Diam	Material	Casing	Liner
180	220	40			PVC	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

53 ft. below ground. Artesian pressure lb.

Depth flow encountered 194 ft. Describe access port or

control devices: Steel cap, welded

11. WELL TESTS:

- ☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min	Drawdown	Pump Level	Time
60	100%	215	1 hr

Water Temp. cold

Bottom hole temp cold

Water Quality test or comments: (below) Depth first Water Encountered 50
clear, cold, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
8	0	7	Clay - brown	☐	☒
8	7	34	Decomposed granite - broken	☐	☒
8	34	38	Granite - salt/pepper	☐	☒
6	38	50	Granite - salt/pepper	☐	☒
6	50	65	Granite - broken (5 gpm)	☒	☐
6	65	90	Granite - soft	☐	☒
6	90	105	Granite - broken	☐	☒
6	105	162	Granite - soft	☐	☒
6	162	167	Granite - broken	☐	☒
6	167	194	Granite - soft	☐	☒
6	194	196	Granite - broken (55 gpm)	☒	☐
6	196	220	Granite - salt/pepper - hard	☐	☒

RECEIVED

SEP 14 2001

Department of Water Resources

Completed Depth 220 (Measurable)

Date: Started 5/7/01 Completed 5/8/01

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc.

Firm No 414

Firm Official and

Timothy Valli

Date 5/9/01

Supervisor or Operator Jason C. Beckham

Date 5/9/01

50N 4W 19

FORWARD WHITE COPY TO WATER RESOURCES

386