

Roda, Evan

From: Chris Bromley <cbromley@mchughbromley.com>
Sent: Tuesday, April 18, 2017 11:41 AM
To: Goodwin, Chad
Cc: Fritschle, Carter; Roda, Evan; Cooley-Denney, Suzy; Courtney, Andrea
Subject: RE: 95-8572 Amended Claim
Attachments: 20170418 Affidavit of Matt Isch w Ex.pdf

12Y

Chad,

Attached is the Affidavit of Matt Isch.

Please let me know if you have any questions.

Thanks,

Chris

From: Chris Bromley [mailto:cbromley@mchughbromley.com]
Sent: Friday, April 7, 2017 4:53 PM
To: Goodwin, Chad <Chad.Goodwin@idwr.idaho.gov>
Cc: Carter Fritschle <carter.fritschle@idwr.idaho.gov>; Roda, Evan <evan.roda@idwr.idaho.gov>; Cooley-Denney, Suzy <Suzy.Cooley-Denney@idwr.idaho.gov>; Courtney, Andrea <Andrea.Courtney@idwr.idaho.gov>
Subject: RE: 95-8572 Amended Claim

Chad,

Happy to have a phone call on Monday. The City will provide an affidavit explaining the pre 12/31/2005 connection date, which will be prepared next week.

Thanks,

Chris

On Apr 7, 2017 10:44 AM, "Goodwin, Chad" <Chad.Goodwin@idwr.idaho.gov> wrote:

Chris,

Thank you for this information, but this is a complete contradiction of any information we have received in the past. With this new information we will need evidence backing these wells being attached to the main system, and being utilized in connection to any of the city's water systems. All previous evidence and communications state that the main system and the Riverbend system did not become interconnected until 2008. If this is incorrect the city will need to provide clear and concise evidence of that. Once they provide the evidence of this information they will need to supply amended claims for all claims that the interconnectivity and new wells on the system affects.

SCANNED
APR 19 2017

With the short time frame of needing to complete Basin 95 part 1 we will need this evidence and amended claims within 30 days. If we have not received the required information by May 8, 2017 we will have to wait until after the Director's Report is filed to work on these any further.

If you have any question on this please contact me by phone or email.

Chad H. Goodwin

Water Rights Supervisor

Northern Regional Office

208-762-2800

From: Chris Bromley [mailto:cbromley@mchughbromley.com]

Sent: Friday, April 07, 2017 8:27 AM

To: Roda, Evan <Evan.Roda@idwr.idaho.gov>

Cc: Goodwin, Chad <Chad.Goodwin@idwr.idaho.gov>; Fritschle, Carter <Carter.Fritschle@idwr.idaho.gov>; Courtney, Andrea <Andrea.Courtney@idwr.idaho.gov>; Cooley-Denney, Suzy <Suzy.Cooley-Denney@idwr.idaho.gov>

Subject: RE: 95-8572 Amended Claim

Evan,

The two Riverbend wells were being used prior to 12/31/2005 in conjunction with the main well system on the east side of the city. The two Riverbend wells were not utilized on their own.

Where I think this leaves the amendment is to list the original PODs, then to list the interconnected wells from the main well system on the east side.

Does that sound right to you?